R 3850-1.12

Length of Stay in PAS Hospitals,

by Operation,

Canada, 1979

A Supplement To

Length of Stay in PAS Hospitals,
by Diagnosis,
Canada, 1979

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
OCTOBER 1980

LENGTH OF STAY IN PAS HOSPITALS

Copyright © 1980 by Commission on Professional and Hospital Activities, Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publishers.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the series entitled
"Length of Stay in PAS Hospitals". . .

Volumes include:

- . . . by Diagnosis, United States, 1979
- . . . by Diagnosis, United States, North Central Region, 1979
- . . . by Diagnosis, United States, Northeastern Region, 1979
- . . . by Diagnosis, United States, Southern Region, 1979
- . . . by Diagnosis, United States, Western Region, 1979
- . . . by Diagnosis, Canada, 1979

- . . . by Operation, United States, 1979
- . . . by Operation, United States, North Central Region, 1979
- . . . by Operation, United States, Northeastern Region, 1979
- . . . by Operation, United States, Southern Region, 1979
- . . . by Operation, United States, Western Region, 1979
- . . . by Operation, Canada, 1979

Also included are:

- Geriatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979
- Pediatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities. Also for selected years there are length of stay books for particular regional groups of hospitals, for pediatric patients, and for geriatric patients.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1979 in North America. Twelve volumes describe stays for either diagnoses or operations in the United States, in each of the four U.S. census regions, or in Canada. The thirteenth and fourteenth volumes display data on both diagnoses and operations for pediatric and for geriatric patients in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities.

These statistics, which are also available on computer readable magnetic tape, can provide a valuable perspective for physicians, administrators, PSROs, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" (PSRO) and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1979 LENGTH OF STAY BOOKS

Walt Wood, Manager, Research and Statistics
Ed Kobrinski, Assistant Manager
Ann Matteson, Project Coordinator

CONTENTS

Preface iii

Discussion of the Data 1

Source of the Data 1

Data Quality 3

Coverage 4

Organization of Length of Stay Tables 7

ICD-9-CM List B: Hospital Procedure Groups 7

Definition of Multiple Dx Patients 8

Explanation of Statistics 8

Defining the Extended Stay Case 10

Length of Stay Tables 19

Summary of All Patients 21

Operation Groups 501-764 22

Distribution Tables 89

Table 1: Distribution of Canadian Patients and Days of Care by *ICD-9-CM* List B Hospital Operation Groups 91

Table 2: Ranking of *ICD-9-CM* List B Operation Groups by Live Separations 104

Table 3: Ranking of *ICD-9-CM* List B Operation Groups by Days of Care 114

Appendix: *ICD-9-CM* Codes for Selected Operation Groups 125

Index to Length of Stay Tables 129

DISCUSSION OF THE DATA

Source of the Data

Data in this book were compiled from individual patient discharge abstracts submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA).

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain, and Figure 1 diagrams, the PAS method of storing and retrieving medical data.


PAS
HOSPITAL
CLINICAL RECORD
CASE ABSTRACT
DATA TAPE
CPHA
DATA CENTER
COMPUTER
DATA FILE
HOSPITAL
ITS OWN OVERALL STATISTICS
+
MORE DETAILED STATISTICS
+
LISTINGS
MULTIHOSPITAL STUDIES
INTERHOSPITAL COMPARISONS
REGIONAL DATA

FIG. 1. Schematic diagram of the PAS medical record information system.

BEST AVAILABLE COPY

1. In each participating hospital, medical record personnel transfer information from the record of each discharged patient onto a PAS Case Abstract (Figure 2). The data may also be put onto a data tape at the hospital.
2. The abstract or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it serves as input to the computer system.
3. Data then undergo a comprehensive "cleaning" process and detected errors are corrected by contributing hospitals.
4. The computer system produces sets of reports which give comprehensive statistics on separations plus listings of individual case abstracts in various sequences.
5. The computer system continually adds to a permanent history data file.
6. Length of stay statistics from this file are annually published in this series of length of stay books. The stored data are also available to researchers on a contractual basis.


1234567890EV

PAS

1979 CASE ABSTRACT

SAMPLE

79

PAS

79

FIG. 2 PAS Case Abstract

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its role as an extension of the hospital's medical record department.

Quality control of PAS data begins before a new hospital submits its first case abstract and continues as an ongoing system involving personal monitoring, computer checks, and education programs. In spite of these efforts, errors do occur. There are three ways errors can be introduced into PAS data: 1) the basic patient medical record can be incomplete or in error, 2) errors can be made in abstracting information from the medical record to the PAS Case Abstract, and 3) errors can be introduced during processing.

Although CPHA has indirect influence over the quality of the medical record through education and through feedback from use of PAS reports within the hospital, basic responsibility for the accuracy of the medical record rests with the physician and others in the hospital contributing to it. Clearly, the abstractor cannot add to the medical record. Errors or omissions made in it will be carried forward to the PAS Case Abstract.

CPHA goes to considerable lengths to prevent and correct errors in abstracting by training PAS hospital medical record personnel in coding and abstracting methods, by monitoring their work, and by judiciously checking and editing patient data for errors. During processing, over 350 computer checks* are performed on each abstract to check the reasonableness of the data received. When illogical, invalid, or missing data are detected, an error message is printed and the hospital is notified, often by phone. About 40% of the errors detected in the computer audit can be and are corrected at CPHA; the remainder must be handled by the hospitals because only they have the information necessary to make the corrections. Hospitals make such corrections on a voluntary basis.

*The following are examples of discrepancies and inconsistencies in the data that are detected by the computer audit: hospital day of operative episode exceeding total stay, cesarean sections with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded. Examples of invalid data detected by the computer are diagnosis and operation codes that do not exist in the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Coverage

The length of stay tables in this book display stay distributions for 484,711 operated separations during 1979 from 242 nonfederal, short-term* Canadian hospitals participating in PAS. Short-term psychiatric hospitals participating in PAS were excluded. Patients studied were selected from a total of 1,186,998 separations. Only those patients who were operated are included in this book.

Characteristics of all Canadian hospitals that participated in PAS during 1979 are shown in Table A. Some of these hospitals did not participate for the entire 12-month period. In addition, because of the unavailability of data at the time of processing, data for some of these PAS hospitals are not included in the length of stay tables.

---

*Short-term hospitals are defined as those in which the median stay is shorter than 45 days.

Table A

Bed Size and Province: PAS Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in Canada January-December 1979

	Short-Term Hospitals			Beds		
Hospital Class (1)	Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
CANADA						
Bed Size						
1. Less than 25 beds	255	28	11.0%	3,765	550	14.6%
2. 25-49	204	75	36.8	7,012	2,618	37.3
3. 50-99	155	50	32.3	10,317	3,443	33.4
4. 100-199	133	38	28.6	17,915	5,158	28.8
5. 200-299	68	24	35.3	16,420	5,715	34.8
6. 300-399	51	17	33.3	16,778	5,967	35.6
7. 400-499	34	8	23.5	14,643	3,553	24.3
8. 500 or more	53	14	26.4	39,831	10,229	25.7
Total	953	254	26.7%	126,681	37,233	29.4%
Province or Territory						
Alberta	118	115	97.5%	13,186	10,978	83.3%
British Columbia	102	71	69.6	14,878	11,578	77.8
Manitoba	83	1	1.2	6,024	234	3.9
New Brunswick	35	16	45.7	4,405	3,287	74.6
Newfoundland	50	8	16.0	3.059	1,964	64.2
Nova Scotia	45	16	35.6	4,832	3,094	64.0
Ontario	229	0	0	42,702	0	0
Prince Edward Island	8	0	0	659	0	0
Quebec	147	5	3.4	30,013	2,222	7.4
Saskatchewan	133	20	15.0	6,761	3,764	55.7
Northwest Territories	3	2	66.7	162	112	69.1
Yukon	0	0	–	0	0	–
Total	953	254	26.7%	126,681	37,233	29.4%

---

[1] Hospitals with average stay less than 45 days, excluding psychiatric hospitals

[2] Source: *Canadian Hospital Directory*, 1978

Organization of Length of Stay Tables

The length of stay tables in the body of this book are organized according to the operation groupings in *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each operation group, patients are further stratified by single or multiple diagnoses and age.

ICD-9-CM List B: Hospital Procedure Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), CPHA List B: Hospital Operation Groups* has been replaced by *ICD-9-CM List B: Hospital Procedure Groups,* which reflects the procedures contained in the new classification.

In List B there are 249 groups that contain at least one UHDDS Class 1[2] procedure. Fifteen of the 264 List B groups consist solely of Class 2, 3, and 4 procedures. This book displays data only for those 249 groups with Class 1 procedures.

Patients were assigned to the *ICD-9-CM* List B operation groups on the basis of their principal procedure. Operation information for all separations from PAS hospitals during 1979 was coded using *ICD-9-CM.* "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS) and generally is that therapeutic procedure most related to the principal diagnosis.

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Multiple Dx Patients

A patient is classified in the multiple dx category if he had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Explanation of Statistics

The operation group titles heading the tables are followed in parentheses by the operation codes they include. These codes refer to *ICD-9-CM.*

Length of stay is calculated from admission and separation dates entered on the PAS Case Abstract, counting the day of admission but not the day of separation. Patients who left the hospital on the day of admission were counted as staying one day in the calculation of average stay and variance, but as staying less than one day in the calculation of the percentiles. Thus, if more than 5% of the patients in a cell left on the day of admission, the 5th percentile is shown as "$<$1."

Patients who were hospitalized 100 days or longer are not included in column 2, "Number of Patients"; column 3, "Average Stay"; or column 4, "Variance." The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are shown. If, for example, the 10th percentile for a group of patients is four days, it means that ten percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

The value of a percentile for a group of patients is determined by arranging the individual patients' stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Exclusions

The length of stay tables exclude:

(1) patients who died,
(2) patients admitted from other short-term hospitals,
(3) patients transferred to other short-term hospitals,
(4) patients who left against medical advice,
(5) patients with length of stay greater than 99 days (these patients are included only in the percentile calculations).

These patients are excluded because they are not typical short-term patients (i.e., their stays are not "manageable" by the physician).

Other exclusions include stillborn, patients with incalculable age or stay, illegal or unrecorded principal diagnosis or principal procedure, unrecorded separation status, and patients with diagnosis-age, operation-age, or operation-sex inconsistencies. Also excluded are newborn with illegal or unrecorded birthweights.

Defining the Extended Stay[1] Case

Although utilization review in Canadian hospitals has not had the regulatory impetus of the Medicare and PSRO programs in the United States, Canadian hospitals have equal reason to be concerned about the wise use of resources. The instructions which follow are those found in the length of stay books for the United States. The techniques employed can be used by any Canadian hospital conducting a review of those cases whose stay exceeds the norms for matching cases listed in *Length of Stay in PAS Hospitals, by Diagnosis, Canada, 1979* or *Length of Stay in PAS Hospitals, by Operation, Canada, 1979.*

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the PSRO is called extended stay review. This review, whether applied universally to all patients within the facility or "focused" on known or suspected problem areas, is designed to answer the following question: is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in reasonably current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, the age of the patient, and whether the patient had single or multiple diagnoses.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and quite different lengths of stay) are appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy), primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung) and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

---

[1] Medicare regulations formerly referred to "extended duration," PSRO guidelines refer to "continued stay."

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the regional length of stay books published by the Commission on Professional and Hospital Activities.[1] With the appropriate book, the five steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[2]) that contains the contemplated operation in one of the following ways.

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[3] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group (in the CPHA length of stay books) for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. For diagnoses not in *Concurrent Review Screening* the contemplated operation can usually be found in the index at the back of the operation length of stay book.

c. If an operation is not listed in the index to the length of stay tables, the code for the operation can be found in Volume 3 of *ICD-9-CM.*[4] That code can then be located in List B or in the heading of the length of stay table.

---

[1] *Length of Stay in PAS Hospitals, by Diagnosis,* Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., Northeastern Region, 1979
U.S., Southern Region, 1979
U.S., North Central Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

Length of Stay in PAS Hospitals, by Operation, Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., Northeastern Region, 1979
U.S., Southern Region, 1979
U.S., North Central Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

[2] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[4] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table. There are four tables per page for operation groups in the length of stay books.

Step 3. Find the appropriate part of the table for number of diagnoses (single or multiple.

Step 4. Find the correct age group. The five age groupings presented are 0-19 years, 20-34 years, 35-49 years, 50-64 years, and 65 years and over.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line which includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November, a 57-year-old patient is admitted to a Canadian hospital for elective surgery, in this case, a transurethral resection, the admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening*. Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. *Diastolic BP > 110*			
2. *Not controlled by outpatient Rx*			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. *Sepsis or fever > 102°, chills*			
2. *Abscess formation*			

b. The alphabetic index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

Group Number	Title
	Palate
551	Cleft palate repair
551	Palatoplasty
514	Parathyroid
	Penis
657	Circumcision
	Perineum, female
683	Excision of lesion or tissue
683	Incision
	Perirectal
607	Excision
607	Incision
609	Other
	Peritoneum
630	Division of adhesions
627	Drainage, except via cul de sac
682	Via cul de sac
626	Excision
630	Incision, except via cul de sac
682	Via cul de sac
628	Peritoneoscopy
	Pleura
576	Pleurocentesis
	Prostate
648	**Prostatectomy, transurethral**
649	Prostatectomy, except transurethral
650	Other
	Rectum
606	Excision, except proctectomy
609	Incision
608	Proctectomy
608	Other
	Reduction
	Dislocation, *see Joint*
	Fracture, *see Bone*
758	Retrograde pyelogram
	Sinuses, nasal
546	Radical maxillary sinusotomy

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure **INDEX TO PROCEDURES**

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) *(see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** *(see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy** (complete) (partial) NEC 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - **transurethral 60.2**
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

408

Step 2. Find the table for group 648 of *Length of Stay in PAS Hospitals, by Operation, Canada, 1979.*

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	9.0	5	6	6	9	10	11	11	11
20-34	3	8.0	7	5	5	9	10	10	10	10
35-49	36	7.9	11	3	5	7	10	12	15	17
50-64	718	8.6	16	4	5	8	10	13	16	22
65+	1499	9.9	26	5	5	9	12	16	20	29
2. MULTIPLE DX										
0-19 YRS	5	12.6	26	8	8	12	15	21	21	21
20-34	6	19.8	302	6	6	12	43	89	99+	99+
35-49	65	11.5	46	5	5	9	14	18	28	35
50-64	1316	11.9	60	5	6	10	13	19	25	43
65+	3990	14.2	102	6	7	11	17	26	34	77
TOT. SINGLE DX	2260	9.5	23	5	5	8	11	15	18	28
" MULTIPLE DX	5382	13.6	92	5	6	11	16	24	32	66
TOTAL 0-19 YRS	9	11.0	19	6	7	10	12	18	21	21
20-34	9	15.9	226	5	5	10	39	72	99+	99+
35-49	101	10.2	36	4	5	9	12	17	21	35
50-64	2034	10.7	47	5	5	9	12	17	22	39
65+	5489	13.1	85	5	6	10	15	23	30	64
GRAND TOTAL	**7642**	**12.4**	**75**	**5**	**6**	**10**	**14**	**21**	**29**	**58**

Step 3. There are no secondary diagnoses recorded, so one needs to be concerned only with the top five lines of the table (Section 1).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	9.0	5	6	6	9	10	11	11	11
20-34	3	8.0	7	5	5	9	10	10	10	10
35-49	36	7.9	11	3	5	7	10	12	15	17
50-64	718	8.6	16	4	5	8	10	13	16	22
65+	1499	9.9	26	5	5	9	12	16	20	29
2. MULTIPLE DX										
0-19 YRS	5	12.6	26	8	8	12	15	21	21	21
20-34	6	19.8	302	6	6	12	43	89	99+	99+
35-49	65	11.5	46	5	5	9	14	18	28	36
50-64	1316	11.9	60	5	6	10	13	19	25	43
65+	3990	14.2	102	6	7	11	17	26	34	77
TOT. SINGLE DX	2260	9.5	23	5	5	8	11	15	18	28
" MULTIPLE DX	5382	13.6	92	5	6	11	16	24	32	66
TOTAL 0-19 YRS	9	11.0	19	6	7	10	12	18	21	21
20-34	9	15.9	226	5	5	10	39	72	99+	99+
35-49	101	10.2	36	4	5	9	12	17	21	35
50-64	2034	10.7	47	5	5	9	12	17	22	39
65+	5489	13.1	85	5	6	10	15	23	30	64
GRAND TOTAL	**7642**	**12.4**	**75**	**5**	**6**	**10**	**14**	**21**	**29**	**58**

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	9.0	5	6	6	9	10	11	11	11
20-34	3	8.0	7	5	5	9	10	10	10	10
35-49	36	7.9	11	3	5	7	10	12	15	17
50-64	718	8.6	16	4	5	8	10	13	16	22
65+	1499	9.9	26	5	5	9	12	16	20	29
2. MULTIPLE DX										
0-19 YRS	5	12.6	26	8	8	12	15	21	21	21
20-34	6	19.8	302	6	6	12	43	89	99+	99+
35-49	65	11.5	46	5	5	9	14	18	28	36
50-64	1316	11.9	60	5	6	10	13	19	25	43
65+	3990	14.2	102	6	7	11	17	26	34	77
TOT. SINGLE DX	2260	9.5	23	5	5	8	11	15	18	28
" MULTIPLE DX	5382	13.6	92	5	6	11	16	24	32	66
TOTAL 0-19 YRS	9	11.0	19	6	7	10	12	18	21	21
20-34	9	15.9	226	5	5	10	39	72	99+	99+
35-49	101	10.2	36	4	5	9	12	17	21	35
50-64	2034	10.7	47	5	5	9	12	17	22	39
65+	5489	13.1	85	5	6	10	15	23	30	64
GRAND TOTAL	**7642**	**12.4**	**75**	**5**	**6**	**10**	**14**	**21**	**29**	**58**

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the eighth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	9.0	5	6	6	9	10	11	11	11
20-34	3	8.0	7	5	5	9	10	10	10	10
35-49	36	7.9	11	3	5	7	10	12	15	17
50-64	718	8.6	16	4	5	8	10	13	16	22
65+	1499	9.9	26	5	5	9	12	16	20	29
2. MULTIPLE DX										
0-19 YRS	5	12.6	26	8	8	12	15	21	21	21
20-34	6	19.8	302	6	6	12	43	89	99+	99+
35-49	65	11.5	46	5	5	9	14	18	28	36
50-64	1316	11.9	60	5	6	10	13	19	25	43
65+	3990	14.2	102	6	7	11	17	26	34	77
TOT. SINGLE DX	2260	9.5	23	5	5	8	11	15	18	28
" MULTIPLE DX	5382	13.6	92	5	6	11	16	24	32	66
TOTAL 0-19 YRS	9	11.0	19	6	7	10	12	18	21	21
20-34	9	15.9	226	5	5	10	39	72	99+	99+
35-49	101	10.2	36	4	5	9	12	17	21	35
50-64	2034	10.7	47	5	5	9	12	17	22	39
65+	5489	13.1	85	5	6	10	15	23	30	64
GRAND TOTAL	**7642**	**12.4**	**75**	**5**	**6**	**10**	**14**	**21**	**29**	**58**

The patient was admitted on 3 November; therefore, the eighth day will fall on 11 November. Prior to or on 11 November the UR coordinator, the physician advisor, the UR committee, or other group responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., 75th percentile (as suggested in the PSRO *Program Manual*, paragraph 705.26).

Subsequent extended stay review dates would ordinarily be set by the physician advisor or the peer review (utilization review) committee as necessary, based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

Summary of all patients in operation groups

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56932	3.7	20	<1	1	2	4	7	10	22
20-34	88309	4.5	16	<1	1	4	6	8	10	20
35-49	36973	5.5	29	1	1	4	7	11	15	27
50-64	31412	6.9	45	1	2	5	9	14	19	33
65+	22354	8.7	74	1	2	6	11	18	25	46
2. MULTIPLE DX										
0-19 YRS	31457	6.4	91	1	1	3	7	14	23	64
20-34	77870	6.7	49	1	2	5	8	12	17	43
35-49	42692	8.8	83	1	2	7	10	17	25	57
50-64	46504	11.6	138	1	2	8	15	25	36	78
65+	50208	15.7	225	2	3	11	21	37	55	99+
TOT. SINGLE DX	235980	5.2	31	1	1	4	6	10	14	28
" MULTIPLE DX	248731	9.8	124	1	2	7	12	22	33	80
TOTAL 0-19 YRS	88389	4.7	47	<1	1	3	5	9	14	39
20-34	166179	5.5	33	1	1	4	7	10	13	31
35-49	79665	7.3	60	1	2	5	9	14	20	44
50-64	77916	9.7	106	1	2	7	12	21	29	63
65+	72562	13.5	189	2	2	9	17	31	46	99+
GRAND TOTAL	**484711**	**7.5**	**84**	**1**	**1**	**5**	**9**	**16**	**24**	**58**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	13.2	83	2	3	12	17	21	33	42
20-34	53	17.9	154	2	4	15	22	35	44	58
35-49	59	21.5	189	6	9	18	26	41	50	75
50-64	64	19.3	237	5	8	15	24	40	74	99+
65+	32	24.7	455	7	7	15	37	67	79	99+
2. MULTIPLE DX										
0-19 YRS	45	29.2	398	5	9	28	46	99+	99+	99+
20-34	45	34.0	545	10	13	31	65	99+	99+	99+
35-49	68	29.4	318	8	13	29	52	99+	99+	99+
50-64	96	31.5	422	9	11	29	47	95	99+	99+
65+	75	36.6	519	9	14	34	61	99+	99+	99+
TOT. SINGLE DX	237	19.5	224	3	6	16	24	41	57	99+
" MULTIPLE DX	329	32.3	439	8	12	30	53	99+	99+	99+
TOTAL 0-19 YRS	74	22.9	334	3	5	19	37	75	99+	99+
20-34	98	25.3	395	4	7	21	38	82	99+	99+
35-49	127	25.7	272	7	11	22	37	69	99+	99+
50-64	160	26.6	383	7	9	21	40	75	99+	99+
65+	107	33.0	526	7	9	31	53	94	99+	99+
GRAND TOTAL	**566**	**26.9**	**388**	**5**	**9**	**22**	**41**	**81**	**99+**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	16.4	176	3	5	14	19	22	47	66
20-34	23	15.3	118	3	4	13	22	28	38	46
35-49	13	18.4	472	2	3	12	15	70	93	99+
50-64	12	17.3	258	3	5	17	23	99+	99+	99+
65+	9	15.3	84	7	7	11	22	30	31	31
2. MULTIPLE DX										
0-19 YRS	19	22.4	368	<1	1	21	46	99+	99+	99+
20-34	25	24.9	606	6	7	19	55	99+	99+	99+
35-49	40	27.3	430	5	7	25	46	99+	99+	99+
50-64	33	28.4	504	8	9	26	63	99+	99+	99+
65+	31	35.6	696	11	12	33	74	99+	99+	99+
TOT. SINGLE DX	76	16.4	200	3	5	13	20	41	67	99+
" MULTIPLE DX	148	28.3	528	6	8	26	55	99+	99+	99+
TOTAL 0-19 YRS	38	19.4	274	1	3	15	28	64	99+	99+
20-34	48	20.3	388	3	6	15	32	98	99+	99+
35-49	53	25.1	447	4	6	19	46	95	99+	99+
50-64	45	25.4	456	6	8	20	54	99+	99+	99+
65+	40	31.0	626	8	11	27	60	99+	99+	99+
GRAND TOTAL	**224**	**24.2**	**447**	**4**	**7**	**19**	**45**	**99+**	**99+**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	8.3	47	2	3	8	10	14	14	43
20-34	21	8.3	9	5	6	8	9	11	15	18
35-49	12	9.0	11	4	5	9	10	13	16	17
50-64	8	12.4	199	2	2	10	11	36	46	46
65+										
2. MULTIPLE DX										
0-19 YRS	39	14.1	224	3	4	10	15	28	53	75
20-34	44	15.2	189	5	7	11	18	50	73	99+
35-49	21	21.7	524	7	8	16	77	99+	99+	99+
50-64	17	11.8	76	3	4	12	15	33	76	99+
65+	4	12.8	16	8	8	13	16	17	17	17
TOT. SINGLE DX	78	8.8	45	2	4	8	10	13	16	45
" MULTIPLE DX	125	15.4	238	4	5	11	17	55	99+	99+
TOTAL 0-19 YRS	76	11.3	145	2	4	9	12	17	38	70
20-34	65	13.0	140	5	6	9	13	32	57	99+
35-49	33	17.1	369	6	7	12	22	99+	99+	99+
50-64	25	12.0	109	2	3	11	15	38	57	99+
65+	4	12.8	16	8	8	13	16	17	17	17
GRAND TOTAL	**203**	**12.9**	**174**	**3**	**4**	**10**	**14**	**35**	**75**	**99+**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	13.5	19	7	9	13	15	30	84	99+
20-34	5	27.2	922	10	10	15	35	81	81	81
35-49	4	17.0	18	14	14	16	20	23	23	23
50-64	3	15.3	25	10	10	16	19	20	20	20
65+	1	43.0		43	43	43	43	43	43	43
2. MULTIPLE DX										
0-19 YRS	45	30.4	494	7	9	26	52	98	99+	99+
20-34	10	12.8	61	4	6	13	16	59	97	99+
35-49	9	50.4	872	4	12	61	83	96	99+	99+
50-64	12	29.5	427	10	12	24	62	99+	99+	99+
65+	17	48.4	820	10	13	57	90	99+	99+	99+
TOT. SINGLE DX	26	18.0	214	9	10	14	20	39	84	99+
" MULTIPLE DX	93	33.6	634	7	9	32	64	99+	99+	99+
TOTAL 0-19 YRS	58	26.6	435	7	9	23	43	96	99+	99+
20-34	15	17.6	352	5	7	13	18	76	94	99+
35-49	13	40.2	844	6	13	33	64	94	99	99+
50-64	15	26.7	374	10	11	20	57	93	99+	99+
65+	18	48.1	773	10	13	54	89	99+	99+	99+
GRAND TOTAL	**119**	**30.2**	**581**	**7**	**10**	**23**	**58**	**99+**	**99+**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	8.3	25	2	3	7	11	14	18	25
20-34	10	11.2	210	1	1	6	13	34	49	49
35-49	11	17.4	212	5	5	14	23	39	54	55
50-64	2	15.5	25	12	12	15	19	19	19	19
65+	5	10.2	75	2	2	6	17	23	23	23
2. MULTIPLE DX										
0-19 YRS	110	14.5	143	4	5	10	17	29	35	71
20-34	36	22.3	333	4	7	20	45	99+	99+	99+
35-49	12	21.7	366	3	5	13	40	67	94	99+
50-64	11	20.6	236	4	5	16	33	44	45	45
65+	5	16.8	173	6	7	21	84	99+	99+	99+
TOT. SINGLE DX	72	10.4	87	2	3	8	13	20	25	54
" MULTIPLE DX	174	17.1	210	4	5	13	24	46	99+	99+
TOTAL 0-19 YRS	154	12.7	117	4	4	9	14	25	34	68
20-34	46	19.9	323	2	3	17	40	99+	99+	99+
35-49	23	19.6	284	4	5	13	32	55	71	99+
50-64	13	19.8	202	4	5	16	28	44	45	45
65+	10	13.5	122	2	4	12	30	99+	99+	99+
GRAND TOTAL	**246**	**15.1**	**183**	**3**	**4**	**11**	**20**	**39**	**68**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	18.8	270	5	7	13	28	73	96	99+
20-34	59	12.6	31	6	7	11	16	20	23	35
35-49	127	14.3	67	6	7	12	18	23	33	59
50-64	129	14.0	37	7	8	13	16	23	27	34
65+	40	19.8	159	6	8	16	27	37	49	53
2. MULTIPLE DX										
0-19 YRS	11	25.9	341	11	11	18	60	99+	99+	99+
20-34	46	18.6	188	7	8	14	27	55	99+	99+
35-49	119	17.5	127	6	8	14	22	33	42	75
50-64	160	19.0	148	8	9	16	24	36	57	99+
65+	95	29.6	347	9	11	26	43	69	92	99+
TOT. SINGLE DX	366	14.7	70	6	7	12	18	25	32	53
" MULTIPLE DX	431	21.1	216	8	8	16	28	47	68	99+
TOTAL 0-19 YRS	22	22.[illegible]	304	7	9	17	40	99+	99+	99+
20-34	105	15.2	108	7	7	12	18	34	54	99+
35-49	246	15.8	98	6	7	13	19	30	39	65
50-64	289	16.8	104	8	8	14	20	30	40	99+
65+	135	26.7	310	8	9	23	37	59	80	99+
GRAND TOTAL	**797**	**18.1**	**159**	**7**	**8**	**14**	**22**	**36**	**55**	**99+**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	10.6	81	2	3	8	14	26	33	35
20-34	35	11.8	166	2	2	7	16	25	42	61
35-49	39	12.8	124	2	2	10	17	30	38	47
50-64	31	10.4	54	2	2	11	16	21	24	25
65+	3	21.0	819	3	3	6	42	54	54	54
2. MULTIPLE DX										
0-19 YRS	45	27.0	339	6	9	22	41	65	74	99+
20-34	25	27.4	550	3	4	31	54	99+	99+	99+
35-49	32	21.5	367	4	6	13	39	54	76	99+
50-64	46	23.3	223	3	5	21	35	46	55	99+
65+	33	33.8	644	3	4	31	57	92	99+	99+
TOT. SINGLE DX	125	11.8	123	2	2	8	16	25	35	56
" MULTIPLE DX	181	26.4	407	3	6	22	41	66	99+	99+
TOTAL 0-19 YRS	62	22.5	320	3	6	17	35	55	67	99+
20-34	60	18.3	379	2	3	12	31	61	99+	99+
35-49	71	16.7	249	2	3	11	22	45	52	95
50-64	77	18.1	194	2	2	16	26	39	46	90
65+	36	32.8	648	3	4	29	53	92	99+	99+
GRAND TOTAL	**306**	**20.4**	**341**	**2**	**3**	**15**	**32**	**53**	**76**	**99+**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	3.7	22	<1	1	3	4	6	13	24
20-34	87	4.3	21	1	1	3	4	10	14	25
35-49	81	4.0	9	1	2	3	5	7	10	17
50-64	104	4.1	24	1	1	3	4	7	12	32
65+	59	5.5	46	1	1	3	6	11	21	36
2. MULTIPLE DX										
0-19 YRS	18	9.2	183	<1	1	5	10	45	82	99+
20-34	50	5.2	29	<1	1	4	5	14	18	25
35-49	57	7.3	72	1	2	4	9	19	27	42
50-64	93	6.9	89	1	1	4	6	16	22	53
65+	53	9.7	177	2	2	6	11	19	33	85
TOT. SINGLE DX	355	4.3	23	1	1	3	5	8	12	31
" MULTIPLE DX	271	7.4	98	1	1	4	8	18	25	58
TOTAL 0-19 YRS	42	6.1	96	<1	1	3	6	15	36	99+
20-34	137	4.6	24	<1	1	3	5	10	16	25
35-49	138	5.4	38	1	2	3	6	11	17	32
50-64	197	5.4	56	1	1	3	5	10	19	47
65+	112	7.5	111	1	2	4	8	15	26	58
GRAND TOTAL	**626**	**5.7**	**58**	**1**	**1**	**3**	**6**	**11**	**20**	**43**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	2.9	14	<1	1	2	3	5	6	26
20-34	314	2.5	3	<1	1	2	3	4	6	9
35-49	351	2.5	4	<1	1	2	3	4	6	11
50-64	396	2.8	6	1	1	2	3	5	6	14
65+	178	3.2	8	<1	1	2	4	6	8	15
2. MULTIPLE DX										
0-19 YRS	87	3.5	15	1	1	2	4	8	10	23
20-34	192	4.7	41	1	1	3	4	10	18	28
35-49	194	5.5	58	1	1	3	6	14	19	36
50-64	276	5.9	54	1	2	3	6	12	18	40
65+	175	7.3	108	1	2	3	8	21	31	93
TOT. SINGLE DX	1326	2.7	5	<1	1	2	3	5	6	13
" MULTIPLE DX	924	5.6	60	1	1	3	5	13	19	42
TOTAL 0-19 YRS	174	3.2	15	<1	1	2	3	6	9	26
20-34	506	3.3	18	<1	1	2	3	6	9	22
35-49	545	3.6	25	<1	1	2	3	7	12	21
50-64	672	4.1	28	1	1	3	4	8	13	32
65+	353	5.3	62	1	1	3	5	12	22	66
GRAND TOTAL	2250	3.9	30	1	1	2	4	7	13	30

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	8.5	10	5	5	8	11	13	13	13
20-34	19	9.3	34	2	4	7	12	17	23	26
35-49	29	8.9	24	3	3	9	13	16	18	19
50-64	42	10.7	52	3	5	8	14	19	26	38
65+	52	11.4	32	5	6	10	15	19	24	28
2. MULTIPLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	25	9.2	23	4	4	8	11	18	20	20
35-49	39	14.9	105	5	6	12	20	25	49	99+
50-64	84	17.1	213	5	7	12	22	29	35	93
65+	147	18.4	199	7	7	14	21	40	56	99+
TOT. SINGLE DX	148	10.3	36	4	5	9	13	17	23	28
" MULTIPLE DX	296	16.7	181	5	7	13	21	31	48	98
TOTAL 0-19 YRS	7	8.1	9	5	5	7	10	13	13	13
20-34	44	9.2	27	3	4	8	12	18	20	26
35-49	68	12.3	78	3	4	10	15	23	27	91
50-64	126	15.0	167	4	5	11	19	28	33	88
65+	199	16.6	165	6	7	13	20	31	48	95
GRAND TOTAL	444	14.6	142	5	6	12	17	27	38	90

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	9	6.9	56	<1	<1	3	13	19	21	21
35-49	9	10.3	100	1	1	5	20	25	28	28
50-64	8	11.0	107	2	3	6	16	28	33	33
65+	4	4.8	14	1	1	5	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	5	5.4	21	2	2	4	8	13	13	13
20-34	7	9.1	49	2	2	6	15	20	20	20
35-49	9	13.4	121	4	5	11	17	70	99+	99+
50-64	14	14.1	212	4	4	8	16	32	51	56
65+	24	13.3	69	2	4	13	20	87	99+	99+
TOT. SINGLE DX	33	8.1	73	<1	1	4	13	20	27	33
" MULTIPLE DX	59	12.4	105	2	3	10	17	36	99+	99+
TOTAL 0-19 YRS	8	4.1	15	1	1	3	5	11	13	13
20-34	16	7.9	51	<1	<1	5	14	20	21	21
35-49	18	11.9	106	1	2	10	19	36	73	99+
50-64	22	13.0	169	3	4	7	16	30	42	56
65+	28	12.1	69	2	2	10	18	61	99+	99+
GRAND TOTAL	92	10.8	96	1	2	9	16	29	51	99+

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	6.2	20	2	3	5	6	10	16	27
20-34	297	5.8	9	3	4	5	6	8	11	23
35-49	335	5.5	3	3	4	5	6	7	8	12
50-64	267	5.9	6	3	4	5	7	8	10	16
65+	93	6.9	10	4	4	6	8	10	13	21
2. MULTIPLE DX										
0-19 YRS	18	10.3	161	4	4	6	9	25	45	55
20-34	125	7.1	25	3	4	5	8	12	17	29
35-49	164	6.6	11	3	4	6	7	11	14	19
50-64	219	8.5	46	4	4	7	9	15	20	47
65+	119	10.1	60	4	5	8	11	18	27	46
TOT. SINGLE DX	1047	5.8	7	3	4	5	6	8	10	18
" MULTIPLE DX	645	8.1	40	4	4	6	9	14	19	36
TOTAL 0-19 YRS	73	7.2	56	3	3	5	7	13	20	49
20-34	422	6.2	14	3	4	5	6	9	13	24
35-49	499	5.9	6	3	4	5	7	8	10	16
50-64	486	7.1	25	4	4	6	8	11	16	25
65+	212	8.7	40	4	4	7	9	16	19	39
GRAND TOTAL	1692	6.7	21	3	4	6	7	10	14	25

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	116	3.8	8	1	2	3	4	7	9	16
20-34	56	4.6	8	2	2	4	5	8	12	15
35-49	48	4.8	10	2	2	4	5	7	11	19
50-64	38	6.3	46	1	2	5	6	10	20	39
65+	22	10.3	145	2	3	7	8	21	43	54
2. MULTIPLE DX										
0-19 YRS	11	12.5	736	2	2	4	7	43	90	94
20-34	22	9.5	57	3	3	7	12	24	25	25
35-49	39	11.9	89	3	4	9	15	23	34	47
50-64	65	11.0	80	3	4	8	13	22	32	92
65+	37	14.5	116	5	5	11	18	35	36	43
TOT. SINGLE DX	280	5.0	27	2	2	4	5	8	14	31
" MULTIPLE DX	174	11.9	125	3	4	8	14	24	36	84
TOTAL 0-19 YRS	127	4.5	72	1	2	3	4	7	9	35
20-34	78	6.0	26	2	3	4	7	12	20	25
35-49	87	8.0	57	2	3	5	9	16	23	44
50-64	103	9.3	72	2	3	7	11	21	29	75
65+	59	12.9	129	3	4	8	15	34	36	53
GRAND TOTAL	454	7.6	75	2	2	5	8	16	23	47

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	8.8	44	2	2	9	12	19	19	19
20-34	29	14.2	67	6	7	11	16	23	28	38
35-49	12	20.0	145	9	10	16	26	36	49	51
50-64	7	14.4	33	10	10	13	14	24	27	27
65+	2	20.5	181	11	11	20	30	30	30	30
2. MULTIPLE DX										
0-19 YRS	10	17.6	276	2	4	11	23	45	58	58
20-34	46	13.3	74	7	7	11	13	26	37	99+
35-49	34	16.9	70	7	8	15	24	27	28	42
50-64	34	21.7	260	8	8	18	27	42	61	74
65+	7	20.0	38	13	14	17	26	29	29	29
TOT. SINGLE DX	55	15.2	85	5	7	12	18	28	36	50
" MULTIPLE DX	131	17.1	141	7	8	13	22	30	42	79
TOTAL 0-19 YRS	15	14.7	208	2	2	10	18	32	51	58
20-34	75	13.7	70	7	7	11	14	25	37	88
35-49	46	17.7	89	7	8	16	24	28	32	51
50-64	41	20.4	227	8	9	14	25	40	57	74
65+	9	20.1	51	11	12	17	28	30	30	30
GRAND TOTAL	186	16.6	125	7	8	13	21	29	39	70

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	1.5	1	<1	<1	1	2	2	4	7
20-34	27	1.5	1	<1	<1	1	2	3	14	99+
35-49	22	2.1	3	<1	<1	1	3	5	7	8
50-64	50	2.5	8	<1	<1	2	3	4	5	18
65+	47	4.1	29	<1	1	3	4	9	15	33
2. MULTIPLE DX										
0-19 YRS	14	4.6	33	<1	1	2	8	18	79	99+
20-34	11	5.5	104	<1	<1	2	4	17	34	36
35-49	25	3.8	12	<1	<1	2	7	9	11	13
50-64	37	6.7	116	<1	1	3	6	17	27	59
65+	69	7.5	55	<1	1	4	10	19	25	87
TOT. SINGLE DX	231	2.3	9	<1	<1	1	2	4	7	21
" MULTIPLE DX	156	6.3	64	<1	1	3	8	16	25	96
TOTAL 0-19 YRS	99	2.0	6	<1	<1	1	2	4	7	59
20-34	38	2.6	32	<1	<1	1	2	4	22	99+
35-49	47	3.0	9	<1	<1	2	4	8	9	13
50-64	87	4.3	57	<1	<1	2	4	8	18	47
65+	116	6.1	47	<1	1	3	8	16	22	58
GRAND TOTAL	**387**	**3.9**	**35**	**<1**	**<1**	**2**	**4**	**9**	**16**	**50**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	129	3.0	7	<1	<1	2	4	6	9	34
20-34	57	2.7	3	<1	<1	2	3	5	6	9
35-49	108	2.1	1	<1	<1	2	3	3	4	6
50-64	163	2.6	3	<1	1	2	3	5	6	10
65+	191	3.3	6	<1	2	2	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	162	3.4	9	<1	1	2	4	7	9	16
20-34	191	4.5	66	<1	1	3	5	9	12	41
35-49	125	4.8	75	<1	1	3	5	9	13	41
50-64	159	4.8	54	1	1	3	5	10	38	99+
65+	243	7.4	144	1	1	3	7	17	34	99+
TOT. SINGLE DX	648	2.8	4	<1	1	2	3	5	7	12
" MULTIPLE DX	880	5.2	78	<1	1	3	5	10	17	92
TOTAL 0-19 YRS	291	3.2	8	<1	<1	2	4	7	9	17
20-34	248	4.1	52	<1	1	2	5	8	11	26
35-49	233	3.5	42	<1	<1	2	4	7	9	21
50-64	322	3.7	30	1	1	2	4	7	11	99+
65+	434	5.6	87	1	1	3	6	11	18	76
GRAND TOTAL	**1528**	**4.2**	**48**	**<1**	**1**	**2**	**4**	**8**	**12**	**62**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	2.7	3	<1	<1	2	4	4	5	10
20-34	31	5.1	20	1	2	3	6	10	13	23
35-49	37	4.5	9	1	2	3	6	9	11	12
50-64	50	4.5	10	<1	1	4	6	10	12	13
65+	60	4.7	6	2	2	4	6	9	10	12
2. MULTIPLE DX										
0-19 YRS	19	3.9	13	<1	1	2	6	10	11	11
20-34	24	3.9	5	<1	1	3	5	7	9	10
35-49	12	5.8	14	2	2	4	10	11	11	11
50-64	33	7.7	31	1	2	6	10	14	22	24
65+	53	7.3	57	2	3	5	8	16	20	48
TOT. SINGLE DX	208	4.4	10	1	2	3	6	9	10	13
" MULTIPLE DX	141	6.2	35	1	2	4	8	12	17	26
TOTAL 0-19 YRS	49	3.2	7	<1	<1	2	4	8	10	11
20-34	55	4.5	14	1	2	3	5	9	11	22
35-49	49	4.8	10	1	2	4	6	10	11	12
50-64	83	5.8	20	1	2	5	7	12	14	24
65+	113	5.9	32	2	2	4	7	10	16	31
GRAND TOTAL	**349**	**5.1**	**20**	**1**	**2**	**4**	**6**	**10**	**12**	**23**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	4.5	49	<1	<1	2	4	13	25	28
20-34	16	3.2	8	<1	<1	2	5	8	9	10
35-49	9	3.9	11	<1	<1	3	7	9	9	9
50-64	8	3.1	8	<1	<1	2	5	8	8	8
65+	12	3.1	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	11	5.0	15	1	1	4	7	12	13	13
20-34	8	3.9	11	2	2	3	4	10	12	12
35-49	7	5.1	77	<1	<1	2	3	21	25	25
50-64	5	15.6	286	2	2	10	26	43	43	43
65+	14	4.0	6	<1	1	3	5	7	9	10
TOT. SINGLE DX	68	3.7	20	<1	<1	2	4	8	10	27
" MULTIPLE DX	45	5.7	56	1	1	3	5	12	21	43
TOTAL 0-19 YRS	34	4.6	37	<1	1	3	5	11	21	28
20-34	24	3.4	9	<1	1	2	4	8	11	12
35-49	16	4.4	37	<1	<1	2	5	9	20	25
50-64	13	7.9	140	<1	1	2	8	25	40	43
65+	26	3.6	4	1	2	3	5	5	8	10
GRAND TOTAL	**113**	**4.5**	**35**	**<1**	**1**	**3**	**5**	**10**	**13**	**34**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	7.6	2	6	6	8	8	10	10	10
20-34	15	9.9	53	1	3	8	10	19	27	30
35-49	14	6.3	5	2	4	6	7	9	10	11
50-64	18	6.7	14	2	3	6	9	11	14	16
65+	23	8.3	50	3	3	6	11	14	22	36
2. MULTIPLE DX										
0-19 YRS	4	11.5	34	7	7	9	15	20	20	20
20-34	6	6.8	3	4	4	7	8	9	9	9
35-49	10	6.2	15	2	2	5	9	12	14	14
50-64	18	9.7	93	2	3	7	9	25	35	39
65+	26	8.2	19	4	4	7	11	17	33	99+
TOT. SINGLE DX	77	7.8	30	3	3	6	9	13	17	34
" MULTIPLE DX	64	8.4	39	3	3	7	9	18	23	91
TOTAL 0-19 YRS	11	9.0	15	6	6	8	10	14	20	20
20-34	21	9.0	40	2	4	8	9	18	24	30
35-49	24	6.3	9	2	2	6	8	10	12	14
50-64	36	8.2	55	2	3	6	9	16	25	39
65+	49	8.2	33	3	3	7	11	14	21	99+
GRAND TOTAL	141	8.1	34	3	3	7	9	14	19	44

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	5.4	13	1	1	5	8	11	12	15
20-34	63	3.2	7	<1	<1	2	4	7	9	12
35-49	72	3.0	8	<1	<1	2	3	6	9	16
50-64	70	2.8	5	<1	<1	2	3	6	8	13
65+	63	3.6	21	<1	1	2	4	8	10	30
2. MULTIPLE DX										
0-19 YRS	23	7.3	16	2	4	7	9	14	16	18
20-34	32	6.6	21	1	2	5	10	13	14	18
35-49	19	6.7	55	<1	<1	5	8	20	25	26
50-64	31	7.1	46	<1	1	4	10	19	24	25
65+	49	7.7	66	2	2	5	10	13	29	45
TOT. SINGLE DX	321	3.5	11	<1	<1	2	4	8	10	15
" MULTIPLE DX	154	7.2	43	1	2	5	10	14	20	30
TOTAL 0-19 YRS	76	6.0	14	1	1	6	8	11	14	17
20-34	95	4.4	14	<1	<1	3	7	10	13	16
35-49	91	3.7	20	<1	<1	2	3	8	14	25
50-64	101	4.1	21	<1	<1	3	4	9	14	24
65+	112	5.4	45	1	1	3	7	11	15	37
GRAND TOTAL	475	4.7	24	<1	1	3	6	10	13	26

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	17.0	215	3	3	12	31	35	35	35
20-34	12	5.7	6	2	2	6	7	9	10	10
35-49	13	5.2	7	2	2	4	7	9	11	11
50-64	57	6.3	12	2	2	6	8	12	14	15
65+	95	6.5	21	2	2	6	8	13	17	24
2. MULTIPLE DX										
0-19 YRS	7	20.3	269	2	3	17	27	46	51	51
20-34	16	7.3	57	2	2	4	8	15	27	32
35-49	21	8.2	14	2	3	8	10	14	15	16
50-64	50	7.8	26	3	3	7	9	15	19	24
65+	115	10.4	79	3	3	8	12	22	25	50
TOT. SINGLE DX	182	6.6	24	2	2	6	8	12	15	29
" MULTIPLE DX	209	9.6	68	2	3	8	11	20	24	44
TOTAL 0-19 YRS	12	18.9	228	2	3	15	29	40	49	51
20-34	28	6.6	35	2	2	5	8	11	17	32
35-49	34	7.0	14	2	3	7	9	12	15	16
50-64	107	7.0	19	2	2	6	8	13	15	23
65+	210	8.6	57	2	3	7	10	18	22	34
GRAND TOTAL	391	8.2	50	2	3	7	10	16	22	34

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	8.8	40	1	2	7	12	19	21	26
20-34	46	5.4	17	1	2	4	7	9	13	24
35-49	45	5.4	11	1	2	4	7	10	11	14
50-64	93	6.0	18	2	2	4	8	11	14	24
65+	99	6.1	17	2	2	5	8	11	13	23
2. MULTIPLE DX										
0-19 YRS	27	8.9	52	3	4	7	11	18	28	33
20-34	43	8.4	31	2	2	7	11	16	20	25
35-49	22	7.1	12	2	2	7	10	12	13	14
50-64	53	8.7	135	2	3	5	9	16	24	75
65+	121	9.1	110	2	2	7	11	18	23	98
TOT. SINGLE DX	329	6.2	21	2	2	5	8	12	14	24
" MULTIPLE DX	266	8.7	88	2	2	7	11	17	22	70
TOTAL 0-19 YRS	73	8.8	44	1	3	7	11	18	23	32
20-34	89	6.8	26	1	2	5	9	14	18	25
35-49	67	5.9	12	2	2	6	9	11	12	14
50-64	146	7.0	62	2	2	5	8	12	17	43
65+	220	7.8	70	2	2	6	10	15	21	57
GRAND TOTAL	595	7.4	52	2	2	6	9	14	19	34

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	6.8	61	2	3	5	6	16	29	30
20-34	17	6.9	26	2	3	6	7	12	20	24
35-49	167	6.2	13	2	3	6	7	9	14	21
50-64	953	5.5	6	2	3	5	7	8	10	14
65+	2488	6.0	10	2	3	5	7	10	12	17
2. MULTIPLE DX										
0-19 YRS	6	12.0	348	2	2	5	6	46	50	50
20-34	12	6.9	8	2	4	6	9	11	11	11
35-49	145	7.3	26	2	3	7	8	12	15	30
50-64	854	6.8	19	2	3	6	8	11	15	22
65+	3103	7.7	48	2	3	6	8	14	18	39
TOT. SINGLE DX	3636	5.9	9	2	3	5	7	9	12	16
" MULTIPLE DX	4120	7.5	42	2	3	6	8	13	17	34
TOTAL 0-19 YRS	17	8.6	153	2	2	5	6	25	43	50
20-34	29	6.9	18	2	3	6	8	11	13	24
35-49	312	6.7	19	2	3	6	7	11	14	24
50-64	1807	6.1	13	2	3	6	7	9	12	19
65+	5591	7.0	32	2	3	6	8	12	15	29
GRAND TOTAL	**7756**	**6.8**	**27**	**2**	**3**	**6**	**8**	**12**	**14**	**26**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	4.6	8	2	2	4	5	9	11	15
20-34	39	4.5	3	2	2	4	5	7	8	10
35-49	37	4.4	4	2	2	4	6	7	7	10
50-64	90	4.8	4	2	3	4	5	7	8	12
65+	151	4.9	3	2	3	4	6	7	8	10
2. MULTIPLE DX										
0-19 YRS	36	7.0	47	2	2	4	8	13	15	40
20-34	32	6.1	25	2	2	5	8	10	14	28
35-49	38	6.0	17	2	2	5	7	10	13	24
50-64	81	6.2	20	2	3	5	7	12	17	23
65+	230	8.0	133	3	3	5	8	12	17	92
TOT. SINGLE DX	385	4.7	4	2	2	4	5	7	8	11
" MULTIPLE DX	417	7.2	85	2	3	5	8	12	16	78
TOTAL 0-19 YRS	104	5.4	22	2	2	4	6	11	13	27
20-34	71	5.2	13	2	2	4	6	9	10	25
35-49	75	5.2	11	2	2	5	7	8	10	21
50-64	171	5.5	12	2	3	4	6	9	12	20
65+	381	6.7	84	3	3	5	7	10	15	84
GRAND TOTAL	**802**	**6.0**	**48**	**2**	**3**	**5**	**7**	**9**	**13**	**31**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	5.8	8	2	2	6	8	8	8	8
35-49	4	3.0	5	1	1	2	4	6	6	6
50-64	6	6.2	18	2	2	5	10	12	12	12
65+	37	5.2	7	1	2	5	7	9	11	13
2. MULTIPLE DX										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	19	5.9	10	1	2	6	7	10	14	15
65+	53	7.7	62	2	3	7	8	11	16	51
TOT. SINGLE DX	52	5.2	8	1	2	5	7	9	11	13
" MULTIPLE DX	75	7.1	47	2	2	6	7	10	16	47
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	5	6.0	7	2	2	7	8	8	8	8
35-49	6	2.5	4	1	1	2	3	6	6	6
50-64	25	6.0	12	1	2	6	7	12	13	15
65+	90	6.7	41	2	2	6	7	10	14	45
GRAND TOTAL	**127**	**6.3**	**32**	**2**	**2**	**6**	**7**	**10**	**13**	**39**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	7.8	19	2	3	6	10	14	15	21
20-34	76	6.6	13	2	2	6	8	11	13	19
35-49	58	7.2	15	2	3	7	9	13	15	17
50-64	131	7.7	22	2	3	7	10	13	15	25
65+	106	9.1	29	2	3	8	13	18	20	22
2. MULTIPLE DX										
0-19 YRS	15	8.3	17	2	3	8	10	12	18	20
20-34	45	7.4	12	3	4	7	9	12	14	20
35-49	62	7.4	16	2	3	7	9	14	16	19
50-64	146	8.3	21	3	3	8	10	14	17	26
65+	176	9.4	39	3	4	8	11	17	20	37
TOT. SINGLE DX	406	7.8	22	2	3	7	10	14	17	22
" MULTIPLE DX	444	8.5	27	3	4	7	10	14	18	26
TOTAL 0-19 YRS	50	7.9	18	2	3	7	10	14	15	21
20-34	121	6.9	13	2	3	6	8	12	13	20
35-49	120	7.3	15	2	3	7	9	13	16	18
50-64	277	8.0	22	2	3	7	10	14	17	25
65+	282	9.3	35	3	3	8	12	17	20	33
GRAND TOTAL	**850**	**8.2**	**24**	**2**	**3**	**7**	**10**	**14**	**18**	**24**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	5.4	13	<1	<1	6	8	10	11	11
20-34	21	3.6	4	2	2	3	5	6	8	10
35-49	5	5.0	16	2	2	4	6	12	12	12
50-64	12	5.0	12	2	2	4	6	9	14	15
65+	20	3.7	4	1	2	3	5	7	7	8
2. MULTIPLE DX										
0-19 YRS	12	4.3	11	<1	1	3	6	10	11	11
20-34	33	5.2	15	1	2	4	6	8	11	23
35-49	20	9.2	172	2	3	6	9	13	39	63
50-64	37	8.7	206	2	2	6	9	14	61	99+
65+	43	7.2	36	1	2	6	8	14	19	33
TOT. SINGLE DX	68	4.3	8	1	2	4	6	8	10	14
" MULTIPLE DX	145	7.2	92	1	2	5	8	12	17	91
TOTAL 0-19 YRS	22	4.8	12	<1	1	4	8	10	11	11
20-34	54	4.6	11	2	2	4	6	7	10	23
35-49	25	8.3	142	2	3	5	9	12	27	63
50-64	49	7.8	160	2	2	5	7	13	17	99+
65+	63	6.1	28	1	2	4	8	12	16	31
GRAND TOTAL	**213**	**6.2**	**67**	**1**	**2**	**4**	**7**	**11**	**15**	**73**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1645	2.1	7	1	1	2	2	3	3	6
20-34	314	2.3		1	2	2	3	3	3	5
35-49	93	2.4	2	1	1	2	3	3	4	10
50-64	44	2.4	1	1	2	2	3	3	4	6
65+	23	4.0	19	1	1	2	4	9	17	18
2. MULTIPLE DX										
0-19 YRS	352	2.3	4	1	1	2	2	3	4	15
20-34	100	2.6	4	1	2	2	3	3	4	14
35-49	44	2.5	3	1	2	2	2	3	5	10
50-64	39	2.6	2	1	2	2	3	4	6	7
65+	20	3.0	3	1	2	3	3	5	7	8
TOT. SINGLE DX	2119	2.2	6	1	1	2	2	3	3	6
" MULTIPLE DX	555	2.4	4	1	1	2	2	3	5	14
TOTAL 0-19 YRS	1997	2.1	7	1	1	2	2	3	3	7
20-34	414	2.3	1	1	2	2	3	3	3	7
35-49	137	2.4	2	1	2	2	3	3	4	10
50-64	83	2.5	1	1	2	2	3	4	5	7
65+	43	3.5	11	1	2	2	4	6	11	18
GRAND TOTAL	**2674**	**2.2**	**6**	**1**	**1**	**2**	**2**	**3**	**3**	**8**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	3	2.3		2	2	2	3	3	3	3
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	1	15.0		15	15	15	15	15	15	15
65+										
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	7.0	72	1	1	7	13	13	13	13
35-49										
50-64										
65+										
TOT. SINGLE DX	9	3.7	19	1	1	2	3	11	15	15
" MULTIPLE DX	3	5.3	44	1	1	2	10	13	13	13
TOTAL 0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	5	4.2	25	1	1	2	5	13	13	13
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	1	15.0		15	15	15	15	15	15	15
65+										
GRAND TOTAL	**12**	**4.1**	**22**	**1**	**1**	**2**	**4**	**14**	**15**	**15**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	65	4.5	23	1	1	3	5	12	14	25
20-34	42	5.6	30	1	2	4	6	10	20	28
35-49	19	[illegible]	13	1	2	7	10	12	13	13
50-64	37	[illegible]	87	2	2	6	12	16	21	55
65+	32	6.9	24	2	2	6	9	12	19	23
2. MULTIPLE DX										
0-19 YRS	35	8.1	33	1	2	7	10	16	21	26
20-34	48	7.5	46	2	2	6	9	13	17	36
35-49	34	9.0	64	2	2	7	12	28	32	99+
50-64	52	10.4	92	2	2	7	15	24	38	98
65+	68	9.7	68	3	4	7	13	19	22	53
TOT. SINGLE DX	195	6.2	38	1	2	4	8	13	17	27
" MULTIPLE DX	237	9.1	63	2	2	7	11	18	26	63
TOTAL 0-19 YRS	100	5.7	29	1	1	3	8	13	17	25
20-34	90	6.6	39	1	2	5	8	12	18	36
35-49	53	8.3	46	2	2	7	11	16	31	97
50-64	89	9.7	89	2	2	6	12	19	37	82
65+	100	8.8	55	2	3	7	10	18	21	41
GRAND TOTAL	**432**	**7.8**	**54**	**1**	**2**	**6**	**9**	**16**	**22**	**47**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	477	2.6	8	<1	1	2	2	4	6	16
20-34	89	2.0	1	<1	<1	2	2	3	4	5
35-49	44	2.7	8	<1	<1	2	3	5	6	19
50-64	41	3.3	10	<1	1	2	4	7	10	17
65+	36	4.9	102	<1	<1	2	4	8	14	61
2. MULTIPLE DX										
0-19 YRS	169	4.4	15	<1	1	3	6	8	12	19
20-34	80	3.9	24	<1	1	2	4	11	16	25
35-49	38	4.7	27	1	1	3	6	11	15	26
50-64	43	6.1	37	<1	1	4	8	17	20	25
65+	57	13.5	290	2	2	8	14	34	48	96
TOT. SINGLE DX	687	2.7	13	<1	1	2	3	4	6	16
" MULTIPLE DX	387	5.9	71	<1	1	3	7	13	18	40
TOTAL 0-19 YRS	646	3.1	11	<1	1	2	3	6	8	16
20-34	169	2.9	13	<1	<1	2	3	5	11	19
35-49	82	3.6	18	<1	1	2	4	7	11	24
50-64	84	4.8	25	<1	1	3	6	11	17	24
65+	93	10.2	233	<1	1	5	11	28	41	83
GRAND TOTAL	1074	3.8	36	<1	1	2	4	7	13	30

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	3.5	3	2	2	3	4	6	7	7
20-34	152	3.3	1	2	2	3	4	5	5	6
35-49	181	3.7	2	2	2	3	4	6	6	7
50-64	146	3.4	2	2	2	3	4	5	6	8
65+	34	3.6	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	15	4.0	8	2	2	3	4	7	11	12
20-34	63	3.5	4	2	2	3	4	7	7	12
35-49	77	3.9	12	2	2	3	4	6	7	25
50-64	74	4.3	11	2	2	3	5	8	11	20
65+	24	4.6	45	1	2	3	4	6	16	35
TOT. SINGLE DX	532	3.5	2	2	2	3	4	5	6	8
" MULTIPLE DX	253	4.0	13	2	2	3	4	7	9	22
TOTAL 0-19 YRS	34	3.7	5	2	2	3	4	7	7	12
20-34	215	3.3	2	2	2	3	4	5	6	9
35-49	258	3.7	5	2	2	3	4	6	6	10
50-64	220	3.7	5	2	2	3	4	6	7	14
65+	58	4.0	20	2	2	3	4	6	7	33
GRAND TOTAL	785	3.6	5	2	2	3	4	6	6	12

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	389	3.5	13	2	2	3	4	6	7	14
20-34	379	3.0	2	2	2	3	3	4	5	8
35-49	249	3.2	4	2	2	3	4	5	6	13
50-64	148	3.2	3	2	2	3	3	5	7	21
65+	35	3.1	2	2	2	3	3	4	6	8
2. MULTIPLE DX										
0-19 YRS	301	4.7	32	2	2	3	5	8	12	35
20-34	411	3.5	4	2	2	3	4	7	8	12
35-49	283	3.6	8	2	2	3	4	6	8	12
50-64	190	3.7	5	2	2	3	4	7	8	12
65+	31	3.5	4	2	2	3	4	6	8	10
TOT. SINGLE DX	1200	3.2	6	2	2	3	3	5	6	13
" MULTIPLE DX	1216	3.9	12	2	2	3	4	7	8	15
TOTAL 0-19 YRS	690	4.0	22	2	2	3	4	7	8	24
20-34	790	3.3	3	2	2	3	4	5	7	10
35-49	532	3.4	6	2	2	3	4	5	7	12
50-64	338	3.5	5	2	2	3	4	6	8	15
65+	66	3.3	3	2	2	3	4	5	7	10
GRAND TOTAL	2416	3.5	9	2	2	3	4	6	8	13

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1409	1.6	3	<1	<1	1	2	2	3	11
20-34	65	2.0	4	<1	<1	1	2	4	6	11
35-49	56	2.6	21	<1	<1	1	2	3	6	28
50-64	32	2.1	3	<1	<1	1	2	4	6	10
65+	22	2.2	7	<1	<1	2	2	3	7	14
2. MULTIPLE DX										
0-19 YRS	1397	3.3	22	<1	1	2	2	7	12	22
20-34	42	3.0	10	<1	<1	2	3	9	11	13
35-49	29	6.7	239	<1	<1	2	4	10	43	77
50-64	56	4.3	30	<1	<1	2	5	11	14	31
65+	22	8.2	185	1	2	3	11	29	76	99+
TOT. SINGLE DX	1584	1.7	4	<1	<1	1	2	2	4	12
" MULTIPLE DX	1546	3.4	28	<1	1	2	2	7	12	28
TOTAL 0-19 YRS	2806	2.4	13	<1	<1	2	2	4	8	18
20-34	107	2.4	7	<1	<1	1	2	5	9	13
35-49	85	4.0	97	<1	<1	2	3	6	13	64
50-64	88	3.5	21	<1	<1	2	3	9	12	27
65+	44	5.2	103	<1	<1	2	3	16	31	99+
GRAND TOTAL	**3130**	**2.5**	**17**	**<1**	**<1**	**2**	**2**	**4**	**9**	**20**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6.	6.7	22	2	3	5	8	14	17	23
20-34	86	4.5	4	2	2	4	5	8	8	11
35-49	49	4.6	5	2	2	4	5	8	9	12
50-64	45	4.8	6	2	2	4	6	8	10	14
65+	18	9.1	47	2	3	7	12	14	25	33
2. MULTIPLE DX										
0-19 YRS	118	6.9	37	2	2	5	8	16	20	33
20-34	140	5.4	13	2	3	4	6	10	12	24
35-49	104	5.6	12	2	3	4	8	10	12	56
50-64	82	5.7	14	2	3	5	7	10	13	23
65+	36	7.9	55	2	3	5	9	14	21	42
TOT. SINGLE DX	265	5.4	14	2	3	5	6	9	12	20
" MULTIPLE DX	480	6.1	23	2	3	4	7	11	16	26
TOTAL 0-19 YRS	185	6.8	31	2	3	5	8	15	20	30
20-34	226	5.1	10	2	3	4	6	8	10	19
35-49	153	5.3	10	2	3	4	7	10	11	21
50-64	127	5.4	11	2	3	5	7	9	12	20
65+	54	8.3	52	2	3	6	9	14	21	42
GRAND TOTAL	**745**	**5.8**	**19**	**2**	**3**	**5**	**7**	**10**	**14**	**25**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	90	2.7	8	<1	<1	1	3	7	10	13
20-34	47	3.0	6	<1	1	2	3	5	7	16
35-49	38	3.3	5	1	1	3	4	7	9	10
50-64	41	3.6	6	<1	1	3	4	6	9	13
65+	5	3.0	3	2	2	2	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	73	4.8	47	<1	<1	3	5	10	15	45
20-34	51	4.3	16	2	2	3	5	7	8	29
35-49	37	3.8	5	<1	1	3	5	7	8	8
50-64	34	4.9	47	2	2	3	4	8	15	40
65+	8	3.9	12	2	2	3	7	65	99+	99+
TOT. SINGLE DX	221	3.1	7	<1	<1	2	4	6	9	13
" MULTIPLE DX	203	4.4	30	<1	1	3	5	8	12	46
TOTAL 0-19 YRS	163	3.6	26	<1	<1	2	4	9	11	20
20-34	98	3.7	12	1	2	3	4	6	8	23
35-49	75	3.5	5	1	1	3	4	7	8	10
50-64	75	4.2	25	1	2	3	4	7	11	34
65+	13	3.5	8	2	2	3	5	21	82	99+
GRAND TOTAL	**424**	**3.7**	**18**	**<1**	**1**	**3**	**4**	**7**	**10**	**22**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	267	2.9	1	2	2	3	3	4	5	6
20-34	643	2.8	1	2	2	3	3	4	4	6
35-49	216	3.0	18	<1	2	3	3	4	4	7
50-64	113	3.0	2	2	2	3	3	4	5	11
65+	22	2.4		1	2	2	3	3	4	4
2. MULTIPLE DX										
0-19 YRS	244	3.3	16	2	2	3	3	5	6	11
20-34	684	2.9	2	2	2	3	3	4	5	6
35-49	337	3.2	9	1	2	3	3	4	6	15
50-64	190	3.7	9	2	2	3	4	5	8	23
65+	56	3.7	11	2	2	3	3	7	8	24
TOT. SINGLE DX	1261	2.9	4	2	2	3	3	4	4	6
" MULTIPLE DX	1511	3.2	7	2	2	3	3	4	5	12
TOTAL 0-19 YRS	511	3.1	8	2	2	3	3	4	5	8
20-34	1327	2.9	1	2	2	3	3	4	5	6
35-49	553	3.1	12	1	2	3	3	4	5	12
50-64	303	3.4	6	2	2	3	3	5	7	20
65+	78	3.4	8	2	2	3	3	6	7	20
GRAND TOTAL	**2772**	**3.0**	**6**	**2**	**2**	**3**	**3**	**4**	**5**	**10**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	600	3.2	2	1	2	3	4	5	6	8
20-34	1206	3.0	2	1	2	3	4	5	5	7
35-49	393	3.1	4	1	2	3	4	5	5	12
50-64	191	3.3	3	1	2	3	4	5	7	10
65+	26	2.9	1	1	2	3	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	420	3.3	5	1	1	3	4	5	7	10
20-34	981	3.6	7	1	2	3	4	6	7	11
35-49	393	3.9	7	1	2	3	4	6	7	15
50-64	206	4.4	12	1	2	3	5	7	11	21
65+	61	5.3	19	1	2	4	6	9	13	23
TOT. SINGLE DX	2416	3.1	2	1	2	3	4	5	6	8
" MULTIPLE DX	2061	3.7	7	1	2	3	4	6	7	15
TOTAL 0-19 YRS	1020	3.3	3	1	2	3	4	5	6	9
20-34	2187	3.3	4	1	2	3	4	5	6	10
35-49	786	3.5	6	1	2	3	4	5	7	14
50-64	397	3.9	8	1	2	3	4	7	8	19
65+	87	4.6	15	1	2	3	5	8	11	23
GRAND TOTAL	**4477**	**3.4**	**5**	**1**	**2**	**3**	**4**	**5**	**7**	**11**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	2.6	2	<1	1	2	3	4	6	8
20-34	98	2.5	2	<1	1	2	3	4	5	8
35-49	93	3.0	6	<1	1	2	3	4	7	15
50-64	124	3.0	11	<1	1	2	3	5	7	21
65+	112	4.5	48	1	2	2	4	8	12	46
2. MULTIPLE DX										
0-19 YRS	81	3.3	11	<1	1	2	3	6	8	22
20-34	127	3.2	7	1	2	3	3	5	7	18
35-49	162	3.2	7	1	2	2	3	5	8	14
50-64	243	4.2	25	1	2	3	4	7	11	31
65+	200	9.5	178	1	2	5	11	21	36	99
TOT. SINGLE DX	488	3.2	16	<1	1	2	3	5	8	17
" MULTIPLE DX	813	5.1	61	1	2	3	5	10	17	52
TOTAL 0-19 YRS	142	3.0	7	<1	1	2	3	5	7	13
20-34	225	2.9	5	<1	1	2	3	4	6	12
35-49	255	3.2	6	1	2	2	3	5	8	14
50-64	367	3.8	20	1	1	3	4	7	9	28
65+	312	7.7	137	1	2	4	8	17	28	86
GRAND TOTAL	**1301**	**4.4**	**45**	**1**	**1**	**3**	**4**	**8**	**14**	**36**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	347	1.9	2	<1	<1	1	2	3	5	7
20-34	321	2.2	3	<1	<1	2	2	4	6	8
35-49	90	3.0	5	<1	1	2	4	6	7	10
50-64	75	4.7	17	1	1	4	6	9	10	25
65+	75	4.5	9	1	1	4	6	8	11	14
2. MULTIPLE DX										
0-19 YRS	157	4.1	31	1	1	2	5	9	12	56
20-34	203	4.5	36	<1	1	3	5	9	13	32
35-49	82	5.4	22	1	1	4	7	10	13	27
50-64	143	6.4	47	2	2	5	8	10	15	30
65+	140	7.3	79	2	2	5	9	14	28	99+
TOT. SINGLE DX	908	2.5	5	<1	<1	2	3	5	7	11
" MULTIPLE DX	725	5.4	45	1	1	4	7	11	14	57
TOTAL 0-19 YRS	504	2.6	12	<1	<1	2	3	5	7	14
20-34	524	3.1	17	<1	<1	2	3	6	8	20
35-49	172	4.1	14	1	1	3	5	8	10	24
50-64	218	5.8	37	1	2	5	7	10	12	27
65+	215	6.3	56	1	2	4	7	13	18	99+
GRAND TOTAL	**1633**	**3.8**	**25**	**<1**	**1**	**2**	**5**	**8**	**11**	**27**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	3.4	2	2	2	3	4	5	6	6
20-34	57	3.2	3	1	2	3	4	5	6	9
35-49	52	4.1	3	2	2	4	5	7	7	10
50-64	41	4.0	3	2	2	4	5	6	7	9
65+	24	6.1	35	2	2	4	6	16	22	24
2. MULTIPLE DX										
0-19 YRS	13	3.5	2	1	2	3	4	5	6	6
20-34	61	5.0	37	2	2	4	5	8	10	44
35-49	75	4.9	18	2	3	4	5	8	11	29
50-64	67	5.8	20	2	2	5	6	12	17	22
65+	32	8.2	80	3	3	5	8	18	23	48
TOT. SINGLE DX	183	4.0	7	2	2	3	5	6	8	19
" MULTIPLE DX	248	5.5	31	2	2	4	5	10	16	31
TOTAL 0-19 YRS	22	3.5	2	1	2	3	4	5	6	6
20-34	118	4.2	21	1	2	3	5	7	8	27
35-49	127	4.6	12	2	2	4	5	7	9	24
50-64	108	5.1	14	2	2	4	5	9	13	21
65+	56	7.3	61	2	3	5	7	18	22	47
GRAND TOTAL	**431**	**4.9**	**21**	**2**	**2**	**4**	**5**	**8**	**12**	**23**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	3.6	19	<1	1	2	4	7	12	25
20-34	97	2.7	4	<1	1	2	3	6	7	10
35-49	100	2.9	5	<1	<1	2	4	6	8	10
50-64	52	3.6	7	<1	1	3	5	7	8	14
65+	26	4.5	29	<1	1	3	4	8	19	25
2. MULTIPLE DX										
0-19 YRS	82	5.5	53	<1	1	3	7	13	15	45
20-34	133	3.8	13	<1	1	3	4	8	11	18
35-49	120	4.1	21	<1	1	3	4	8	12	26
50-64	132	5.9	100	2	2	3	5	12	21	45
65+	48	6.0	34	1	2	3	7	12	19	28
TOT. SINGLE DX	338	3.2	9	<1	1	2	4	7	8	18
" MULTIPLE DX	515	4.9	46	<1	1	3	5	10	15	33
TOTAL 0-19 YRS	145	4.7	39	<1	1	2	5	11	15	35
20-34	230	3.3	10	<1	1	2	4	7	10	13
35-49	220	3.6	14	<1	1	2	4	7	10	21
50-64	184	5.3	75	1	2	3	5	8	21	33
65+	74	5.4	32	<1	1	3	6	11	19	27
GRAND TOTAL	**853**	**4.2**	**32**	**<1**	**1**	**3**	**4**	**8**	**12**	**26**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1271	1.3	1	<1	<1	1	1	2	2	4
20-34	1510	1.6	2	<1	<1	1	2	2	2	4
35-49	547	1.7	2	<1	<1	2	2	2	3	4
50-64	314	1.7	1	<1	<1	2	2	2	3	6
65+	118	1.8	1	<1	<1	2	2	2	3	7
2. MULTIPLE DX										
0-19 YRS	472	3.7	61	<1	<1	2	3	9	16	77
20-34	705	4.0	80	<1	<1	2	2	8	21	68
35-49	371	5.2	117	<1	<1	2	4	11	22	67
50-64	510	5.5	98	<1	1	2	4	15	25	97
65+	318	7.7	177	1	1	3	8	25	59	99+
TOT. SINGLE DX	3760	1.5	1	<1	<1	1	2	2	2	5
" MULTIPLE DX	2376	5.0	100	<1	<1	2	3	12	23	87
TOTAL 0-19 YRS	1743	2.0	18	<1	<1	1	2	2	5	17
20-34	2215	2.4	28	<1	<1	1	2	3	5	31
35-49	918	3.1	51	<1	<1	2	2	4	9	40
50-64	824	4.1	64	<1	<1	2	3	9	17	63
65+	436	6.1	136	1	1	2	4	18	35	99+
GRAND TOTAL	**6136**	**2.9**	**43**	**<1**	**<1**	**2**	**2**	**4**	**10**	**42**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	172	1.1		<1	<1	1	1	2	2	2
20-34	51	1.8	1	1	1	2	2	3	5	6
35-49	8	2.0	6	1	1	1	2	6	8	8
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	115	3.5	33	<1	<1	2	2	8	13	35
20-34	22	5.3	124	<1	<1	2	3	11	34	51
35-49	10	2.9	12	<1	<1	2	4	47	96	99+
50-64	2	5.0	18	2	2	8	77	99+	99+	99+
65+	2	3.5	1	3	3	3	4	4	4	4
TOT. SINGLE DX	233	1.3	1	<1	1	1	1	2	2	5
" MULTIPLE DX	151	3.7	44	<1	<1	2	3	10	17	98
TOTAL 0-19 YRS	287	2.1	15	<1	<1	1	2	3	8	18
20-34	73	2.9	40	1	1	2	2	5	6	44
35-49	18	2.5	9	<1	<1	1	2	10	60	99+
50-64	4	3.3	10	1	1	2	31	99+	99+	99+
65+	2	3.5	1	3	3	3	4	4	4	4
GRAND TOTAL	**384**	**2.3**	**19**	**<1**	**<1**	**1**	**2**	**3**	**8**	**39**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	2.8	8	<1	<1	2	3	7	9	15
20-34	44	3.5	9	<1	<1	2	5	8	10	12
35-49	64	3.3	5	<1	1	3	5	6	8	10
50-64	79	3.7	8	1	1	3	5	9	9	11
65+	19	2.5	4	<1	<1	2	4	4	7	9
2. MULTIPLE DX										
0-19 YRS	55	7.3	282	<1	<1	2	6	11	51	81
20-34	64	3.2	16	<1	<1	2	4	7	14	20
35-49	88	5.4	75	<1	<1	2	8	10	21	52
50-64	115	4.5	16	1	1	3	7	10	10	18
65+	45	6.8	73	1	1	3	7	21	22	46
TOT. SINGLE DX	260	3.3	7	<1	1	2	5	8	9	11
" MULTIPLE DX	367	5.2	78	<1	1	2	6	10	16	61
TOTAL 0-19 YRS	109	5.1	150	<1	<1	2	4	9	12	80
20-34	108	3.3	13	<1	<1	2	4	8	10	18
35-49	152	4.5	46	<1	1	3	5	10	11	22
50-64	194	4.2	13	1	1	3	6	9	10	17
65+	64	5.5	56	1	1	3	5	13	21	43
GRAND TOTAL	**627**	**4.4**	**49**	**<1**	**1**	**2**	**5**	**9**	**11**	**22**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	4.4	16	<1	1	3	5	9	16	18
20-34	127	4.3	6	1	1	4	5	7	9	12
35-49	118	4.8	29	2	2	4	5	8	10	28
50-64	111	4.9	7	2	2	4	6	8	10	17
65+	97	6.4	58	1	2	5	7	10	14	52
2. MULTIPLE DX										
0-19 YRS	19	4.9	5	1	2	5	6	8	10	10
20-34	59	4.5	8	2	2	4	5	8	12	14
35-49	72	6.4	31	2	2	4	8	11	17	34
50-64	90	7.6	52	2	2	5	10	15	21	39
65+	100	11.0	90	3	4	8	15	21	23	58
TOT. SINGLE DX	509	5.0	23	1	2	4	6	8	11	20
" MULTIPLE DX	340	7.7	54	2	2	5	9	16	21	38
TOTAL 0-19 YRS	75	4.6	13	1	1	4	5	9	13	18
20-34	186	4.4	7	1	2	4	5	7	10	13
35-49	190	5.4	30	2	2	4	6	9	11	31
50-64	201	6.1	29	2	2	5	7	11	15	37
65+	197	8.7	79	2	3	6	10	18	22	52
GRAND TOTAL	**849**	**6.0**	**37**	**2**	**2**	**5**	**7**	**11**	**16**	**37**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	117	7.2	17	1	3	7	9	13	15	18
20-34	6	4.7	3	2	2	5	6	7	7	7
35-49	5	4.8	7	2	2	4	7	8	8	8
50-64	2	5.0	2	4	4	5	6	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	84	9.2	35	2	3	8	13	16	19	33
20-34	10	7.4	89	2	3	5	5	20	34	34
35-49	3	12.7	40	9	9	9	17	20	20	20
50-64	2	12.5	181	3	3	12	22	22	22	22
65+	2	7.0	2	6	6	7	8	8	8	8
TOT. SINGLE DX	130	6.9	17	1	2	6	9	13	15	18
" MULTIPLE DX	101	9.2	41	2	3	8	12	17	21	35
TOTAL 0-19 YRS	201	8.0	26	1	3	7	11	15	17	23
20-34	16	6.4	56	2	2	5	6	7	26	34
35-49	8	7.8	32	2	2	7	9	17	20	20
50-64	4	8.8	80	3	3	5	14	22	22	22
65+	2	7.0	2	6	6	7	8	8	8	8
GRAND TOTAL	**231**	**7.9**	**28**	**2**	**3**	**7**	**10**	**15**	**18**	**28**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	334	3.8	12	<1	<1	2	6	8	10	14
20-34	83	4.2	15	<1	<1	3	6	8	14	17
35-49	108	5.3	44	1	1	4	6	10	14	43
50-64	129	5.8	69	<1	1	3	6	11	21	46
65+	129	5.8	83	1	1	3	6	9	19	56
2. MULTIPLE DX										
0-19 YRS	222	6.5	82	1	1	4	8	13	18	43
20-34	141	5.3	57	<1	<1	3	7	12	16	77
35-49	119	6.3	76	<1	1	4	7	14	17	57
50-64	156	11.4	237	1	2	5	14	32	49	99
65+	214	12.4	229	2	2	7	15	34	60	99+
TOT. SINGLE DX	783	4.7	38	<1	1	3	6	9	12	30
" MULTIPLE DX	852	8.7	150	1	1	5	10	21	33	90
TOTAL 0-19 YRS	556	4.9	41	<1	1	3	7	10	13	27
20-34	224	4.9	41	<1	<1	3	6	10	15	38
35-49	227	5.8	61	1	1	4	6	12	16	48
50-64	285	8.8	168	1	2	4	9	24	38	91
65+	343	10.0	184	1	2	5	11	26	43	99+
GRAND TOTAL	**1635**	**6.8**	**101**	**<1**	**1**	**4**	**7**	**15**	**24**	**69**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4120	2.4	3	1	2	2	3	3	4	6
20-34	2200	2.9	3	2	2	3	3	4	4	6
35-49	195	2.8	2	1	2	3	3	4	4	7
50-64	24	3.3	2	2	2	3	4	5	7	7
65+	10	4.7	11	2	2	4	5	10	11	11
2. MULTIPLE DX										
0-19 YRS	800	2.7	4	1	2	2	3	4	5	13
20-34	533	3.3	4	2	2	3	4	5	5	10
35-49	76	3.6	4	2	2	3	4	6	6	15
50-64	25	4.0	29	1	2	3	3	6	12	29
65+	14	5.8	37	2	2	4	5	19	21	21
TOT. SINGLE DX	6549	2.6	3	2	2	2	3	4	4	6
" MULTIPLE DX	1448	3.0	5	2	2	3	3	4	5	13
TOTAL 0-19 YRS	4920	2.5	3	1	2	2	3	3	4	7
20-34	2733	2.9	3	2	2	3	3	4	5	8
35-49	271	3.0	3	2	2	3	3	4	5	10
50-64	49	3.7	15	2	2	3	3	5	7	29
65+	24	5.3	26	2	2	4	5	12	20	21
GRAND TOTAL	**7997**	**2.7**	**3**	**2**	**2**	**2**	**3**	**4**	**4**	**8**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9473	2.2	2	1	2	2	2	3	3	5
20-34	107	3.0	10	1	2	3	3	4	5	19
35-49	6	3.2	1	2	2	3	4	4	4	4
50-64	9	3.2	8	1	1	2	4	8	10	10
65+	13	2.0		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	4076	2.4	5	2	2	2	2	3	4	13
20-34	24	3.6	5	2	2	3	4	5	8	13
35-49										
50-64	3	2.7	1	2	2	2	4	4	4	4
65+	9	5.8	42	2	2	2	8	17	18	18
TOT. SINGLE DX	9608	2.2	2	1	2	2	2	3	3	5
" MULTIPLE DX	4112	2.4	5	2	2	2	2	3	4	13
TOTAL 0-19 YRS	13549	2.2	3	1	2	2	2	3	3	8
20-34	131	3.2	9	1	2	3	3	4	5	17
35-49	6	3.2	1	2	2	3	4	4	4	4
50-64	12	[illegible].1	6	1	1	2	4	6	9	10
65+	22	3.5	20	1	2	2	2	8	17	18
GRAND TOTAL	**13720**	**2.2**	**3**	**1**	**2**	**2**	**2**	**3**	**3**	**8**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	799	1.9	1	1	1	2	2	2	2	6
20-34	6	1.7		1	1	2	2	2	2	2
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1196	2.3	9	1	1	2	2	2	3	13
20-34	6	8.3	198	2	2	3	4	34	37	37
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	807	1.9	1	1	1	2	2	2	2	6
" MULTIPLE DX	1204	2.3	9	1	1	2	2	2	3	13
TOTAL 0-19 YRS	1995	2.2	6	1	1	2	2	2	3	13
20-34	12	5.0	102	1	1	2	3	14	34	37
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**2011**	**2.2**	**6**	**1**	**1**	**2**	**2**	**2**	**3**	**13**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	223	3.4	8	1	1	3	4	6	8	15
20-34	134	3.2	3	1	2	3	4	5	6	10
35-49	74	3.7	6	<1	2	3	4	7	9	11
50-64	41	11.2	359	1	2	4	10	41	76	99+
65+	33	7.0	74	1	2	4	9	16	23	45
2. MULTIPLE DX										
0-19 YRS	64	6.2	63	1	2	4	7	11	20	49
20-34	53	4.1	10	1	2	3	5	9	13	13
35-49	32	6.5	69	1	2	4	6	15	23	42
50-64	57	11.7	278	1	2	5	15	27	52	84
65+	41	10.2	157	1	2	7	11	25	54	99+
TOT. SINGLE DX	505	4.2	43	1	1	3	4	7	10	42
" MULTIPLE DX	247	7.7	124	1	2	4	9	18	27	70
TOTAL 0-19 YRS	287	4.0	21	1	1	3	4	8	10	26
20-34	187	3.4	5	1	2	3	4	5	8	13
35-49	106	4.5	26	1	2	3	5	9	11	31
50-64	98	11.5	309	1	2	4	13	31	63	98
65+	74	8.8	121	1	2	6	10	20	43	91
GRAND TOTAL	**752**	**5.4**	**72**	**1**	**2**	**3**	**5**	**10**	**18**	**62**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.7	6	2	2	5	6	7	7	7
20-34	2	2.0		2	2	2	2	2	2	2
35-49	4	3.0	8	1	1	2	5	7	7	7
50-64	5	4.2	1	3	3	4	5	5	5	5
65+	4	7.5	68	<1	<1	5	13	19	19	19
2. MULTIPLE DX										
0-19 YRS	8	4.5	31	1	1	3	4	14	18	18
20-34	4	7.5	12	3	3	8	10	11	11	11
35-49	7	8.0	17	3	3	7	9	15	16	16
50-64	13	7.6	81	1	1	4	8	20	31	34
65+	23	9.5	132	1	2	7	11	20	33	56
TOT. SINGLE DX	18	4.5	18	<1	1	3	5	8	15	19
" MULTIPLE DX	55	8.0	81	1	2	5	9	17	21	55
TOTAL 0-19 YRS	11	4.5	23	1	1	3	5	11	17	18
20-34	6	5.7	15	2	2	5	9	11	11	11
35-49	11	6.2	19	1	1	7	8	12	16	16
50-64	18	6.7	60	1	1	4	7	15	27	34
65+	27	9.2	120	<1	2	7	11	20	26	56
GRAND TOTAL	**7[illegible]**	**7.1**	**68**	**1**	**2**	**5**	**8**	**16**	**20**	**51**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	2.2	1	<1	<1	2	3	3	5	6
20-34	82	2.2	1	1	1	2	2	3	4	8
35-49	115	2.7	28	<1	<1	2	2	4	4	28
50-64	182	3.0	18	<1	1	2	3	5	7	23
65+	94	3.2	13	2	2	2	3	5	10	23
2. MULTIPLE DX										
0-19 YRS	7	2.7	3	1	1	2	5	72	99+	99+
20-34	38	3.1	11	<1	<1	2	3	8	9	18
35-49	63	3.1	11	<1	<1	2	3	6	11	18
50-64	156	5.1	61	<1	1	2	4	13	21	51
65+	120	7.6	170	1	2	3	8	16	31	75
TOT. SINGLE DX	530	2.8	15	<1	1	2	3	4	6	22
" MULTIPLE DX	384	5.3	83	<1	1	2	4	11	19	63
TOTAL 0-19 YRS	64	2.3	1	<1	<1	2	3	4	6	86
20-34	120	2.5	5	<1	1	2	2	4	7	12
35-49	178	2.9	22	<1	<1	2	3	4	7	18
50-64	338	4.0	38	<1	1	2	3	7	16	43
65+	214	5.7	105	2	2	2	4	11	17	59
GRAND TOTAL	**914**	**3.8**	**45**	**<1**	**1**	**2**	**3**	**7**	**13**	**44**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	20.0	769	3	3	5	40	52	52	52
20-34	3	2.0		2	2	2	2	2	2	2
35-49	2	2.0		2	2	2	2	2	2	2
50-64	13	10.9	88	1	2	8	18	24	27	28
65+	9	10.8	101	2	2	5	19	26	28	28
2. MULTIPLE DX										
0-19 YRS	3	7.0	19	2	2	9	10	10	10	10
20-34	4	18.5	202	4	4	16	27	38	38	38
35-49	4	12.5	188	2	2	8	22	32	32	32
50-64	21	22.1	521	1	2	17	27	58	78	86
65+	14	25.6	787	2	4	13	35	82	89	91
TOT. SINGLE DX	30	10.3	139	2	2	4	16	26	28	52
" MULTIPLE DX	46	21.0	513	2	2	13	26	49	82	91
TOTAL 0-19 YRS	6	13.5	366	2	2	7	10	48	52	52
20-34	7	11.4	179	2	2	4	16	34	38	38
35-49	6	9.0	142	2	2	3	12	30	32	32
50-64	34	17.8	378	1	2	14	24	36	67	86
65+	23	19.8	557	2	2	12	23	50	84	91
GRAND TOTAL	**76**	**16.8**	**390**	**2**	**2**	**11**	**23**	**38**	**65**	**90**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	5	17.0	19	12	12	16	21	22	22	22
50-64	14	26.4	243	12	15	20	29	47	63	68
65+	3	26.7	65	22	22	22	33	36	36	36
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	3	42.3	409	19	19	55	99+	99+	99+	99+
50-64	27	40.6	421	14	15	41	63	75	99+	99+
65+	11	33.2	201	15	18	34	56	99+	99+	99+
TOT. SINGLE DX	22	24.3	176	12	13	21	25	44	54	68
" MULTIPLE DX	41	38.7	356	14	17	38	62	99+	99+	99+
TOTAL 0-19 YRS										
20-34										
35-49	8	26.5	300	12	13	21	55	99+	99+	99+
50-64	41	35.7	399	13	15	29	54	74	84	99+
65+	14	31.8	172	15	19	31	46	96	99+	99+
GRAND TOTAL	**63**	**33.7**	**338**	**14**	**15**	**29**	**54**	**75**	**99+**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+	1	70.0		70	70	70	70	70	70	70
2. MULTIPLE DX										
0-19 YRS	1	10.0		10	10	55	99+	99+	99+	99+
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	7	29.3	431	8	9	25	58	88	99+	99+
65+	2	48.5	1013	26	26	48	71	71	71	71
TOT. SINGLE DX	2	41.0	1682	12	12	41	70	70	70	70
" MULTIPLE DX	11	29.1	516	8	8	26	63	99+	99+	99+
TOTAL 0-19 YRS	1	10.0		10	10	55	99+	99+	99+	99+
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	8	27.1	406	8	9	24	57	84	99+	99+
65+	3	55.7	660	26	26	70	71	71	71	71
GRAND TOTAL	**13**	**30.9**	**590**	**8**	**8**	**26**	**67**	**99+**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	8.1	56	3	4	7	9	17	58	99+
20-34	8	4.9	27	1	1	3	5	14	17	17
35-49	8	16.1	356	2	2	11	19	48	59	59
50-64	7	9.3	106	2	2	4	15	27	29	29
65+	7	32.3	495	3	4	31	49	62	65	65
2. MULTIPLE DX										
0-19 YRS	29	17.1	345	1	2	14	25	94	99+	99+
20-34	22	13.9	162	1	2	15	31	99+	99+	99+
35-49	21	28.2	732	1	2	33	73	99+	99+	99+
50-64	47	35.0	672	2	3	34	64	99+	99+	99+
65+	46	36.0	909	2	3	35	69	99	99+	99+
TOT. SINGLE DX	53	12.2	218	2	2	6	14	39	58	99
" MULTIPLE DX	165	28.5	686	2	2	25	61	99+	99+	99+
TOTAL 0-19 YRS	52	13.1	234	1	3	8	19	49	99+	99+
20-34	30	11.5	140	1	2	6	22	51	99+	99+
35-49	29	24.9	642	2	2	19	64	99+	99+	99+
50-64	54	31.7	672	2	3	29	60	97	99+	99+
65+	53	35.5	845	2	3	34	65	97	99+	99+
GRAND TOTAL	**218**	**24.5**	**620**	**2**	**2**	**18**	**52**	**96**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	9.8	406	1	1	2	6	40	66	66
20-34	14	8.6	43	1	3	7	10	20	24	25
35-49	62	9.6	114	1	1	7	12	19	30	59
50-64	155	8.0	77	1	2	5	11	17	25	47
65+	144	9.6	73	1	2	7	14	21	29	40
2. MULTIPLE DX										
0-19 YRS	10	13.4	104	3	3	12	17	29	36	36
20-34	29	13.1	123	2	2	10	19	30	34	42
35-49	54	12.9	113	3	4	10	14	31	36	98
50-64	251	16.1	190	2	3	13	21	36	46	75
65+	329	18.4	244	2	3	15	25	41	51	99
TOT. SINGLE DX	385	8.9	87	1	2	6	12	19	26	47
" MULTIPLE DX	673	16.8	209	2	3	13	22	36	48	93
TOTAL 0-19 YRS	20	11.6	245	1	1	5	14	29	51	66
20-34	43	11.6	100	2	2	8	18	27	32	42
35-49	116	11.2	116	1	2	8	14	27	35	74
50-64	406	13.0	161	2	2	9	18	28	43	57
65+	473	15.7	208	2	2	12	22	34	46	87
GRAND TOTAL	**1058**	**13.9**	**179**	**2**	**2**	**10**	**19**	**31**	**43**	**73**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	10.0		10	10	10	10	10	10	10
50-64	2	11.0	200	1	1	11	21	21	21	21
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	42.0		42	42	42	42	42	42	42
35-49	1	34.0		34	34	34	34	34	34	34
50-64										
65+	2	11.5	61	6	6	17	79	99+	99+	99+
TOT. SINGLE DX	5	7.4	70	1	1	3	13	21	21	21
" MULTIPLE DX	4	24.8	265	6	6	34	56	99+	99+	99+
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	22.0	800	2	2	22	42	42	42	42
35-49	2	22.0	288	10	10	22	34	34	34	34
50-64	2	11.0	200	1	1	11	21	21	21	21
65+	2	11.5	61	6	6	17	79	99+	99+	99+
GRAND TOTAL	**9**	**15.1**	**218**	**1**	**1**	**13**	**34**	**71**	**99+**	**99+**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	12.9	72	5	6	10	16	27	33	33
20-34	37	12.2	163	3	5	9	14	19	42	69
35-49	42	12.0	49	2	3	10	14	24	27	30
50-64	81	14.9	134	2	4	13	20	24	31	75
65+	69	15.9	142	2	4	14	20	35	38	65
2. MULTIPLE DX										
0-19 YRS	23	12.7	164	5	5	9	17	67	99+	99+
20-34	61	12.3	54	5	5	11	17	22	28	93
35-49	97	17.3	121	7	8	14	21	31	41	62
50-64	213	19.2	170	4	8	16	24	33	42	78
65+	217	22.0	277	3	4	18	30	39	62	99
TOT. SINGLE DX	238	14.2	124	2	4	12	17	26	35	69
" MULTIPLE DX	611	19.0	197	4	6	16	24	36	45	95
TOTAL 0-19 YRS	32	12.7	135	5	5	9	17	36	93	99+
20-34	98	12.3	94	4	5	10	15	21	31	85
35-49	139	15.7	105	6	7	12	20	28	34	60
50-64	294	18.1	163	3	6	15	23	31	39	81
65+	286	20.6	251	3	4	17	27	37	54	96
GRAND TOTAL	**849**	**17.7**	**181**	**3**	**6**	**14**	**22**	**34**	**43**	**89**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	11	16.5	52	8	9	15	19	29	31	31
35-49	20	17.9	54	8	10	16	22	26	33	39
50-64	46	17.8	58	9	10	17	22	26	27	49
65+	35	18.9	55	9	11	19	23	25	30	47
2. MULTIPLE DX										
0-19 YRS	7	27.9	470	11	12	25	30	65	74	74
20-34	17	21.2	149	9	9	18	25	37	48	54
35-49	32	18.8	61	9	10	19	21	27	40	41
50-64	151	24.0	193	10	11	20	29	46	64	99+
65+	140	26.3	199	11	13	22	34	47	56	85
TOT. SINGLE DX	113	18.1	54	9	10	18	22	26	29	48
" MULTIPLE DX	347	24.4	189	10	11	20	32	44	59	99+
TOTAL 0-19 YRS	8	26.9	410	11	12	22	28	61	74	74
20-34	28	19.4	113	9	9	16	25	33	40	54
35-49	52	18.4	58	9	10	17	22	27	38	41
50-64	197	22.5	168	9	10	19	27	42	57	99+
65+	175	24.8	178	11	12	21	32	44	51	80
GRAND TOTAL	**460**	**22.8**	**163**	**10**	**11**	**19**	**28**	**41**	**51**	**97**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	5.9	78	<1	1	3	8	16	20	49
20-34	76	8.2	65	1	1	5	12	19	24	41
35-49	112	7.1	51	1	2	5	8	16	20	38
50-64	216	8.2	63	1	2	5	11	19	22	34
65+	172	10.1	94	2	2	8	13	22	32	46
2. MULTIPLE DX										
0-19 YRS	92	12.3	184	1	2	8	17	28	39	73
20-34	86	11.0	164	<1	1	8	14	21	33	76
35-49	153	12.1	176	1	2	8	15	28	38	69
50-64	446	15.2	169	2	3	12	20	31	43	63
65+	466	17.7	235	2	3	14	25	41	53	99+
TOT. SINGLE DX	670	8.2	73	1	1	5	11	19	24	40
" MULTIPLE DX	1243	15.2	200	2	2	11	21	35	45	88
TOTAL 0-19 YRS	186	9.1	140	1	1	4	13	21	33	58
20-34	162	9.6	118	1	1	6	13	20	26	47
35-49	265	10.0	129	1	2	6	13	23	35	64
50-64	662	12.9	145	2	2	10	18	27	38	59
65+	638	15.6	208	2	2	11	22	37	47	99+
GRAND TOTAL	**1913**	**12.8**	**167**	**1**	**2**	**9**	**17**	**29**	**40**	**81**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	6.0	23	1	1	4	11	13	14	14
20-34	7	6.9	23	1	1	6	10	14	15	15
35-49	4	12.0	246	2	2	6	22	35	35	35
50-64	6	8.5	20	1	2	9	11	14	14	14
65+	8	21.3	333	3	3	17	31	49	56	56
2. MULTIPLE DX										
0-19 YRS	9	12.7	129	2	3	8	20	32	36	36
20-34	3	16.3	104	9	9	12	24	28	28	28
35-49	11	17.7	174	2	4	15	24	38	48	49
50-64	15	16.7	190	3	5	11	23	43	46	47
65+	9	22.4	182	4	4	23	30	41	44	44
TOT. SINGLE DX	35	10.8	140	1	1	8	12	30	34	56
" MULTIPLE DX	47	17.3	164	3	4	14	26	36	44	49
TOTAL 0-19 YRS	19	9.2	81	1	1	7	12	22	31	36
20-34	10	9.7	60	1	2	9	12	21	28	28
35-49	15	16.2	184	2	2	13	24	35	45	49
50-64	21	14.4	152	2	4	10	19	34	45	47
65+	17	21.9	237	3	3	23	31	42	52	56
GRAND TOTAL	**82**	**14.5**	**162**	**2**	**2**	**10**	**22**	**34**	**43**	**54**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	6.3	19	2	3	5	7	11	16	27
20-34	183	6.3	19	2	3	5	8	12	14	21
35-49	36	9.2	83	2	3	6	10	21	27	48
50-64	45	13.3	126	2	3	7	24	30	34	41
65+	35	13.8	86	3	4	12	21	28	31	39
2. MULTIPLE DX										
0-19 YRS	85	16.6	265	4	4	11	20	35	52	86
20-34	123	12.6	172	3	4	9	13	27	52	99+
35-49	86	12.7	176	2	4	8	13	30	46	88
50-64	151	17.1	246	4	5	12	25	43	82	99+
65+	173	19.2	255	4	5	15	26	35	55	99+
TOT. SINGLE DX	362	8.2	53	2	3	6	9	17	26	36
" MULTIPLE DX	618	16.1	232	3	4	11	21	35	57	99+
TOTAL 0-19 YRS	148	12.2	185	3	3	7	14	25	37	76
20-34	306	8.8	90	3	3	6	10	16	24	70
35-49	122	11.7	151	2	3	7	13	28	45	76
50-64	196	16.2	220	3	4	12	25	36	65	99+
65+	208	18.3	230	4	5	14	24	35	49	99
GRAND TOTAL	**980**	**13.2**	**181**	**3**	**3**	**9**	**16**	**31**	**44**	**99+**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	58	7.8	24	1	2	7	10	13	16	31
20-34	74	7.9	35	1	2	7	10	15	21	29
35-49	51	9.9	76	1	2	8	14	19	23	47
50-64	63	13.0	187	2	2	10	16	26	33	83
65+	45	15.6	221	1	2	10	23	37	51	62
2. MULTIPLE DX										
0-19 YRS	43	18.0	235	3	5	13	24	41	64	99+
20-34	66	14.9	172	2	4	12	18	30	44	70
35-49	73	17.3	210	1	2	14	28	36	49	62
50-64	146	19.6	247	2	4	14	28	48	58	99+
65+	177	22.8	304	4	6	17	31	48	65	99+
TOT. SINGLE DX	291	10.5	109	1	2	8	13	22	30	55
" MULTIPLE DX	505	19.7	256	2	4	15	27	45	58	99+
TOTAL 0-19 YRS	101	12.1	138	1	3	8	14	27	39	84
20-34	140	11.2	111	1	2	8	14	22	30	57
35-49	124	14.3	167	1	2	11	21	32	38	59
50-64	209	17.6	237	2	3	13	23	45	56	99+
65+	222	21.3	295	3	5	16	30	46	61	99+
GRAND TOTAL	**796**	**16.3**	**222**	**2**	**3**	**12**	**22**	**37**	**51**	**93**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	11.2	16	3	4	12	13	15	17	18
20-34	25	11.6	8	9	9	11	12	15	18	21
35-49	38	13.2	14	9	10	12	14	20	22	23
50-64	26	16.0	43	10	11	14	16	25	31	40
65+	9	14.0	14	10	11	13	14	20	23	23
2. MULTIPLE DX										
0-19 YRS	52	20.2	172	9	10	15	27	38	48	74
20-34	41	17.1	125	8	9	12	18	37	47	49
35-49	57	18.0	99	9	10	15	20	30	39	56
50-64	126	19.3	116	10	11	17	22	28	41	89
65+	48	22.9	105	11	12	22	27	39	48	99+
TOT. SINGLE DX	122	13.1	22	9	10	12	14	18	22	32
" MULTIPLE DX	324	19.5	123	9	10	16	23	37	45	77
TOTAL 0-19 YRS	76	17.3	140	7	9	13	18	31	41	68
20-34	66	15.0	87	8	9	12	15	23	40	49
35-49	95	16.1	70	9	10	13	18	26	32	53
50-64	152	18.8	105	10	11	16	22	27	40	86
65+	57	21.5	100	11	12	20	26	39	47	96
GRAND TOTAL	**446**	**17.7**	**103**	**9**	**10**	**14**	**20**	**30**	**40**	**70**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	5	11.2	5	9	9	10	13	14	14	14
35-49	58	13.7	42	9	10	11	14	21	26	48
50-64	170	13.5	14	10	10	13	15	17	22	29
65+	29	18.0	55	11	11	16	20	31	35	37
2. MULTIPLE DX										
0-19 YRS										
20-34	8	13.4	13	9	10	13	14	19	21	21
35-49	190	15.9	48	10	10	13	18	25	32	43
50-64	630	17.1	67	10	11	14	20	27	33	50
65+	140	21.9	136	11	12	18	25	37	45	62
TOT. SINGLE DX	262	14.0	27	10	10	12	15	20	25	35
" MULTIPLE DX	968	17.5	76	10	11	15	20	28	35	54
TOTAL 0-19 YRS										
20-34	13	12.5	10	9	9	12	14	16	20	21
35-49	248	15.4	47	10	10	13	17	25	31	44
50-64	800	16.3	58	10	10	14	18	26	32	46
65+	169	21.2	124	11	12	17	24	36	42	61
GRAND TOTAL	**1230**	**16.8**	**67**	**10**	**10**	**14**	**19**	**27**	**34**	**50**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	224	2.9	8	2	2	2	3	3	5	15
20-34	118	3.4	9	1	2	3	3	6	10	19
35-49	362	3.3	7	1	2	3	3	6	9	14
50-64	564	3.6	15	1	2	2	3	8	12	23
65+	95	3.6	16	1	1	2	3	8	13	21
2. MULTIPLE DX										
0-19 YRS	195	5.0	60	2	2	3	4	11	18	52
20-34	135	5.3	36	1	2	3	5	13	19	31
35-49	632	6.0	46	2	2	3	8	14	18	33
50-64	1282	6.2	42	2	2	3	8	15	19	31
65+	334	9.1	100	2	2	4	13	21	28	46
TOT. SINGLE DX	1363	3.4	11	1	2	2	3	6	10	20
" MULTIPLE DX	2578	6.4	53	2	2	3	8	16	20	35
TOTAL 0-19 YRS	419	3.9	33	2	2	2	3	6	13	40
20-34	253	4.4	24	1	2	3	4	10	15	26
35-49	994	5.0	34	2	2	3	5	12	16	31
50-64	1846	5.4	35	1	2	3	6	13	18	30
65+	429	7.9	86	1	2	3	11	20	25	44
GRAND TOTAL	**3941**	**5.4**	**40**	**1**	**2**	**3**	**6**	**13**	**18**	**32**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	6.0	32	2	2	4	7	16	17	17
20-34	8	5.8	10	2	2	5	8	10	11	11
35-49	32	8.8	126	2	2	4	8	26	40	45
50-64	130	8.3	63	2	2	6	11	17	21	43
65+	431	6.9	37	1	2	5	9	14	18	31
2. MULTIPLE DX										
0-19 YRS	8	11.4	171	3	3	6	14	34	41	41
20-34	14	8.6	70	2	2	7	9	21	30	32
35-49	80	12.9	70	2	3	12	17	23	28	43
50-64	389	14.5	132	3	3	12	19	28	34	57
65+	1228	13.9	134	2	3	11	19	29	38	74
TOT. SINGLE DX	607	7.2	47	2	2	5	9	14	19	37
" MULTIPLE DX	1719	13.9	130	2	3	11	19	28	37	69
TOTAL 0-19 YRS	14	9.1	112	2	2	5	9	21	37	41
20-34	22	7.6	48	2	2	6	8	15	25	32
35-49	112	11.7	89	2	2	9	16	24	29	45
50-64	519	12.9	122	2	3	10	18	26	33	55
65+	1659	12.1	118	2	3	9	16	26	34	68
GRAND TOTAL	**2326**	**12.2**	**117**	**2**	**3**	**9**	**16**	**26**	**34**	**62**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	6.4	21	<1	1	6	10	12	12	12
20-34	9	12.2	7	9	9	12	14	16	17	17
35-49	6	9.8	19	2	3	10	12	15	15	15
50-64	7	13.7	165	1	1	13	15	35	40	40
65+	7	12.1	57	2	3	11	13	24	27	27
2. MULTIPLE DX										
0-19 YRS	7	11.1	36	2	3	12	14	20	21	21
20-34	13	14.2	115	1	2	14	17	29	39	41
35-49	29	19.1	125	9	10	15	22	41	45	48
50-64	47	21.4	285	4	5	18	28	45	59	99+
65+	20	26.7	317	11	13	24	34	66	92	99+
TOT. SINGLE DX	37	10.8	52	1	2	11	13	16	23	40
" MULTIPLE DX	116	20.3	228	4	7	15	25	42	52	99+
TOTAL 0-19 YRS	15	8.6	32	<1	2	9	12	14	19	21
20-34	22	13.4	69	2	3	12	16	21	32	41
35-49	35	17.5	118	7	9	15	21	40	44	48
50-64	54	20.4	272	3	4	15	28	42	54	99+
65+	27	22.9	287	8	9	19	27	50	86	99+
GRAND TOTAL	**153**	**18.0**	**201**	**2**	**4**	**14**	**23**	**40**	**48**	**99+**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	4.4	42	1	1	2	5	7	20	30
20-34	13	4.2	24	1	1	2	4	13	16	17
35-49	12	2.6	3	<1	1	2	3	5	7	7
50-64	43	4.0	9	1	1	3	5	8	11	14
65+	22	9.7	406	1	1	3	8	22	62	91
2. MULTIPLE DX										
0-19 YRS	19	11.4	141	1	2	7	14	27	42	49
20-34	13	12.7	109	2	3	12	17	26	37	39
35-49	30	10.1	95	2	2	6	15	29	37	99+
50-64	55	15.3	267	2	2	9	19	37	53	75
65+	69	18.7	358	2	2	12	28	45	62	85
TOT. SINGLE DX	109	5.1	98	1	1	2	5	9	13	62
" MULTIPLE DX	186	15.1	256	2	2	10	20	37	50	84
TOTAL 0-19 YRS	38	7.9	102	1	1	5	9	18	32	49
20-34	26	8.4	83	1	1	5	13	21	26	39
35-49	42	7.9	80	1	2	4	11	23	36	99+
50-64	98	10.3	184	1	2	5	12	28	40	70
65+	91	16.5	380	1	2	10	22	43	62	90
GRAND TOTAL	**295**	**11.4**	**221**	**1**	**2**	**5**	**14**	**31**	**43**	**82**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	3.5	5	<1	1	3	4	7	9	10
20-34	631	4.6	6	2	3	4	5	7	8	10
35-49	1010	5.1	10	2	3	4	6	8	10	17
50-64	891	6.0	20	2	3	5	7	10	13	23
65+	193	6.9	36	2	3	5	7	13	18	35
2. MULTIPLE DX										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	136	6.2	28	2	3	5	7	10	15	39
35-49	375	6.5	23	2	3	5	8	12	16	25
50-64	502	9.1	85	3	3	6	10	19	24	53
65+	175	12.3	148	3	4	8	14	28	40	62
TOT. SINGLE DX	2756	5.4	14	2	3	5	6	8	11	20
" MULTIPLE DX	1190	8.4	72	3	3	6	9	16	23	47
TOTAL 0-19 YRS	33	3.5	5	<1	1	3	4	7	9	10
20-34	767	4.9	10	2	3	4	6	8	9	15
35-49	1385	5.5	13	2	3	5	6	9	11	21
50-64	1393	7.1	46	3	3	5	8	12	18	37
65+	368	9.5	96	3	3	6	11	19	31	50
GRAND TOTAL	**3946**	**6.3**	**34**	**2**	**3**	**5**	**7**	**10**	**15**	**33**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	13.0	19	10	10	11	16	18	18	18
20-34	11	16.9	175	5	6	12	22	40	44	44
35-49	55	14.0	35	6	8	13	17	23	25	29
50-64	245	13.4	53	6	7	12	15	20	22	43
65+	188	14.0	36	7	8	12	17	23	26	33
2. MULTIPLE DX										
0-19 YRS	16	21.6	286	5	5	15	28	52	61	64
20-34	49	18.3	194	3	5	14	23	45	56	99+
35-49	169	15.3	91	5	7	14	18	26	31	66
50-64	760	17.8	127	8	9	15	20	30	44	80
65+	652	21.3	203	8	10	17	24	41	56	99+
TOT. SINGLE DX	502	13.8	47	6	7	12	16	21	25	40
" MULTIPLE DX	1646	19.0	161	7	9	16	22	34	51	99
TOTAL 0-19 YRS	19	20.2	251	5	6	14	27	45	59	64
20-34	60	18.1	188	3	5	13	23	43	55	95
35-49	224	15.0	77	5	8	14	18	24	29	62
50-64	1005	16.7	113	7	9	14	19	27	38	77
65+	840	19.6	175	8	9	16	23	35	53	99+
GRAND TOTAL	**2148**	**17.8**	**139**	**7**	**8**	**15**	**20**	**31**	**44**	**89**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64	1	14.0		14	14	14	14	14	14	14
65+										
TOT. SINGLE DX										
" MULTIPLE DX	1	14.0		14	14	14	14	14	14	14
TOTAL 0-19 YRS										
20-34										
35-49										
50-64	1	14.0		14	14	14	14	14	14	14
65+										
GRAND TOTAL	**1**	**14.0**		**14**	**14**	**14**	**14**	**14**	**14**	**14**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	3	5.3	26	1	1	4	9	11	11	11
35-49	7	6.0	26	1	1	3	9	14	15	15
50-64	6	4.5	16	1	1	3	5	11	12	12
65+	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	19	8.5	64	1	2	6	13	27	65	99+
20-34	84	7.2	49	1	1	5	9	15	23	35
35-49	66	7.1	30	1	2	5	11	17	18	23
50-64	170	9.2	120	1	1	6	12	19	29	86
65+	83	11.3	116	1	2	8	14	25	35	51
TOT. SINGLE DX	20	5.0	17	1	1	3	8	11	13	15
" MULTIPLE DX	422	8.9	90	1	1	6	11	19	28	52
TOTAL 0-19 YRS	21	8.0	61	1	2	5	13	26	59	99+
20-34	87	7.1	48	1	1	5	9	15	22	34
35-49	73	7.0	29	1	2	5	10	16	18	23
50-64	176	9.0	117	1	1	5	12	19	29	83
65+	85	11.2	115	2	2	8	14	24	35	51
GRAND TOTAL	**442**	**8.7**	**87**	**1**	**1**	**6**	**11**	**19**	**27**	**51**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98· 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	104	9.1	40	1	2	9	12	15	21	33
20-34	103	8.2	104	<1	1	4	11	18	25	58
35-49	123	10.3	81	1	2	8	13	21	30	44
50-64	221	12.3	111	2	4	11	15	21	27	75
65+	220	13.2	78	3	5	12	16	22	28	48
2. MULTIPLE DX										
0-19 YRS	444	23.4	506	3	5	16	34	72	89	99+
20-34	230	12.2	135	1	2	9	17	30	45	99+
35-49	281	16.5	238	1	3	12	22	37	64	99+
50-64	1001	17.6	205	4	6	14	21	35	56	99+
65+	1073	19.9	227	5	7	16	24	41	59	99+
TOT. SINGLE DX	771	11.3	89	2	2	10	14	20	27	45
" MULTIPLE DX	3029	18.7	262	3	5	14	24	42	66	99+
TOTAL 0-19 YRS	548	20.7	449	2	4	13	28	64	84	99+
20-34	333	11.0	128	1	2	8	15	26	39	99+
35-49	404	14.6	198	1	2	11	18	33	52	99+
50-64	1222	16.6	192	3	5	13	20	32	50	99+
65+	1293	18.7	208	4	7	15	23	39	54	99+
GRAND TOTAL	**3800**	**17.2**	**236**	**2**	**4**	**13**	**21**	**38**	**58**	**99+**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	183	4.4	28	<1	1	2	5	10	15	25
20-34	219	4.9	28	<1	1	3	6	11	14	22
35-49	128	8.1	95	1	1	4	11	19	25	62
50-64	147	7.1	45	1	2	4	10	18	21	27
65+	97	9.4	75	2	2	6	12	22	28	38
2. MULTIPLE DX										
0-19 YRS	74	10.9	182	2	2	7	12	23	43	71
20-34	107	9.9	144	1	2	8	13	18	25	72
35-49	129	11.5	154	2	2	8	16	27	34	60
50-64	320	14.2	203	2	2	9	19	34	41	66
65+	274	15.4	193	2	3	13	20	34	51	97
TOT. SINGLE DX	774	6.3	51	<1	1	3	8	15	21	33
" MULTIPLE DX	904	13.4	187	2	2	9	18	30	42	74
TOTAL 0-19 YRS	257	6.3	80	<1	1	3	7	13	22	48
20-34	326	6.5	71	<1	1	4	9	14	18	52
35-49	257	9.8	127	1	2	6	13	23	31	60
50-64	467	12.0	164	1	2	8	16	27	38	56
65+	371	13.8	169	2	2	10	19	31	43	83
GRAND TOTAL	**1678**	**10.1**	**137**	**1**	**2**	**6**	**13**	**23**	**34**	**61**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	7.5	141	1	1	2	7	28	36	36
20-34	19	7.3	27	2	2	5	11	16	17	17
35-49	15	10.2	64	1	2	6	20	21	22	22
50-64	21	9.7	56	2	3	8	13	19	26	33
65+	22	9.7	41	1	2	9	13	19	23	27
2. MULTIPLE DX										
0-19 YRS	6	17.0	236	2	3	13	19	43	46	46
20-34	27	13.6	146	3	4	10	16	25	37	63
35-49	36	13.1	129	3	3	11	13	26	37	60
50-64	71	17.3	175	4	5	12	26	36	45	56
65+	66	17.6	168	2	4	14	25	33	43	95
TOT. SINGLE DX	85	9.0	53	1	2	7	12	20	21	35
" MULTIPLE DX	206	16.2	163	3	5	12	22	34	43	67
TOTAL 0-19 YRS	14	11.6	191	1	2	6	15	37	44	46
20-34	46	11.0	105	2	3	10	15	18	27	63
35-49	51	12.2	110	3	3	10	14	23	32	60
50-64	92	15.6	157	3	4	11	22	35	42	55
65+	88	15.6	147	1	3	13	22	32	40	89
GRAND TOTAL	**291**	**14.1**	**141**	**2**	**3**	**11**	**18**	**31**	**38**	**62**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	2	15.5	113	8	8	15	23	23	23	23
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	6	33.3	122	23	23	31	42	49	50	50
35-49										
50-64	1	43.0		43	43	43	43	43	43	43
65+										
TOT. SINGLE DX	2	15.5	113	8	8	15	23	23	23	23
" MULTIPLE DX	7	34.7	115	23	23	35	43	49	50	50
TOTAL 0-19 YRS										
20-34	6	33.3	122	23	23	31	42	49	50	50
35-49	2	15.5	113	8	8	15	23	23	23	23
50-64	1	43.0		43	43	43	43	43	43	43
65+										
GRAND TOTAL	**9**	**30.4**	**172**	**8**	**14**	**27**	**42**	**47**	**50**	**50**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34										
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	1	38.0		38	38	38	38	38	38	38
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
TOT. SINGLE DX	3	4.0	4	2	2	4	5	6	6	6
" MULTIPLE DX	2	22.0	512	6	6	22	38	38	38	38
TOTAL 0-19 YRS	3	14.7	409	2	2	4	29	38	38	38
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	6.0		6	6	6	6	6	6	6
65+										
GRAND TOTAL	**5**	**11.2**	**227**	**2**	**2**	**6**	**14**	**38**	**38**	**38**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	189	11.4	140	2	3	8	13	24	37	99
20-34	109	14.2	211	3	4	9	15	30	49	73
35-49	103	12.4	127	2	3	9	14	30	34	55
50-64	132	14.5	132	3	4	12	18	28	39	53
65+	193	14.5	151	2	4	11	19	27	43	76
2. MULTIPLE DX										
0-19 YRS	212	12.7	145	1	4	9	16	26	38	74
20-34	256	17.2	255	4	5	11	21	42	64	99+
35-49	266	17.0	192	3	5	13	22	32	43	85
50-64	545	18.8	196	4	6	15	24	38	49	73
65+	1111	21.3	288	5	6	17	28	48	69	99+
TOT. SINGLE DX	726	13.3	151	2	4	9	16	28	38	73
" MULTIPLE DX	2390	19.1	246	4	6	14	24	42	58	99+
TOTAL 0-19 YRS	401	12.1	143	2	3	8	15	25	37	93
20-34	365	16.3	243	4	5	10	20	37	63	97
35-49	369	15.7	178	3	4	12	20	32	42	68
50-64	677	17.9	186	4	5	14	23	37	47	72
65+	1304	20.3	273	4	6	16	26	45	63	99+
GRAND TOTAL	**3116**	**17.7**	**230**	**3**	**5**	**13**	**23**	**38**	**54**	**99+**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	6.7	67	1	1	3	7	19	26	33
20-34	17	7.2	167	<1	1	4	5	12	41	56
35-49	4	7.3	73	2	2	3	12	20	20	20
50-64	1	17.0		17	17	17	17	17	17	17
65+	3	13.7	342	2	2	4	27	35	35	35
2. MULTIPLE DX										
0-19 YRS	63	11.3	279	1	1	6	12	25	40	95
20-34	46	15.5	370	1	1	6	24	44	57	86
35-49	35	9.1	86	1	2	6	11	21	26	46
50-64	53	12.1	131	1	2	9	14	26	36	57
65+	61	12.6	80	3	3	11	21	31	99+	99+
TOT. SINGLE DX	47	7.6	113	1	1	4	7	20	33	56
" MULTIPLE DX	258	12.2	192	1	2	8	16	31	45	99+
TOTAL 0-19 YRS	85	10.1	227	1	1	5	11	22	35	91
20-34	63	13.3	326	1	1	5	16	43	56	82
35-49	39	8.9	83	1	2	5	11	21	24	46
50-64	54	12.2	129	1	2	9	15	25	35	57
65+	64	12.6	87	2	3	11	21	33	99+	99+
GRAND TOTAL	**305**	**11.5**	**183**	**1**	**2**	**7**	**15**	**30**	**44**	**99+**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	5.4	34	1	1	3	9	13	17	25
20-34	23	5.4	22	<1	<1	4	8	10	14	21
35-49	46	6.7	48	<1	1	4	9	19	23	30
50-64	72	8.2	59	1	2	5	12	18	24	36
65+	104	7.5	60	1	2	5	10	16	20	45
2. MULTIPLE DX										
0-19 YRS	28	15.1	375	1	2	10	28	99+	99+	99+
20-34	46	8.6	41	1	2	7	12	21	25	99+
35-49	89	14.5	200	2	3	10	18	37	49	89
50-64	191	15.9	321	1	2	10	20	35	58	95
65+	344	15.3	215	2	3	11	21	35	51	99+
TOT. SINGLE DX	271	7.2	52	1	1	5	9	16	21	36
" MULTIPLE DX	698	14.9	239	1	2	10	20	35	58	99+
TOTAL 0-19 YRS	54	10.5	231	1	1	6	14	64	99+	99+
20-34	69	7.6	37	<1	1	7	11	15	23	86
35-49	135	11.9	162	<1	2	8	15	30	41	76
50-64	263	13.8	260	1	2	9	17	30	51	92
65+	448	13.5	190	2	2	9	18	31	45	99+
GRAND TOTAL	**969**	**12.8**	**198**	**1**	**2**	**8**	**17**	**30**	**46**	**99+**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	208	7.0	17	3	3	6	8	12	15	27
20-34	4	8.8	4	6	6	9	10	10	10	10
35-49	4	13.5	35	9	9	11	17	22	22	22
50-64	1	11.0		11	11	11	11	11	11	11
65+	3	16.7	74	9	9	15	23	26	26	26
2. MULTIPLE DX										
0-19 YRS	84	10.0	34	4	4	8	13	17	23	28
20-34	3	8.0	7	6	6	7	10	11	11	11
35-49	4	14.8	58	9	9	12	19	26	26	26
50-64	7	26.3	298	10	10	16	44	50	50	50
65+	11	28.3	520	6	9	20	34	61	87	89
TOT. SINGLE DX	220	7.3	19	3	4	6	9	12	16	27
" MULTIPLE DX	109	13.0	136	4	5	9	16	26	33	66
TOTAL 0-19 YRS	292	7.9	24	3	4	7	9	14	17	28
20-34	7	8.4	4	6	6	9	10	11	11	11
35-49	8	14.1	40	9	9	12	17	25	26	26
50-64	8	24.4	285	10	10	16	40	49	50	50
65+	14	25.8	436	7	9	19	27	48	80	89
GRAND TOTAL	**329**	**9.2**	**65**	**3**	**4**	**7**	**11**	**16**	**24**	**44**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	21.0		21	21	21	21	21	21	21
50-64	4	23.8	126	15	15	20	31	40	40	40
65+	2	21.0	2	20	20	21	22	22	22	22
2. MULTIPLE DX										
0-19 YRS	6	29.7	724	9	9	56	99+	99+	99+	99+
20-34	7	23.9	64	13	14	28	31	80	99+	99+
35-49	1	28.0		28	28	28	28	28	28	28
50-64	14	45.9	1228	3	4	60	86	99	99+	99+
65+	17	35.4	374	9	13	43	62	99+	99+	99+
TOT. SINGLE DX	9	18.3	120	3	3	20	22	33	40	40
" MULTIPLE DX	45	35.9	652	6	10	37	80	99+	99+	99+
TOTAL 0-19 YRS	7	26.0	698	4	6	38	99+	99+	99+	99+
20-34	8	21.3	109	3	7	27	31	73	99+	99+
35-49	2	24.5	25	21	21	24	28	28	28	28
50-64	18	41.0	1052	3	5	38	79	98	99+	99+
65+	19	33.8	353	9	14	42	55	99+	99+	99+
GRAND TOTAL	**54**	**33.0**	**603**	**4**	**9**	**31**	**73**	**99+**	**99+**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	19.8	268	5	5	17	33	40	40	40
20-34	26	8.3	93	<1	<1	6	9	17	24	49
35-49	53	7.9	104	<1	2	6	9	14	19	71
50-64	92	9.5	47	1	1	8	14	18	22	34
65+	97	10.4	81	1	2	8	12	19	25	54
2. MULTIPLE DX										
0-19 YRS	11	10.9	90	3	4	7	11	26	35	36
20-34	82	10.0	68	1	3	8	14	20	27	82
35-49	174	12.3	119	3	3	9	15	25	36	62
50-64	343	12.6	112	1	3	10	15	25	37	64
65+	618	16.1	151	3	5	13	21	31	38	74
TOT. SINGLE DX	272	9.5	79	1	2	8	12	18	24	48
" MULTIPLE DX	1228	14.1	133	2	4	11	18	29	37	67
TOTAL 0-19 YRS	15	13.3	138	3	5	8	18	36	39	40
20-34	108	9.6	74	<1	1	7	13	19	26	70
35-49	227	11.3	119	2	3	8	14	23	33	67
50-64	435	11.9	99	1	3	10	15	23	32	62
65+	715	15.3	145	2	4	12	19	30	37	68
GRAND TOTAL	**1500**	**13.3**	**126**	**2**	**3**	**11**	**17**	**27**	**36**	**64**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	18.3	64	10	10	19	24	26	26	26
20-34	55	11.4	17	6	7	10	14	18	18	23
35-49	85	13.3	20	8	8	13	15	20	22	28
50-64	116	13.9	25	9	9	13	16	20	25	32
65+	58	18.7	80	9	10	16	22	30	37	50
2. MULTIPLE DX										
0-19 YRS	3	14.0	48	10	10	10	19	22	22	22
20-34	69	16.8	124	8	9	13	19	33	45	93
35-49	150	18.1	172	9	9	13	20	34	39	73
50-64	258	20.7	170	9	10	17	25	38	50	81
65+	257	24.4	186	10	12	21	31	45	58	99+
TOT. SINGLE DX	317	14.2	38	8	9	13	16	22	26	37
" MULTIPLE DX	737	21.1	178	9	10	17	26	40	52	99+
TOTAL 0-19 YRS	6	16.2	51	10	10	15	22	26	26	26
20-34	124	14.4	84	7	8	11	17	22	39	74
35-49	235	16.3	122	8	9	13	19	27	35	71
50-64	374	18.6	[illegible]	9	9	15	22	32	46	73
65+	315	23.4	171	10	11	20	28	44	54	99+
GRAND TOTAL	1054	19.0	146	8	9	15	22	35	46	81

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	27.0		27	27	27	27	27	27	27
50-64	8	26.9	438	10	12	20	28	63	76	76
65+	4	28.3	139	17	17	26	37	44	44	44
2. MULTIPLE DX										
0-19 YRS										
20-34	7	20.3	29	11	12	22	24	27	27	27
35-49	12	23.9	175	12	14	20	27	41	58	61
50-64	41	32.0	411	13	14	23	45	61	78	89
65+	40	34.0	319	16	17	28	41	59	70	92
TOT. SINGLE DX	13	27.3	291	11	15	22	31	50	71	76
" MULTIPLE DX	100	31.0	331	13	15	26	39	56	70	90
TOTAL 0-19 YRS										
20-34	7	20.3	29	11	12	22	24	27	27	27
35-49	13	24.2	161	12	14	22	27	38	57	61
50-64	49	31.2	410	13	14	22	44	64	77	89
65+	44	33.5	302	16	17	28	41	57	68	92
GRAND TOTAL	113	30.6	325	13	15	25	38	55	70	90

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	11.2	24	6	7	9	13	16	23	25
20-34	100	10.8	18	6	7	10	12	17	22	63
35-49	144	10.8	23	7	7	9	12	18	20	31
50-64	99	12.0	34	7	7	10	14	20	23	39
65+	32	16.7	56	9	10	16	19	28	32	42
2. MULTIPLE DX										
0-19 YRS	3	11.3	5	10	10	10	13	14	14	14
20-34	93	13.3	61	7	7	11	15	21	30	47
35-49	164	14.7	77	7	8	12	16	26	31	52
50-64	156	15.1	61	7	8	12	18	26	29	46
65+	115	22.1	212	9	10	17	27	34	50	85
TOT. SINGLE DX	389	11.6	29	7	7	10	13	19	22	36
" MULTIPLE DX	531	16.1	108	7	8	13	19	28	34	56
TOTAL 0-19 YRS	17	11.2	20	6	7	10	13	15	22	25
20-34	193	12.0	40	6	7	10	13	20	25	47
35-49	308	12.9	55	7	8	10	15	21	27	44
50-64	255	13.9	53	7	8	11	17	23	27	44
65+	147	20.9	182	9	10	17	26	32	47	83
GRAND TOTAL	920	14.2	80	7	8	11	17	24	30	51

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	9.7	14	4	6	9	11	16	17	17
20-34	138	10.3	34	5	6	9	11	17	22	34
35-49	162	9.5	28	5	6	9	10	12	17	39
50-64	131	12.5	94	6	7	10	13	19	28	93
65+	73	15.8	118	7	7	12	17	27	41	60
2. MULTIPLE DX										
0-19 YRS	17	17.8	194	6	7	12	23	45	49	50
20-34	114	12.6	110	5	6	10	15	23	34	99+
35-49	244	14.4	112	6	7	11	16	29	37	89
50-64	326	17.5	195	7	8	13	21	35	49	94
65+	297	22.9	231	8	9	19	28	50	63	99+
TOT. SINGLE DX	519	11.4	63	6	6	9	12	18	25	47
" MULTIPLE DX	998	17.8	189	7	7	13	22	35	51	99+
TOTAL 0-19 YRS	32	14.0	123	6	6	10	15	29	46	50
20-34	252	11.3	69	5	6	9	13	19	26	83
35-49	406	12.4	84	6	7	9	13	24	32	52
50-64	457	16.1	171	6	7	11	18	34	41	93
65+	370	21.5	216	8	9	17	26	42	62	99+
GRAND TOTAL	1517	15.6	155	6	7	11	18	31	43	91

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	96	9.9	85	1	2	7	11	25	28	48
20-34	115	9.1	42	1	2	8	12	16	20	37
35-49	71	8.9	37	1	2	8	13	17	20	29
50-64	110	8.2	60	1	1	7	12	17	22	39
65+	74	8.8	64	1	2	6	13	18	24	44
2. MULTIPLE DX										
0-19 YRS	116	12.3	107	3	4	9	15	27	41	69
20-34	145	13.5	133	3	4	10	16	27	41	50
35-49	141	13.0	105	3	3	10	18	26	32	99+
50-64	269	13.9	150	2	3	12	17	26	32	76
65+	342	16.0	170	3	4	13	21	34	46	70
TOT. SINGLE DX	466	9.0	58	1	2	7	12	18	23	37
" MULTIPLE DX	1013	14.3	144	3	4	11	18	28	39	75
TOTAL 0-19 YRS	212	11.3	98	2	3	8	14	25	33	55
20-34	260	11.6	97	2	3	9	14	22	31	48
35-49	212	11.7	86	2	3	9	16	23	29	79
50-64	379	12.3	130	2	2	10	16	24	29	73
65+	416	14.7	159	2	3	12	19	32	42	68
GRAND TOTAL	**1479**	**12.6**	**123**	**2**	**3**	**10**	**16**	**25**	**34**	**66**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	12.9	144	6	6	10	11	29	46	48
20-34	22	14.3	54	6	7	12	19	24	30	34
35-49	17	13.4	48	7	8	11	15	21	30	35
50-64	26	16.6	120	8	9	14	18	28	39	61
65+	15	21.5	207	8	9	17	29	51	52	53
2. MULTIPLE DX										
0-19 YRS	37	24.5	509	8	8	16	40	93	99+	99+
20-34	60	22.2	220	7	8	17	33	50	58	99+
35-49	51	20.4	168	9	10	15	30	41	64	99+
50-64	88	23.8	203	9	10	20	30	46	58	89
65+	128	26.8	359	9	11	20	35	59	78	99+
TOT. SINGLE DX	91	15.8	111	7	8	12	18	29	35	58
" MULTIPLE DX	364	24.2	289	8	9	19	32	58	76	99+
TOTAL 0-19 YRS	48	21.8	445	6	8	12	34	80	99+	99+
20-34	82	20.0	186	7	7	16	26	48	56	99+
35-49	68	18.6	146	8	9	14	25	37	61	99+
50-64	114	22.1	192	9	9	18	28	46	58	82
65+	143	26.3	345	9	11	19	33	59	76	99+
GRAND TOTAL	**455**	**22.5**	**264**	**8**	**9**	**17**	**29**	**51**	**66**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	14.8	38	5	7	15	17	25	26	27
20-34	49	18.4	169	8	8	13	24	44	58	99+
35-49	94	15.2	55	9	10	13	17	23	27	50
50-64	196	16.2	41	10	10	14	18	25	29	39
65+	232	18.8	62	9	11	18	22	28	33	50
2. MULTIPLE DX										
0-19 YRS	30	33.4	439	8	10	28	34	68	74	79
20-34	130	22.2	229	8	10	18	29	48	80	99+
35-49	217	19.2	105	9	10	16	22	34	42	59
50-64	548	20.8	136	10	11	17	25	34	45	87
65+	968	25.2	209	11	12	22	31	47	70	99+
TOT. SINGLE DX	592	17.2	64	9	10	15	20	26	32	51
" MULTIPLE DX	1893	23.2	188	10	11	19	29	42	58	99+
TOTAL 0-19 YRS	51	25.7	356	7	8	18	34	55	69	79
20-34	179	21.2	214	8	9	15	27	46	67	99+
35-49	311	18.0	93	9	10	15	21	31	40	55
50-64	744	19.6	115	10	11	16	23	32	41	78
65+	1200	24.0	187	10	12	21	29	44	58	99+
GRAND TOTAL	**2485**	**21.7**	**165**	**10**	**11**	**18**	**27**	**40**	**53**	**99+**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	6.0	7	3	3	5	8	10	10	10
20-34	11	17.4	205	6	7	11	20	41	53	54
35-49	16	15.0	54	7	7	12	19	28	28	28
50-64	11	24.1	511	10	11	14	23	67	75	76
65+	16	17.4	69	8	9	14	24	29	33	35
2. MULTIPLE DX										
0-19 YRS	7	18.0	401	5	6	10	18	54	62	62
20-34	10	11.8	50	7	7	10	16	58	96	99+
35-49	38	22.6	196	7	9	18	29	48	52	54
50-64	53	22.8	183	9	11	21	29	43	76	99+
65+	81	30.7	396	10	11	26	43	69	93	99+
TOT. SINGLE DX	59	17.0	177	6	7	13	21	29	45	75
" MULTIPLE DX	189	25.4	301	8	10	21	35	55	81	99+
TOTAL 0-19 YRS	12	13.0	260	3	4	8	11	33	58	62
20-34	21	14.7	133	6	7	11	17	39	72	99+
35-49	54	20.3	164	7	9	15	28	38	51	54
50-64	64	23.1	233	10	11	19	29	45	77	99+
65+	97	28.5	366	10	11	24	41	66	87	99+
GRAND TOTAL	**248**	**23.4**	**283**	**7**	**9**	**18**	**31**	**52**	**74**	**99+**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	7.1	10	3	4	6	9	12	13	14
20-34	92	11.1	38	6	7	10	12	14	17	47
35-49	118	11.0	29	5	7	10	13	15	18	38
50-64	70	13.3	39	7	7	11	16	22	26	34
65+	85	12.8	79	3	5	11	15	21	26	58
2. MULTIPLE DX										
0-19 YRS	53	14.2	133	4	5	11	17	30	48	98
20-34	118	14.3	63	6	8	12	18	24	32	99+
35-49	182	16.4	112	7	8	13	20	28	40	74
50-64	240	16.1	129	5	7	13	19	33	40	99+
65+	281	18.5	174	7	8	15	22	35	48	99+
TOT. SINGLE DX	419	11.3	43	4	5	10	13	17	22	41
" MULTIPLE DX	874	16.5	133	6	7	13	20	31	41	99+
TOTAL 0-19 YRS	107	10.6	83	3	4	8	12	21	30	74
20-34	210	12.9	54	6	7	11	14	22	27	99+
35-49	300	14.3	86	6	7	12	16	23	31	57
50-64	310	15.4	110	5	7	12	19	29	36	96
65+	366	17.1	157	5	7	14	20	32	41	98
GRAND TOTAL	**1293**	**14.8**	**110**	**5**	**7**	**12**	**17**	**27**	**36**	**92**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	13.3	57	8	8	10	19	22	22	22
20-34	13	18.7	327	1	1	14	22	38	66	72
35-49	6	18.8	225	9	9	13	17	46	49	49
50-64	18	19.2	148	5	7	17	26	37	46	50
65+	23	26.5	208	8	10	23	41	48	67	99+
2. MULTIPLE DX										
0-19 YRS	9	27.3	620	8	10	20	27	67	91	91
20-34	19	23.4	133	9	11	20	37	44	74	99+
35-49	43	28.3	455	9	11	23	32	59	84	97
50-64	84	30.3	290	9	11	28	42	58	65	92
65+	129	30.5	364	12	14	26	44	69	99	99+
TOT. SINGLE DX	63	21.5	214	6	8	17	31	46	51	96
" MULTIPLE DX	284	29.5	347	10	12	25	39	63	85	99+
TOTAL 0-19 YRS	12	23.8	501	8	8	19	24	50	85	91
20-34	32	21.5	210	2	8	19	29	42	68	99+
35-49	49	27.1	432	9	11	20	31	52	84	97
50-64	102	28.4	281	8	10	27	39	55	64	88
65+	152	29.9	341	10	13	25	43	65	99	99+
GRAND TOTAL	**347**	**28.1**	**332**	**8**	**11**	**23**	**39**	**60**	**81**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4664	4.9	10	2	3	4	6	8	10	16
20-34	2575	4.9	7	2	3	4	6	7	9	15
35-49	595	5.7	8	3	3	5	7	9	11	17
50-64	258	7.2	17	3	3	6	9	12	16	24
65+	96	9.2	43	3	3	8	11	17	20	41
2. MULTIPLE DX										
0-19 YRS	1210	7.1	27	3	3	5	8	13	17	27
20-34	842	7.2	25	3	3	6	9	13	17	30
35-49	279	9.8	57	3	4	8	12	17	21	47
50-64	211	12.7	85	4	5	10	15	23	28	57
65+	165	16.9	170	5	6	13	21	29	45	69
TOT. SINGLE DX	8188	5.1	10	2	3	4	6	8	10	16
" MULTIPLE DX	2707	8.5	50	3	3	6	10	16	21	37
TOTAL 0-19 YRS	5874	5.4	14	2	3	4	6	9	12	19
20-34	3417	5.4	13	2	3	5	6	9	11	19
35-49	874	7.0	27	3	3	5	8	12	16	24
50-64	469	9.7	55	3	4	7	11	18	23	37
65+	261	14.1	137	4	5	10	17	26	37	67
GRAND TOTAL	**10895**	**5.9**	**22**	**3**	**3**	**5**	**7**	**10**	**14**	**24**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	5.2	5	2	3	5	6	8	10	14
20-34	53	6.2	22	2	3	5	7	10	16	30
35-49	9	6.4	12	4	4	5	7	12	15	15
50-64	5	9.0	7	7	7	8	11	13	13	13
65+	3	12.3	44	5	5	14	17	18	18	18
2. MULTIPLE DX										
0-19 YRS	23	6.4	27	3	4	5	6	9	17	29
20-34	23	5.5	15	2	2	4	7	10	14	19
35-49	6	11.7	103	3	3	9	15	28	30	30
50-64	7	22.3	571	9	10	12	18	64	76	76
65+	5	10.2	28	5	5	9	12	19	19	19
TOT. SINGLE DX	142	6.0	14	2	3	5	7	10	13	20
" MULTIPLE DX	64	8.6	106	2	3	5	10	17	22	70
TOTAL 0-19 YRS	95	5.5	11	2	3	5	6	8	10	22
20-34	76	6.0	19	2	3	5	7	10	15	27
35-49	15	8.5	50	3	4	6	11	15	26	30
50-64	12	16.8	361	7	7	12	15	35	70	76
65+	8	11.0	30	5	5	9	16	19	19	19
GRAND TOTAL	**206**	**6.8**	**43**	**3**	**3**	**5**	**7**	**12**	**17**	**30**

605: Operations on Appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	9.4	25	3	4	8	14	17	19	20
20-34	22	8.8	22	4	4	7	11	15	21	22
35-49	10	10.7	41	4	4	9	15	20	22	22
50-64	5	14.4	18	10	10	13	17	21	21	21
65+	1	41.0		41	41	41	41	41	41	41
2. MULTIPLE DX										
0-19 YRS	10	15.3	42	3	4	16	20	22	23	23
20-34	7	15.3	60	5	6	12	23	25	25	25
35-49	3	13.3	72	5	5	13	20	22	22	22
50-64	4	14.8	18	12	12	13	17	21	21	21
65+	4	22.8	128	8	8	25	31	33	33	33
TOT. SINGLE DX	73	10.2	40	4	4	8	13	19	21	37
" MULTIPLE DX	28	16.1	57	5	5	15	21	25	30	33
TOTAL 0-19 YRS	45	10.7	34	3	4	9	15	19	21	23
20-34	29	10.3	38	4	4	8	12	21	24	25
35-49	13	11.3	44	4	4	11	16	22	22	22
50-64	9	14.6	16	10	11	13	17	21	21	21
65+	5	26.4	162	8	8	30	35	41	41	41
GRAND TOTAL	**101**	**11.8**	**51**	**4**	**4**	**10**	**16**	**21**	**23**	**37**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	88	7.2	51	2	2	5	9	15	20	37
20-34	137	8.1	39	1	2	6	11	15	21	32
35-49	95	7.5	78	1	2	5	9	16	20	54
50-64	129	6.7	40	1	1	4	10	15	17	32
65+	188	6.4	35	2	2	5	8	14	20	27
2. MULTIPLE DX										
0-19 YRS	67	10.3	61	3	3	8	14	20	27	38
20-34	111	11.6	94	2	3	9	16	21	28	54
35-49	114	10.3	103	1	2	7	14	19	30	63
50-64	223	11.9	130	2	2	9	16	25	34	89
65+	412	13.7	163	2	3	11	18	28	43	99+
TOT. SINGLE DX	637	7.1	46	1	2	5	9	15	20	35
" MULTIPLE DX	927	12.4	133	2	3	9	16	26	37	94
TOTAL 0-19 YRS	155	8.5	57	2	2	7	12	19	22	39
20-34	248	9.6	66	2	2	7	13	18	23	43
35-49	209	9.1	93	1	2	6	12	17	23	63
50-64	352	10.0	103	1	2	7	13	22	30	65
65+	600	11.4	134	2	2	8	15	25	37	99+
GRAND TOTAL	**1564**	**10.2**	**104**	**2**	**2**	**7**	**14**	**21**	**30**	**67**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	5.0	9	3	3	4	6	10	10	10
20-34	35	4.0	8	<1	1	3	6	7	8	13
35-49	20	3.7	7	1	1	3	5	8	9	10
50-64	10	2.9	3	1	1	2	4	5	6	6
65+	4	9.3	53	4	4	6	13	20	20	20
2. MULTIPLE DX										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	10	7.8	44	2	2	6	8	19	24	24
35-49	8	4.5	1	3	3	5	5	6	6	6
50-64	12	10.3	32	2	3	10	15	18	19	19
65+	7	12.6	103	3	4	9	26	79	99+	99+
TOT. SINGLE DX	74	4.1	10	1	1	3	6	8	9	18
" MULTIPLE DX	38	9.0	46	2	3	7	14	21	28	99+
TOTAL 0-19 YRS	6	6.7	23	3	3	4	10	14	15	15
20-34	45	4.8	18	<1	1	4	7	8	13	24
35-49	28	3.9	5	1	1	4	5	8	8	10
50-64	22	7.0	32	1	1	5	11	16	18	19
65+	11	11.4	80	3	4	8	21	52	93	99+
GRAND TOTAL	**112**	**5.8**	**27**	**1**	**1**	**4**	**7**	**14**	**19**	**56**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	19.4	44	15	15	18	21	31	31	31
20-34	9	26.2	191	10	10	24	37	46	48	48
35-49	35	20.1	82	10	12	19	23	28	41	52
50-64	91	18.7	42	10	11	18	22	28	31	36
65+	87	21.1	78	10	12	20	26	33	39	82
2. MULTIPLE DX										
0-19 YRS	16	29.9	367	6	11	23	39	56	71	77
20-34	37	27.1	235	9	11	23	36	52	58	67
35-49	91	21.5	202	9	11	19	25	32	45	96
50-64	263	24.3	124	11	13	22	31	41	48	99+
65+	400	28.8	247	12	13	25	36	52	66	99+
TOT. SINGLE DX	227	20.2	69	10	11	19	24	32	36	52
" MULTIPLE DX	807	26.4	210	11	13	23	34	47	59	99+
TOTAL 0-19 YRS	21	27.4	305	8	13	19	38	51	66	77
20-34	46	26.9	222	9	11	23	36	49	57	67
35-49	126	21.1	168	9	11	19	24	31	44	93
50-64	354	22.9	109	10	12	21	28	38	46	98
65+	487	27.4	225	12	13	24	34	50	63	99+
GRAND TOTAL	**1034**	**25.1**	**186**	**11**	**12**	**22**	**31**	**44**	**53**	**99+**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	8.2	23	2	2	9	12	14	14	14
20-34	19	6.5	16	2	3	5	8	12	16	18
35-49	41	7.6	21	2	3	6	10	15	16	21
50-64	39	9.0	42	1	3	7	10	18	22	32
65+	28	12.3	85	3	4	9	16	24	30	44
2. MULTIPLE DX										
0-19 YRS	7	13.6	78	2	3	12	20	27	28	28
20-34	29	10.2	48	1	3	8	14	22	23	28
35-49	44	15.6	155	3	4	13	19	37	44	54
50-64	94	15.1	246	3	4	11	17	30	45	90
65+	115	20.8	304	3	6	16	27	45	61	97
TOT. SINGLE DX	132	8.9	43	2	3	7	11	17	21	34
" MULTIPLE DX	289	16.9	241	3	4	12	21	34	49	91
TOTAL 0-19 YRS	12	11.3	58	2	2	10	14	24	27	28
20-34	48	8.8	38	2	3	7	12	18	22	28
35-49	85	11.8	106	3	3	9	14	23	38	53
50-64	133	13.3	194	3	4	9	16	27	34	90
65+	143	19.1	271	3	5	14	24	40	51	95
GRAND TOTAL	**421**	**14.4**	**193**	**3**	**4**	**10**	**18**	**29**	**42**	**90**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	4.7	22	1	1	3	5	10	16	23
20-34	235	4.8	10	2	2	4	6	8	10	17
35-49	218	5.4	26	2	3	4	6	10	13	26
50-64	98	6.0	14	2	3	5	7	11	14	20
65+	33	4.9	6	2	3	4	6	8	9	13
2. MULTIPLE DX										
0-19 YRS	19	10.0	134	1	1	6	12	26	38	47
20-34	140	5.8	25	2	2	5	7	10	13	30
35-49	149	6.8	37	2	2	5	7	12	25	31
50-64	132	7.2	25	2	3	6	9	13	18	28
65+	44	11.7	246	2	3	7	11	40	71	99+
TOT. SINGLE DX	621	5.2	17	2	2	4	6	9	12	21
" MULTIPLE DX	484	7.2	55	2	2	5	8	13	19	41
TOTAL 0-19 YRS	56	6.5	65	1	1	4	7	14	24	46
20-34	375	5.2	16	2	2	4	6	9	11	23
35-49	367	5.9	30	2	2	4	6	10	16	31
50-64	230	6.7	21	2	3	6	8	12	15	22
65+	77	8.8	153	2	3	5	9	14	41	92
GRAND TOTAL	**1105**	**6.1**	**34**	**2**	**2**	**5**	**7**	**11**	**15**	**32**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	3.5	4	1	1	3	5	6	7	10
20-34	221	3.4	5	<1	1	3	4	6	7	13
35-49	125	4.0	7	1	2	3	5	6	8	16
50-64	61	5.3	30	1	1	4	6	8	18	32
65+	26	4.2	10	<1	1	4	5	7	13	14
2. MULTIPLE DX										
0-19 YRS	22	3.7	8	<1	<1	3	5	7	11	12
20-34	138	5.3	17	1	2	4	6	8	12	25
35-49	130	5.2	11	1	2	4	6	9	12	17
50-64	117	5.6	14	2	3	5	6	10	14	22
65+	54	9.7	153	2	3	6	9	23	29	81
TOT. SINGLE DX	484	3.8	9	<1	1	3	5	6	8	16
" MULTIPLE DX	461	5.8	32	1	2	5	6	10	14	28
TOTAL 0-19 YRS	73	3.6	5	<1	1	3	5	6	8	12
20-34	359	4.1	10	<1	1	4	5	7	9	20
35-49	255	4.6	9	1	2	4	6	8	10	16
50-64	178	5.5	19	1	2	4	6	10	15	22
65+	80	7.9	113	1	2	5	9	14	26	68
GRAND TOTAL	**945**	**4.8**	**21**	**1**	**2**	**4**	**6**	**8**	**12**	**23**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	5.2	1	3	4	5	6	7	7	7
20-34	587	5.4	4	3	3	5	6	8	9	11
35-49	750	5.9	7	3	3	5	7	9	10	15
50-64	554	6.1	8	3	4	6	7	9	10	14
65+	155	6.7	31	3	3	6	8	10	12	19
2. MULTIPLE DX										
0-19 YRS	21	5.1	8	1	2	4	7	9	10	12
20-34	528	6.0	9	3	4	5	7	9	11	19
35-49	853	6.9	32	3	4	6	7	10	14	27
50-64	656	7.8	31	3	4	6	8	12	16	29
65+	278	9.4	54	3	4	7	11	17	23	57
TOT. SINGLE DX	2060	5.9	8	3	3	5	7	9	10	14
" MULTIPLE DX	2336	7.2	30	3	4	6	8	11	15	28
TOTAL 0-19 YRS	35	5.2	5	1	3	5	7	8	9	12
20-34	1115	5.7	6	3	3	5	7	8	10	15
35-49	1603	6.4	20	3	4	6	7	9	12	21
50-64	1210	7.0	21	3	4	6	8	10	14	25
65+	433	8.4	47	3	4	7	9	15	19	55
GRAND TOTAL	**4396**	**6.6**	**20**	**3**	**4**	**6**	**7**	**10**	**13**	**24**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	4.0	16	<1	1	3	5	8	10	24
20-34	320	4.3	16	1	1	3	5	8	11	21
35-49	233	4.0	8	1	1	3	5	7	9	13
50-64	135	5.5	19	1	2	5	7	11	12	20
65+	57	6.0	91	1	2	4	7	8	10	70
2. MULTIPLE DX										
0-19 YRS	61	7.4	40	1	2	5	11	14	17	32
20-34	198	6.6	88	1	2	4	7	12	17	63
35-49	148	6.4	32	1	2	5	8	13	16	28
50-64	120	9.3	127	1	2	5	11	19	25	67
65+	101	11.5	152	2	3	7	15	24	31	94
TOT. SINGLE DX	816	4.5	19	1	1	4	6	8	[illegible]	20
" MULTIPLE DX	628	7.9	91	1	2	5	9	16	23	65
TOTAL 0-19 YRS	132	5.6	29	1	1	4	7	13	15	28
20-34	518	5.2	44	1	1	4	6	10	12	29
35-49	381	4.9	19	1	1	4	6	9	13	19
50-64	255	7.3	73	1	2	5	9	14	19	53
65+	158	9.5	136	1	2	6	10	21	29	88
GRAND TOTAL	**1444**	**6.0**	**53**	**1**	**1**	**4**	**7**	**12**	**16**	**33**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	12.0	2	11	11	12	13	13	13	13
20-34	5	14.0	328	<1	<1	8	22	45	45	45
35-49	2	8.0	8	6	6	8	10	10	10	10
50-64	4	28.5	156	16	16	28	39	42	42	42
65+	4	16.0	297	3	3	10	28	40	40	40
2. MULTIPLE DX										
0-19 YRS	3	25.3	660	10	10	11	44	55	55	55
20-34										
35-49	9	20.9	55	11	12	21	24	32	35	35
50-64	11	14.0	89	3	6	11	22	54	93	99+
65+	8	16.6	146	8	8	13	17	37	45	45
TOT. SINGLE DX	17	16.9	217	1	2	13	24	42	44	45
" MULTIPLE DX	31	17.8	137	8	8	14	22	38	54	99+
TOTAL 0-19 YRS	5	20.0	384	10	10	11	23	55	55	55
20-34	5	14.0	328	<1	<1	8	22	45	45	45
35-49	11	18.5	72	6	8	20	22	31	35	35
50-64	15	17.9	141	4	8	16	30	41	83	99+
65+	12	16.4	174	3	4	13	18	41	44	45
GRAND TOTAL	**48**	**17.5**	**161**	**2**	**5**	**14**	**22**	**41**	**46**	**99+**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	9.4	61	2	2	7	12	20	24	34
20-34	102	7.3	83	1	1	4	10	18	24	49
35-49	102	8.5	86	1	1	5	10	23	33	36
50-64	116	10.5	137	1	1	7	15	29	34	50
65+	58	11.4	89	1	2	9	15	25	29	42
2. MULTIPLE DX										
0-19 YRS	46	21.2	469	4	5	15	31	84	99+	99+
20-34	166	13.2	130	1	2	10	19	29	47	99+
35-49	233	15.0	163	2	2	12	20	33	41	62
50-64	374	15.7	146	2	2	14	21	31	38	55
65+	312	17.7	154	2	5	15	23	37	47	70
TOT. SINGLE DX	403	9.2	100	1	1	6	12	23	31	38
" MULTIPLE DX	1131	16.0	165	2	2	13	22	34	45	89
TOTAL 0-19 YRS	71	17.0	354	2	4	11	22	48	96	99+
20-34	268	10.9	120	1	2	8	16	24	41	99+
35-49	335	13.0	148	2	2	9	18	29	37	61
50-64	490	14.5	149	1	2	12	19	31	37	55
65+	370	16.7	149	2	4	14	22	34	45	67
GRAND TOTAL	**1534**	**14.2**	**157**	**1**	**2**	**11**	**19**	**31**	**40**	**68**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	254	7.8	8	5	5	7	9	11	14	18
20-34	2306	7.8	10	5	5	7	9	11	13	19
35-49	1862	8.2	9	5	5	8	9	11	13	19
50-64	1857	9.1	16	5	6	8	10	13	17	24
65+	789	11.2	29	6	7	9	13	18	23	34
2. MULTIPLE DX										
0-19 YRS	132	9.9	27	5	6	9	12	15	19	33
20-34	1619	9.4	23	5	6	8	10	14	18	29
35-49	1788	10.6	39	5	6	9	12	17	22	37
50-64	2517	12.1	59	6	7	10	14	20	26	46
65+	2160	17.0	115	7	8	14	21	31	39	63
TOT. SINGLE DX	7068	8.6	15	5	5	8	9	12	16	24
" MULTIPLE DX	8216	12.5	70	6	6	10	14	22	29	49
TOTAL 0-19 YRS	386	8.5	15	5	5	8	10	13	15	22
20-34	3925	8.5	16	5	5	8	9	12	15	24
35-49	3650	9.4	26	5	6	8	10	14	18	31
50-64	4374	10.9	43	6	6	9	12	18	23	36
65+	2949	15.4	99	7	7	12	19	28	36	62
GRAND TOTAL	**15284**	**10.7**	**48**	**5**	**6**	**9**	**12**	**18**	**24**	**41**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	8.5	61	3	3	8	14	14	14	14
20-34	64	9.2	25	4	5	8	12	14	17	31
35-49	47	11.2	80	2	4	10	13	18	19	62
50-64	70	14.2	64	3	6	12	18	23	31	42
65+	80	17.1	119	4	7	15	21	25	27	73
2. MULTIPLE DX										
0-19 YRS	10	19.4	122	5	7	16	28	34	38	38
20-34	46	16.1	89	5	5	15	21	28	31	53
35-49	65	19.6	205	6	8	14	23	42	49	75
50-64	173	21.0	184	7	9	18	26	35	50	99
65+	286	25.7	226	9	12	22	33	45	62	99+
TOT. SINGLE DX	263	13.3	83	3	5	11	17	23	26	57
" MULTIPLE DX	580	22.7	207	7	9	19	29	41	52	99
TOTAL 0-19 YRS	12	17.6	123	3	4	13	27	33	37	38
20-34	110	12.0	63	4	5	10	15	22	28	42
35-49	112	16.0	169	4	5	12	18	32	45	68
50-64	243	19.0	159	6	8	17	23	32	41	97
65+	366	23.8	215	9	11	20	30	41	54	99
GRAND TOTAL	**843**	**19.8**	**188**	**5**	**7**	**17**	**25**	**37**	**48**	**96**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.0	16	2	2	2	6	10	10	10
20-34	28	9.7	55	1	1	8	16	20	22	25
35-49	42	12.3	136	1	2	11	15	22	34	64
50-64	52	11.7	105	1	1	9	18	24	34	45
65+	23	14.7	134	2	3	14	19	26	43	50
2. MULTIPLE DX										
0-19 YRS	6	12.0	150	1	1	14	29	87	99+	99+
20-34	40	19.7	263	2	4	14	28	47	64	99+
35-49	85	24.7	449	3	5	16	34	60	79	94
50-64	106	18.9	201	2	5	15	27	37	63	99+
65+	88	21.4	300	1	5	17	29	47	68	99+
TOT. SINGLE DX	149	11.8	108	1	1	10	17	22	32	50
" MULTIPLE DX	325	21.1	303	2	5	16	30	49	74	99+
TOTAL 0-19 YRS	10	8.8	106	1	1	6	16	60	97	99+
20-34	68	15.6	200	1	2	12	22	33	59	94
35-49	127	20.6	377	2	3	14	27	50	76	86
50-64	158	16.6	180	1	2	13	25	35	48	99+
65+	111	20.0	271	1	4	15	28	45	60	99+
GRAND TOTAL	**474**	**18.1**	**260**	**1**	**2**	**14**	**25**	**39**	**61**	**99+**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	10.1	39	3	4	8	13	20	24	25
20-34	32	6.3	15	2	2	6	8	10	15	19
35-49	30	5.4	12	1	2	5	7	11	12	14
50-64	35	8.7	29	3	3	7	12	17	20	21
65+	29	9.9	55	2	3	8	14	17	22	37
2. MULTIPLE DX										
0-19 YRS	11	8.8	63	2	2	7	14	50	93	99+
20-34	35	11.9	111	2	3	8	16	23	32	49
35-49	54	12.5	130	3	3	10	14	22	24	66
50-64	87	14.4	153	3	4	10	18	30	40	62
65+	128	19.7	260	4	5	16	24	42	60	99+
TOT. SINGLE DX	145	7.9	31	2	2	6	10	15	18	26
" MULTIPLE DX	315	15.8	195	3	4	12	20	33	54	93
TOTAL 0-19 YRS	30	9.6	46	2	3	8	13	23	29	99+
20-34	67	9.2	72	2	2	6	11	21	24	46
35-49	84	10.0	99	2	3	8	13	19	23	63
50-64	122	12.8	124	3	4	10	16	23	34	59
65+	157	17.9	236	3	4	14	22	38	56	99
GRAND TOTAL	**460**	**13.3**	**157**	**2**	**3**	**10**	**17**	**26**	**39**	**79**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1747	2.9	4	1	1	2	3	5	6	9
20-34	1444	4.3	3	2	3	4	5	6	7	9
35-49	1433	4.8	7	2	3	4	6	7	8	11
50-64	1972	5.1	6	2	3	5	6	8	9	14
65+	1344	6.2	10	3	3	6	8	10	11	20
2. MULTIPLE DX										
0-19 YRS	828	4.1	27	1	1	3	4	8	11	25
20-34	396	5.1	10	2	3	4	6	8	10	21
35-49	619	5.9	24	3	3	5	7	10	13	20
50-64	1251	6.8	22	3	3	6	8	11	14	24
65+	1542	9.6	66	3	4	7	11	17	24	53
TOT. SINGLE DX	7940	4.6	7	2	2	4	6	8	9	13
" MULTIPLE DX	4636	7.0	41	2	3	5	8	13	17	35
TOTAL 0-19 YRS	2575	3.3	12	1	1	2	4	5	7	16
20-34	1840	4.4	5	2	3	4	5	7	8	12
35-49	2052	5.1	13	2	3	4	6	8	9	16
50-64	3223	5.8	13	3	3	5	7	9	11	18
65+	2886	8.0	43	3	4	6	9	14	20	38
GRAND TOTAL	**12576**	**5.5**	**21**	**2**	**2**	**4**	**6**	**9**	**12**	**24**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	219	2.9	7	1	1	2	3	5	6	18
20-34	92	5.3	5	2	3	5	7	8	8	14
35-49	134	5.4	4	3	3	5	6	8	9	11
50-64	223	5.6	5	3	3	5	7	8	9	11
65+	143	6.9	8	3	4	7	8	10	13	16
2. MULTIPLE DX										
0-19 YRS	177	3.9	10	1	2	3	4	8	12	17
20-34	33	5.5	5	3	3	5	6	8	11	12
35-49	79	6.6	16	3	4	6	8	10	13	27
50-64	179	6.8	32	3	4	6	8	10	12	18
65+	190	9.8	50	3	4	8	11	18	23	39
TOT. SINGLE DX	811	5.0	7	2	2	5	6	8	9	15
" MULTIPLE DX	658	6.8	33	2	2	6	8	12	16	32
TOTAL 0-19 YRS	396	3.3	8	1	2	2	4	6	9	17
20-34	125	5.4	5	2	3	5	6	8	8	13
35-49	213	5.8	8	3	3	5	7	9	10	14
50-64	402	6.1	17	3	4	5	7	9	10	15
65+	333	8.5	34	3	4	7	10	15	19	35
GRAND TOTAL	**1469**	**5.8**	**20**	**2**	**2**	**5**	**7**	**10**	**12**	**23**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	3.6	6	1	2	3	4	8	9	10
20-34	59	4.3	3	2	3	4	5	7	7	8
35-49	93	4.5	3	2	2	4	6	7	8	9
50-64	84	5.3	4	2	3	5	7	8	9	11
65+	86	7.2	22	3	3	6	9	12	16	29
2. MULTIPLE DX										
0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	16	8.7	91	3	4	6	8	17	35	42
35-49	35	5.5	6	2	3	5	7	8	10	13
50-64	78	7.4	26	3	3	6	9	14	18	29
65+	122	11.4	120	4	4	8	15	24	28	99
TOT. SINGLE DX	343	5.3	9	2	3	5	6	8	10	16
" MULTIPLE DX	255	9.1	77	3	3	7	10	18	25	46
TOTAL 0-19 YRS	25	3.6	5	1	2	3	4	8	9	10
20-34	75	5.3	24	2	3	4	6	7	8	36
35-49	128	4.8	4	2	3	5	6	7	8	11
50-64	162	6.3	16	3	3	5	7	10	13	25
65+	208	9.7	84	3	4	7	11	19	25	67
GRAND TOTAL	**598**	**6.9**	**42**	**2**	**3**	**5**	**8**	**12**	**18**	**31**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	316	2.5	2	1	1	2	3	5	6	7
20-34	102	3.7	5	1	2	3	5	6	8	13
35-49	147	4.5	13	1	2	4	5	8	9	27
50-64	123	5.3	9	2	2	5	6	10	12	15
65+	48	5.9	12	2	3	5	7	9	10	24
2. MULTIPLE DX										
0-19 YRS	66	6.8	65	1	2	4	8	17	29	40
20-34	37	5.4	17	2	2	4	6	8	17	20
35-49	91	7.6	73	2	2	5	8	17	23	84
50-64	136	7.7	37	3	3	7	9	12	17	50
65+	95	10.0	84	3	3	7	12	18	31	84
TOT. SINGLE DX	736	3.8	8	1	1	3	5	7	8	13
" MULTIPLE DX	425	7.9	59	2	2	6	9	15	23	63
TOTAL 0-19 YRS	382	3.3	15	1	1	2	3	6	8	26
20-34	139	4.1	9	2	2	3	5	7	8	19
35-49	238	5.7	38	2	2	4	6	10	15	42
50-64	259	6.6	25	2	3	6	8	11	14	41
65+	143	8.7	63	3	3	7	10	16	25	67
GRAND TOTAL	**1161**	**5.3**	**30**	**1**	**2**	**4**	**6**	**10**	**14**	**32**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	88	3.3	7	1	1	3	4	6	8	17
20-34	221	5.2	9	2	2	5	7	10	11	14
35-49	354	6.3	11	2	3	6	8	10	12	18
50-64	426	7.2	15	3	4	7	9	11	13	23
65+	275	8.5	26	3	4	8	10	13	16	34
2. MULTIPLE DX										
0-19 YRS	27	3.1	6	1	2	2	3	5	8	13
20-34	110	6.7	24	2	3	6	7	12	17	30
35-49	266	8.8	41	3	4	7	10	15	18	37
50-64	423	10.2	39	3	4	9	12	19	23	33
65+	358	14.1	167	4	5	10	17	26	43	86
TOT. SINGLE DX	1364	6.7	16	2	3	6	9	11	13	22
" MULTIPLE DX	1184	10.6	83	3	4	8	12	20	27	55
TOTAL 0-19 YRS	115	3.3	7	1	2	3	4	6	8	16
20-34	331	5.7	14	2	2	5	7	10	12	19
35-49	620	7.4	25	3	3	6	9	12	15	28
50-64	849	8.7	29	3	4	8	10	14	20	30
65+	633	11.7	113	3	4	9	13	20	31	66
GRAND TOTAL	**2548**	**8.5**	**51**	**2**	**3**	**7**	**10**	**15**	**20**	**43**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	3.8	10	<1	1	3	5	9	11	12
20-34	26	6.3	9	2	3	6	9	10	11	13
35-49	44	9.4	15	4	6	9	10	14	18	22
50-64	50	10.6	27	5	6	9	12	16	19	35
65+	20	13.2	37	4	7	12	19	22	23	25
2. MULTIPLE DX										
0-19 YRS	8	15.0	133	2	3	12	27	30	30	30
20-34	55	10.7	38	5	6	9	12	19	21	43
35-49	108	10.7	14	7	7	9	12	16	19	23
50-64	185	14.5	110	7	8	11	17	26	36	78
65+	104	17.6	111	8	9	15	21	30	35	67
TOT. SINGLE DX	155	9.2	27	2	3	9	11	16	20	25
" MULTIPLE DX	460	13.9	86	7	7	11	16	23	31	63
TOTAL 0-19 YRS	23	7.7	78	<1	1	3	9	26	29	30
20-34	81	9.3	33	3	4	8	11	14	19	37
35-49	152	10.4	15	7	7	9	12	16	19	22
50-64	235	13.7	95	7	7	10	16	24	33	76
65+	124	16.9	102	7	8	14	20	29	35	66
GRAND TOTAL	**615**	**12.7**	**75**	**4**	**7**	**10**	**15**	**21**	**29**	**49**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	90	4.4	14	1	2	3	5	8	14	19
20-34	126	6.5	37	1	2	5	8	12	16	36
35-49	85	8.3	53	1	2	6	10	20	26	31
50-64	84	10.1	103	2	2	7	13	20	28	58
65+	53	12.3	174	2	3	9	15	24	37	81
2. MULTIPLE DX										
0-19 YRS	71	10.4	151	1	2	6	11	24	37	67
20-34	106	9.5	82	2	3	7	11	22	29	71
35-49	138	14.4	217	2	3	9	18	33	49	84
50-64	211	16.3	164	3	4	14	21	32	39	75
65+	225	19.2	196	4	6	16	26	40	50	99+
TOT. SINGLE DX	438	7.8	70	1	2	5	10	16	24	38
" MULTIPLE DX	751	15.3	182	2	4	11	20	33	46	82
TOTAL 0-19 YRS	161	7.0	83	1	2	4	8	15	23	52
20-34	232	7.9	60	1	2	5	9	15	27	47
35-49	223	12.1	163	2	2	8	15	26	38	82
50-64	295	14.5	154	2	3	11	19	30	36	71
65+	278	17.9	199	3	4	14	23	38	49	95
GRAND TOTAL	**1189**	**12.5**	**154**	**2**	**2**	**9**	**17**	**28**	**38**	**72**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	147	8.1	30	3	4	7	10	15	21	29
20-34	241	7.2	23	2	3	6	9	12	15	29
35-49	109	9.7	71	2	3	8	11	18	21	52
50-64	92	12.3	63	5	6	10	14	21	29	46
65+	58	15.5	89	6	6	14	19	30	37	96
2. MULTIPLE DX										
0-19 YRS	138	11.1	76	3	4	8	13	23	34	99+
20-34	325	10.7	104	3	4	8	11	20	30	63
35-49	194	12.5	97	4	5	9	16	25	36	86
50-64	225	19.3	188	6	8	15	24	37	59	99+
65+	242	24.7	304	7	8	21	31	50	69	99+
TOT. SINGLE DX	647	9.3	51	3	4	7	11	17	23	38
" MULTIPLE DX	1124	15.8	190	4	5	11	20	33	49	99+
TOTAL 0-19 YRS	285	9.6	55	3	4	7	12	20	27	82
20-34	566	9.2	72	3	4	7	10	16	26	57
35-49	303	11.5	89	3	4	9	14	21	30	69
50-64	317	17.3	162	6	7	13	22	34	50	99+
65+	300	22.9	275	6	8	19	29	45	64	99+
GRAND TOTAL	**1771**	**13.4**	**149**	**3**	**4**	**9**	**16**	**29**	**39**	**86**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	288	3.6	8	<1	1	2	5	8	10	12
20-34	1361	2.7	6	<1	1	2	3	6	8	13
35-49	217	3.0	9	<1	<1	2	3	6	9	19
50-64	40	3.0	6	<1	1	2	3	6	8	14
65+	8	11.9	197	2	2	8	14	36	44	44
2. MULTIPLE DX										
0-19 YRS	155	4.7	17	1	1	3	6	10	13	23
20-34	1097	3.4	19	<1	1	2	3	7	10	22
35-49	204	3.6	21	<1	1	2	3	7	12	25
50-64	41	11.2	130	1	2	6	20	28	36	42
65+	17	10.0	83	2	2	8	16	23	30	33
TOT. SINGLE DX	1914	2.9	8	<1	1	2	3	6	9	14
" MULTIPLE DX	1514	3.9	25	<1	1	2	4	8	13	26
TOTAL 0-19 YRS	443	4.0	11	<1	1	3	5	9	10	16
20-34	2458	3.0	12	<1	1	2	3	6	9	17
35-49	421	3.3	15	<1	1	2	3	7	9	23
50-64	81	7.1	85	1	2	3	7	21	28	41
65+	25	10.6	114	2	2	8	16	24	36	44
GRAND TOTAL	**3428**	**3.3**	**16**	**<1**	**1**	**2**	**3**	**7**	**10**	**21**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	10.2	217	3	4	6	9	15	30	92
20-34	165	7.2	23	2	2	6	9	13	15	23
35-49	138	9.5	28	3	5	8	11	17	22	28
50-64	118	12.5	68	5	6	10	15	21	28	50
65+	97	12.8	53	4	7	12	15	20	23	47
2. MULTIPLE DX										
0-19 YRS	58	11.6	177	2	4	8	11	18	41	75
20-34	277	10.0	73	2	4	8	11	20	25	51
35-49	181	14.0	138	4	5	10	16	34	49	99+
50-64	222	19.0	237	6	7	14	23	40	54	99+
65+	217	21.9	302	7	8	17	26	50	74	99+
TOT. SINGLE DX	559	10.1	58	2	4	8	12	17	22	40
" MULTIPLE DX	955	15.7	203	4	5	11	19	33	51	99+
TOTAL 0-19 YRS	99	11.1	192	3	4	8	10	17	37	84
20-34	442	9.0	56	2	3	7	11	17	22	49
35-49	319	12.1	96	3	5	9	14	25	37	99+
50-64	340	16.7	187	6	7	13	20	31	48	95
65+	314	19.1	243	6	8	14	22	41	62	99+
GRAND TOTAL	**1514**	**13.6**	**157**	**3**	**5**	**10**	**16**	**26**	**42**	**93**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	9.8	22	5	6	9	10	17	22	22
20-34	22	12.4	25	7	8	12	14	18	25	27
35-49	22	14.7	29	7	8	14	17	24	25	26
50-64	48	15.9	39	9	10	14	19	22	24	44
65+	41	17.6	58	8	9	17	20	25	27	52
2. MULTIPLE DX										
0-19 YRS	38	16.3	92	6	7	14	22	28	35	50
20-34	58	15.7	160	6	7	12	18	28	34	79
35-49	75	18.4	145	8	8	16	22	37	54	91
50-64	155	21.2	190	9	9	17	26	40	45	86
65+	149	24.4	190	10	12	20	31	43	57	99+
TOT. SINGLE DX	143	15.3	44	7	8	14	19	23	26	45
" MULTIPLE DX	475	20.7	180	8	9	17	25	38	47	86
TOTAL 0-19 YRS	48	14.9	83	6	7	12	20	25	32	50
20-34	80	14.8	124	6	8	12	16	25	30	75
35-49	97	17.6	121	7	8	15	21	27	44	83
50-64	203	20.0	159	9	9	16	22	36	44	80
65+	190	22.9	169	9	11	20	27	41	54	94
GRAND TOTAL	**618**	**19.4**	**153**	**8**	**9**	**16**	**22**	**35**	**44**	**84**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	66	12.6	123	2	3	10	16	22	35	57
20-34	143	9.9	53	2	2	9	13	20	24	35
35-49	116	11.8	53	3	4	10	14	20	21	42
50-64	123	12.9	53	4	7	11	15	19	28	42
65+	40	14.3	116	2	3	11	15	30	32	58
2. MULTIPLE DX										
0-19 YRS	93	18.9	143	3	8	15	25	34	44	62
20-34	185	17.3	187	2	3	14	21	34	41	72
35-49	174	18.9	259	4	6	14	21	39	55	92
50-64	217	20.1	206	5	8	17	23	36	50	98
65+	114	20.2	146	4	9	18	25	41	49	79
TOT. SINGLE DX	488	11.8	69	2	3	10	15	21	28	48
" MULTIPLE DX	783	19.0	197	3	7	16	23	36	48	92
TOTAL 0-19 YRS	159	16.3	144	2	3	14	21	30	41	57
20-34	328	14.1	142	2	2	11	18	28	38	61
35-49	290	16.0	188	3	5	13	19	29	45	87
50-64	340	17.5	163	5	7	14	21	33	39	96
65+	154	18.6	145	3	8	16	24	35	47	67
GRAND TOTAL	**1271**	**16.3**	**160**	**2**	**4**	**13**	**20**	**31**	**40**	**74**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	8.4	21	2	2	8	13	14	14	14
20-34	119	10.1	16	4	6	10	12	15	18	23
35-49	183	11.1	18	5	7	10	13	16	18	25
50-64	172	11.0	21	4	6	10	13	16	19	27
65+	54	13.9	64	3	5	12	18	24	32	37
2. MULTIPLE DX										
0-19 YRS	5	9.4	16	3	3	11	12	13	13	13
20-34	80	12.7	41	4	7	11	15	21	24	39
35-49	115	14.6	57	5	7	13	17	24	31	42
50-64	167	15.1	53	6	8	14	18	25	30	38
65+	92	19.5	122	8	9	17	24	31	38	67
TOT. SINGLE DX	535	11.1	24	4	6	10	13	16	19	28
" MULTIPLE DX	459	15.4	70	6	8	14	18	26	31	44
TOTAL 0-19 YRS	12	8.8	18	2	3	9	12	14	14	14
20-34	199	11.1	27	4	6	10	13	18	21	27
35-49	298	12.5	36	5	7	11	15	19	22	38
50-64	339	13.0	41	5	7	12	15	23	26	35
65+	146	17.4	108	6	8	15	22	30	36	64
GRAND TOTAL	**994**	**13.1**	**50**	**5**	**7**	**12**	**15**	**22**	**27**	**38**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	91	13.8	25	8	9	13	16	20	24	31
20-34	23	14.9	32	9	11	14	16	21	31	31
35-49	6	16.3	64	9	9	12	26	27	27	27
50-64	4	25.0	77	17	17	24	32	34	34	34
65+	9	25.3	134	8	12	24	31	43	49	49
2. MULTIPLE DX										
0-19 YRS	94	16.9	67	9	10	15	19	27	35	81
20-34	42	18.0	113	8	10	15	22	42	99+	99+
35-49	27	19.7	112	10	10	18	22	30	45	56
50-64	44	26.4	217	11	12	24	32	46	63	99+
65+	33	32.0	311	12	14	28	44	66	80	99+
TOT. SINGLE DX	133	15.2	46	8	9	13	17	25	31	37
" MULTIPLE DX	240	21.2	169	10	10	17	26	43	56	99+
TOTAL 0-19 YRS	185	15.4	48	8	9	14	18	25	29	53
20-34	65	16.9	86	8	10	15	19	32	68	99+
35-49	33	19.1	103	9	10	17	23	29	41	56
50-64	48	26.3	204	11	12	24	32	46	57	99+
65+	42	30.6	277	12	14	25	40	56	73	99+
GRAND TOTAL	**373**	**19.1**	**133**	**9**	**10**	**15**	**24**	**33**	**48**	**99+**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	7.7	34	1	2	6	12	17	21	23
20-34	209	5.0	10	2	2	4	6	9	11	17
35-49	252	5.2	15	2	2	4	7	9	12	17
50-64	212	5.7	13	2	2	5	7	10	13	20
65+	63	6.3	16	1	2	6	9	11	14	20
2. MULTIPLE DX										
0-19 YRS	27	11.1	63	2	3	10	14	18	31	34
20-34	89	9.6	96	2	2	7	12	18	30	84
35-49	111	7.5	34	2	2	6	10	13	19	61
50-64	142	10.4	114	2	3	7	13	21	34	59
65+	113	12.7	112	3	3	9	17	27	36	47
TOT. SINGLE DX	774	5.5	15	2	2	4	7	10	13	20
" MULTIPLE DX	482	10.2	91	2	3	8	13	21	33	56
TOTAL 0-19 YRS	65	9.1	49	1	2	8	13	18	21	34
20-34	298	6.4	40	2	2	5	8	12	16	48
35-49	363	5.9	22	2	2	5	8	11	13	31
50-64	354	7.6	59	2	2	5	9	14	20	42
65+	176	10.4	87	2	3	8	13	22	31	46
GRAND TOTAL	**1256**	**7.3**	**49**	**2**	**2**	**5**	**9**	**14**	**20**	**43**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	562	3.3	12	<1	<1	2	4	7	10	17
20-34	563	3.6	13	<1	<1	2	5	8	11	16
35-49	599	3.9	15	<1	<1	2	5	9	11	20
50-64	905	4.2	25	<1	<1	2	5	9	14	24
65+	986	5.0	30	<1	1	3	6	12	16	31
2. MULTIPLE DX										
0-19 YRS	655	5.0	46	<1	<1	3	6	11	17	41
20-34	606	6.4	64	<1	<1	4	8	16	23	99+
35-49	723	7.9	119	<1	<1	4	9	19	28	60
50-64	1538	7.8	107	<1	1	4	10	19	29	63
65+	2739	10.7	179	<1	1	6	14	27	41	99+
TOT. SINGLE DX	3615	4.1	21	<1	<1	2	5	9	13	24
" MULTIPLE DX	6261	8.6	133	<1	1	5	11	21	32	90
TOTAL 0-19 YRS	1217	4.2	31	<1	<1	2	5	10	14	28
20-34	1169	5.1	41	<1	<1	3	7	12	17	45
35-49	1322	6.1	76	<1	<1	3	7	13	21	48
50-64	2443	6.4	79	<1	<1	3	8	15	23	51
65+	3725	9.2	146	<1	1	5	12	23	34	96
GRAND TOTAL	**9876**	**7.0**	**97**	**<1**	**<1**	**3**	**9**	**17**	**26**	**66**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	7.2	21	1	2	7	10	14	14	14
20-34	32	4.8	13	1	1	4	6	11	13	13
35-49	102	4.4	15	1	1	3	6	8	10	24
50-64	351	5.4	21	1	2	4	7	10	13	22
65+	687	6.0	28	1	2	4	7	12	16	29
2. MULTIPLE DX										
0-19 YRS	16	10.6	78	3	3	7	14	26	27	28
20-34	43	10.0	93	1	2	6	11	24	28	44
35-49	113	7.4	57	<1	1	6	10	16	18	72
50-64	513	7.7	67	1	2	6	9	16	21	49
65+	1290	9.4	92	2	2	7	11	19	29	59
TOT. SINGLE DX	1181	5.6	25	1	2	4	7	11	14	27
" MULTIPLE DX	1975	8.9	84	2	2	6	11	18	26	57
TOTAL 0-19 YRS	25	9.4	58	2	3	7	13	26	27	28
20-34	75	7.8	65	1	2	5	10	21	24	42
35-49	215	6.0	39	<1	1	4	7	13	18	39
50-64	864	6.7	50	1	2	5	8	14	18	36
65+	1977	8.2	72	2	2	6	10	16	25	56
GRAND TOTAL	**3156**	**7.7**	**64**	**1**	**2**	**5**	**9**	**16**	**22**	**51**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	7.6	18	2	2	7	10	14	15	16
20-34	56	7.3	47	1	1	5	10	15	20	38
35-49	70	7.5	40	1	1	6	11	17	24	84
50-64	97	10.0	89	1	2	6	13	23	33	41
65+	146	11.1	157	1	2	7	14	26	33	75
2. MULTIPLE DX										
0-19 YRS	39	14.1	131	2	3	11	21	29	36	51
20-34	87	14.6	255	2	2	10	20	47	90	99+
35-49	88	12.5	132	1	2	7	18	29	37	50
50-64	215	15.6	258	1	2	12	21	34	50	99+
65+	463	16.7	212	2	3	12	24	39	52	99+
TOT. SINGLE DX	390	9.4	98	1	2	7	12	21	30	47
" MULTIPLE DX	892	15.7	217	2	3	12	22	36	51	99+
TOTAL 0-19 YRS	60	11.8	100	2	3	9	16	26	30	50
20-34	143	11.7	185	1	2	7	15	29	57	99+
35-49	158	10.3	97	1	2	7	14	25	30	51
50-64	312	13.9	212	1	2	10	19	30	38	97
65+	609	15.3	204	2	3	11	22	36	48	99+
GRAND TOTAL	**1282**	**13.8**	**189**	**2**	**2**	**10**	**19**	**32**	**44**	**99+**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	2.6	11	<1	<1	2	3	5	8	21
20-34	8	2.0	1	<1	<1	2	3	4	4	4
35-49	15	3.9	9	1	1	2	7	8	9	9
50-64	16	3.0	3	1	1	3	4	6	7	7
65+	24	2.8	2	1	2	2	3	4	7	8
2. MULTIPLE DX										
0-19 YRS	72	3.1	11	<1	<1	2	4	6	10	16
20-34	10	1.7	1	<1	<1	1	2	3	3	3
35-49	18	6.4	60	<1	<1	2	14	16	23	27
50-64	20	3.1	11	<1	<1	2	3	8	11	13
65+	25	6.8	118	1	2	3	5	16	32	52
TOT. SINGLE DX	132	2.8	7	<1	<1	2	3	6	8	15
" MULTIPLE DX	145	4.1	36	<1	<1	2	4	10	15	28
TOTAL 0-19 YRS	141	2.9	11	<1	<1	2	3	6	10	17
20-34	18	1.8	1	<1	<1	2	2	3	4	4
35-49	33	5.3	37	<1	<1	2	7	15	17	27
50-64	36	3.0	7	<1	<1	2	3	7	9	13
65+	49	4.8	65	1	2	2	4	8	16	52
GRAND TOTAL	**277**	**3.5**	**23**	**<1**	**<1**	**2**	**3**	**7**	**12**	**25**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	147	9.5	47	2	2	9	13	17	21	37
20-34	81	8.4	132	<1	1	5	12	17	20	74
35-49	28	11.1	114	<1	1	8	15	20	35	49
50-64	53	6.3	40	<1	1	3	9	16	17	28
65+	57	7.3	40	1	2	5	10	17	22	25
2. MULTIPLE DX										
0-19 YRS	91	10.3	78	2	2	9	15	22	27	46
20-34	47	12.0	161	<1	1	10	14	28	34	71
35-49	39	9.7	59	1	2	8	14	22	27	27
50-64	81	7.7	55	1	1	4	12	18	23	32
65+	103	10.5	146	1	2	7	13	22	33	70
TOT. SINGLE DX	366	8.6	70	1	1	7	12	17	21	37
" MULTIPLE DX	361	10.0	102	1	2	7	13	22	29	54
TOTAL 0-19 YRS	238	9.8	59	2	2	9	13	18	23	38
20-34	128	9.7	145	<1	1	6	13	20	29	76
35-49	67	10.3	81	1	1	8	14	21	27	46
50-64	134	7.2	49	1	1	4	10	17	22	30
65+	160	9.4	110	1	2	6	12	19	27	56
GRAND TOTAL	**727**	**9.2**	**86**	**1**	**2**	**7**	**13**	**18**	**25**	**43**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	175	2.7	8	<1	<1	2	3	6	9	13
20-34	97	3.8	13	<1	<1	3	5	8	11	20
35-49	54	4.9	19	<1	<1	4	7	11	12	24
50-64	88	4.0	24	<1	<1	2	4	10	15	24
65+	176	4.9	23	<1	1	3	6	12	17	22
2. MULTIPLE DX										
0-19 YRS	252	4.2	30	<1	1	3	5	8	12	32
20-34	123	6.4	89	<1	<1	3	8	15	31	69
35-49	114	7.2	64	<1	1	4	10	18	23	40
50-64	185	8.8	134	<1	1	4	12	23	30	90
65+	597	11.4	201	1	2	7	14	27	46	99+
TOT. SINGLE DX	590	3.9	17	<1	<1	2	5	9	13	21
" MULTIPLE DX	1271	8.7	142	<1	1	5	10	21	35	89
TOTAL 0-19 YRS	427	3.6	21	<1	<1	2	4	8	10	18
20-34	220	5.2	57	<1	<1	3	6	11	20	47
35-49	168	6.4	51	<1	<1	4	8	16	21	33
50-64	273	7.2	104	<1	<1	3	9	19	27	72
65+	773	9.9	168	1	2	6	12	22	37	98
GRAND TOTAL	**1861**	**7.2**	**108**	**<1**	**1**	**4**	**8**	**17**	**26**	**71**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	5.1	41	<1	<1	2	6	14	21	25
20-34	34	7.0	28	1	2	6	8	14	19	24
35-49	24	8.8	11	3	4	9	11	13	14	16
50-64	28	8.8	57	2	2	6	12	19	24	33
65+	27	9.0	43	2	3	6	12	20	24	25
2. MULTIPLE DX										
0-19 YRS	11	3.2	7	1	1	3	4	7	10	10
20-34	14	8.9	66	1	2	6	12	20	29	31
35-49	20	8.9	97	<1	1	6	11	20	33	42
50-64	34	7.3	46	1	1	6	10	15	24	29
65+	53	12.2	252	2	3	7	12	28	44	96
TOT. SINGLE DX	131	7.9	36	1	2	6	10	16	21	27
" MULTIPLE DX	132	9.3	140	1	1	6	11	20	31	57
TOTAL 0-19 YRS	29	4.4	28	<1	1	2	5	12	15	25
20-34	48	7.6	38	1	2	6	10	15	20	31
35-49	44	8.8	49	1	2	8	11	14	19	42
50-64	62	8.0	50	1	2	6	11	18	24	33
65+	80	11.2	182	2	3	7	12	23	34	83
GRAND TOTAL	**263**	**8.6**	**89**	**1**	**2**	**6**	**11**	**18**	**24**	**45**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	46	9.9	13	5	6	9	11	16	18	21
35-49	148	9.7	12	6	7	9	10	14	17	23
50-64	154	10.4	21	6	7	9	11	15	18	31
65+	41	13.0	38	7	8	11	16	23	25	32
2. MULTIPLE DX										
0-19 YRS	3	16.0	73	7	7	17	22	24	24	24
20-34	51	10.3	21	6	6	9	12	16	18	29
35-49	185	12.1	48	6	7	9	14	22	25	44
50-64	222	12.8	38	7	7	11	15	20	24	34
65+	93	16.3	97	7	8	13	18	27	41	52
TOT. SINGLE DX	390	10.3	19	6	7	9	11	16	19	28
" MULTIPLE DX	554	13.0	53	7	7	11	15	21	26	47
TOTAL 0-19 YRS	4	14.8	55	7	7	14	20	24	24	24
20-34	97	10.1	18	6	6	9	11	16	18	27
35-49	333	11.0	34	6	7	9	12	18	23	32
50-64	376	11.8	33	6	7	10	13	19	23	32
65+	134	15.3	81	7	8	13	18	25	36	51
GRAND TOTAL	**944**	**11.9**	**40**	**6**	**7**	**10**	**13**	**19**	**24**	**40**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	9	10.8	14	6	6	10	13	17	18	18
35-49	38	10.9	26	6	7	9	12	19	23	29
50-64	31	12.3	41	6	6	10	14	23	25	31
65+	12	9.4	12	3	6	9	11	15	16	16
2. MULTIPLE DX										
0-19 YRS	3	12.3	17	9	9	11	15	17	17	17
20-34	11	10.0	34	1	3	10	12	19	22	22
35-49	44	13.8	100	7	7	10	16	25	30	61
50-64	47	14.0	52	6	7	12	17	25	30	36
65+	29	13.7	55	7	7	12	17	24	27	38
TOT. SINGLE DX	90	11.2	28	6	6	10	13	18	25	30
" MULTIPLE DX	134	13.5	66	6	7	11	17	24	29	42
TOTAL 0-19 YRS	3	12.3	17	9	9	11	15	17	17	17
20-34	20	10.4	24	3	5	10	12	17	20	22
35-49	82	12.5	67	7	7	10	13	23	28	53
50-64	78	13.3	48	6	6	11	16	24	30	35
65+	41	12.4	46	6	7	10	16	22	26	38
GRAND TOTAL	**224**	**12.6**	**52**	**6**	**7**	**10**	**15**	**22**	**27**	**37**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	3.0	3	2	2	2	4	5	5	5
35-49	3	8.7	32	4	4	7	13	15	15	15
50-64	4	5.0	10	2	2	4	7	9	9	9
65+	5	7.6	26	1	1	7	12	14	14	14
2. MULTIPLE DX										
0-19 YRS	2	12.0	128	4	4	12	20	20	20	20
20-34	4	8.8	36	3	3	7	13	17	17	17
35-49	6	17.7	132	8	8	14	24	36	37	37
50-64	9	10.3	27	3	4	8	14	17	19	19
65+	17	18.3	802	1	1	6	12	72	83	88
TOT. SINGLE DX	16	5.9	19	1	2	5	8	14	15	15
" MULTIPLE DX	38	15.0	393	1	2	8	15	33	71	88
TOTAL 0-19 YRS	3	8.7	97	2	2	4	16	20	20	20
20-34	7	6.3	29	2	2	5	8	15	17	17
35-49	9	14.7	111	4	5	10	20	32	37	37
50-64	13	8.7	27	2	3	8	13	16	18	19
65+	22	15.9	637	1	1	6	12	70	79	88
GRAND TOTAL	**54**	**12.3**	**297**	**1**	**2**	**7**	**14**	**20**	**63**	**87**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	2	6.5	41	2	2	6	11	11	11	11
35-49	5	11.2	45	3	3	9	16	21	21	21
50-64	3	22.7	310	12	12	13	35	43	43	43
65+	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	4	19.0	102	12	12	15	25	34	34	34
20-34	8	16.6	120	3	4	15	21	34	38	38
35-49	6	14.2	24	9	9	13	19	21	21	21
50-64	12	20.6	157	6	8	18	32	59	92	99+
65+	12	21.5	542	<1	1	17	25	47	83	89
TOT. SINGLE DX	13	12.5	112	2	3	11	14	25	40	43
" MULTIPLE DX	42	19.0	226	2	6	15	25	35	63	99+
TOTAL 0-19 YRS	5	18.2	80	12	12	15	20	34	34	34
20-34	10	14.6	116	2	2	14	17	31	38	38
35-49	11	12.8	32	3	6	12	18	21	21	21
50-64	15	21.0	169	7	9	17	32	48	85	99+
65+	14	19.2	493	<1	1	13	25	35	77	89
GRAND TOTAL	**55**	**17.5**	**204**	**2**	**4**	**14**	**24**	**34**	**47**	**99**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	9.0	5	6	6	9	10	11	11	11
20-34	3	8.0	7	5	5	9	10	10	10	10
35-49	36	7.9	11	3	5	7	10	12	15	17
50-64	718	8.6	16	4	5	8	10	13	16	22
65+	1499	9.9	26	5	5	9	12	16	20	29
2. MULTIPLE DX										
0-19 YRS	5	12.6	26	8	8	12	15	21	21	21
20-34	6	19.8	302	6	6	12	43	89	99+	99+
35-49	65	11.5	46	5	5	9	14	18	28	36
50-64	1316	11.9	60	5	6	10	13	19	25	43
65+	3990	14.2	102	6	7	11	17	26	34	77
TOT. SINGLE DX	2260	9.5	23	5	5	8	11	15	18	28
" MULTIPLE DX	5382	13.6	92	5	6	11	16	24	32	66
TOTAL 0-19 YRS	9	11.0	19	6	7	10	12	18	21	21
20-34	9	15.9	226	5	5	10	39	72	99+	99+
35-49	101	10.2	36	4	5	9	12	17	21	35
50-64	2034	10.7	47	5	5	9	12	17	22	39
65+	5489	13.1	85	5	6	10	15	23	30	64
GRAND TOTAL	**7642**	**12.4**	**75**	**5**	**6**	**10**	**14**	**21**	**29**	**58**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	7.5	61	2	2	7	13	13	13	13
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	3.0		3	3	3	3	3	3	3
50-64	114	14.2	66	5	7	12	17	22	28	48
65+	185	15.8	53	8	9	15	18	24	31	42
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	5	8.4	9	5	5	8	10	13	13	13
50-64	149	17.3	79	8	9	16	20	28	38	60
65+	591	21.0	135	9	10	18	25	37	44	74
TOT. SINGLE DX	303	15.1	59	6	8	14	18	23	31	42
" MULTIPLE DX	746	20.1	126	9	10	17	24	35	43	74
TOTAL 0-19 YRS	3	6.0	37	2	2	3	10	13	13	13
20-34	1	9.0		9	9	9	9	9	9	9
35-49	6	7.5	12	3	3	7	9	13	13	13
50-64	263	16.0	75	6	8	14	19	26	33	58
65+	776	19.7	120	9	10	17	23	34	42	70
GRAND TOTAL	**1049**	**18.7**	**111**	**8**	**9**	**16**	**22**	**32**	**41**	**66**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	4	4.0	9	<1	<1	3	6	8	8	8
35-49	28	4.0	14	1	1	2	5	12	13	14
50-64	141	3.2	5	<1	1	3	4	6	7	11
65+	236	4.8	27	1	1	3	6	10	13	26
2. MULTIPLE DX										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	2	19.0	8	17	17	19	21	21	21	21
35-49	14	9.4	324	2	2	3	7	17	59	71
50-64	142	8.0	71	1	2	5	11	20	25	34
65+	379	11.3	117	2	2	8	16	24	33	65
TOT. SINGLE DX	411	4.2	19	1	1	3	5	8	12	19
" MULTIPLE DX	539	10.4	111	2	2	7	14	23	28	63
TOTAL 0-19 YRS	4	4.5	7	<1	<1	5	6	7	7	7
20-34	6	9.0	67	<1	<1	6	17	21	21	21
35-49	42	5.8	119	1	1	3	6	12	14	71
50-64	283	5.6	44	1	1	3	6	13	20	27
65+	615	8.8	92	1	2	5	11	20	27	56
GRAND TOTAL	**950**	**7.7**	**80**	**1**	**2**	**4**	**10**	**19**	**25**	**51**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	102	3.5	6	1	1	3	5	6	7	13
20-34	78	4.7	16	<1	1	4	6	9	10	25
35-49	51	4.1	6	2	3	3	4	6	8	18
50-64	64	4.4	10	2	2	3	5	6	11	21
65+	40	5.6	14	2	2	4	6	11	14	20
2. MULTIPLE DX										
0-19 YRS	75	6.2	147	1	2	4	5	9	18	82
20-34	47	6.3	26	1	2	5	8	14	16	24
35-49	48	9.5	173	2	3	5	11	21	31	77
50-64	66	9.3	137	3	3	6	9	16	28	70
65+	61	14.4	265	3	4	8	21	41	91	99+
TOT. SINGLE DX	335	4.3	10	1	2	4	5	8	10	19
" MULTIPLE DX	297	9.1	161	2	2	5	9	21	34	99
TOTAL 0-19 YRS	177	4.7	67	1	1	3	5	7	9	32
20-34	125	5.3	20	1	1	4	7	10	14	25
35-49	99	6.7	94	2	3	4	6	12	21	63
50-64	130	6.9	80	2	2	5	7	12	20	62
65+	101	10.9	184	2	3	6	14	29	53	99+
GRAND TOTAL	**632**	**6.6**	**87**	**1**	**2**	**4**	**6**	**12**	**22**	**74**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	70	4.2	6	2	2	3	6	8	9	12
20-34	93	5.8	33	2	3	4	6	9	11	40
35-49	48	8.1	77	3	3	5	9	17	24	52
50-64	50	8.2	39	2	3	6	9	20	23	28
65+	66	9.1	65	2	3	7	10	19	23	48
2. MULTIPLE DX										
0-19 YRS	54	6.7	152	1	2	4	5	13	19	87
20-34	77	6.5	33	2	2	4	8	13	20	29
35-49	47	7.3	41	3	3	5	8	14	22	34
50-64	86	11.2	82	3	4	8	14	25	31	46
65+	196	14.6	163	3	4	11	19	32	39	76
TOT. SINGLE DX	327	6.8	44	2	2	5	8	13	20	40
" MULTIPLE DX	460	10.9	124	2	3	7	14	24	32	64
TOTAL 0-19 YRS	124	5.3	70	2	2	4	5	9	12	39
20-34	170	6.1	33	2	2	4	7	11	15	38
35-49	95	7.7	59	3	3	5	9	14	23	44
50-64	136	10.1	68	3	4	7	13	22	28	37
65+	262	13.3	144	3	4	10	18	29	37	67
GRAND TOTAL	**787**	**9.2**	**95**	**2**	**3**	**6**	**11**	**20**	**29**	**52**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	662	4.1	8	1	2	3	5	8	9	11
20-34	67	3.4	3	1	1	3	4	6	7	8
35-49	5	3.4	10	2	2	2	4	9	9	9
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
0-19 YRS	389	4.7	13	2	2	4	5	8	11	20
20-34	33	5.5	6	2	2	6	7	9	10	12
35-49	4	5.0	6	3	3	5	7	8	8	8
50-64	2	11.0	72	5	5	11	17	17	17	17
65+	2	5.5	1	5	5	5	6	6	6	6
TOT. SINGLE DX	735	4.1	7	1	2	3	5	7	9	11
" MULTIPLE DX	430	4.8	12	2	2	4	6	8	11	19
TOTAL 0-19 YRS	1051	4.3	9	2	2	3	5	8	9	16
20-34	100	4.1	5	1	2	4	6	7	8	11
35-49	9	4.1	8	2	2	3	6	9	9	9
50-64	3	10.0	39	5	5	8	15	17	17	17
65+	2	5.5	1	5	5	5	6	6	6	6
GRAND TOTAL	1165	4.3	9	2	2	4	5	8	9	16

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	3.5	9	1	1	3	4	7	9	18
20-34	65	2.6	2	<1	1	2	4	5	5	6
35-49	20	3.3	3	<1	1	3	4	6	6	6
50-64	6	6.8	26	2	2	5	9	15	16	16
65+	5	5.0	3	3	3	5	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	42	4.8	22	1	2	4	6	7	10	30
20-34	42	4.5	11	1	2	4	5	9	11	18
35-49	17	3.4	5	<1	<1	2	6	7	8	8
50-64	8	5.6	24	2	2	4	6	14	17	17
65+	4	19.3	386	2	2	15	34	45	45	45
TOT. SINGLE DX	181	3.3	6	1	1	3	4	6	7	15
" MULTIPLE DX	113	5.0	33	1	2	4	6	8	14	36
TOTAL 0-19 YRS	127	4.0	13	1	1	3	5	7	9	22
20-34	107	3.4	6	1	1	3	4	6	8	15
35-49	37	3.3	4	<1	<1	3	5	6	7	8
50-64	14	6.1	23	2	2	4	7	16	17	17
65+	9	11.3	203	2	2	6	11	37	45	45
GRAND TOTAL	294	4.0	17	1	1	3	5	7	9	22

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	378	1.1		<1	<1	<1	<1	1	1	2
35-49	160	1.2		<1	<1	<1	<1	1	2	5
50-64	7	3.7	52	<1	<1	<1	1	16	20	20
65+	3	2.3	5	<1	<1	<1	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	63	2.9	18	<1	<1	1	3	6	9	27
35-49	57	2.0	6	<1	<1	<1	2	4	7	14
50-64	8	4.6	19	<1	<1	3	7	11	13	13
65+	2	5.0	2	4	4	5	6	6	6	6
TOT. SINGLE DX	550	1.1	1	<1	<1	<1	<1	1	2	3
" MULTIPLE DX	133	2.6	13	<1	<1	1	3	6	9	18
TOTAL 0-19 YRS	5	1.2		<1	<1	<1	1	2	2	2
20-34	441	1.3	3	<1	<1	<1	<1	2	2	8
35-49	217	1.4	2	<1	<1	<1	1	2	3	9
50-64	15	4.2	32	<1	<1	<1	6	13	18	20
65+	5	3.4	5	<1	<1	4	5	6	6	6
GRAND TOTAL	683	1.4	4	<1	<1	<1	<1	2	3	10

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	259	3.2	3	1	1	3	4	5	7	8
20-34	251	3.5	5	1	2	3	4	6	7	12
35-49	196	3.6	4	1	2	3	4	6	8	11
50-64	197	4.2	12	2	2	4	5	7	8	15
65+	91	5.4	18	2	2	4	6	9	11	27
2. MULTIPLE DX										
0-19 YRS	156	3.9	22	1	2	3	4	6	9	31
20-34	188	4.4	40	2	2	3	4	7	9	38
35-49	109	4.8	20	1	2	4	5	9	12	27
50-64	177	6.4	40	2	2	5	7	13	15	41
65+	117	6.8	31	2	3	5	8	13	17	33
TOT. SINGLE DX	994	3.7	7	1	2	3	4	6	8	12
" MULTIPLE DX	747	5.2	33	2	2	4	6	9	13	32
TOTAL 0-19 YRS	415	3.5	10	1	1	3	4	6	7	15
20-34	439	3.9	20	1	2	3	4	6	8	14
35-49	305	4.0	10	1	2	3	4	7	9	19
50-64	374	5.2	26	2	2	4	6	9	13	31
65+	208	6.2	25	2	2	5	7	12	16	30
GRAND TOTAL	1741	4.4	19	1	2	3	5	7	10	22

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	2.3	5	<1	<1	1	3	5	7	13
20-34	58	2.3	7	<1	<1	1	3	5	7	14
35-49	16	6.3	28	<1	<1	5	11	12	16	18
50-64	21	7.5	27	1	2	7	9	14	19	23
65+	16	7.5	24	1	2	7	10	15	16	16
2. MULTIPLE DX										
0-19 YRS	42	5.1	25	<1	1	4	6	12	15	26
20-34	21	5.2	31	<1	<1	3	9	17	53	99+
35-49	24	6.4	17	1	2	5	8	13	15	16
50-64	33	7.5	48	2	2	5	9	21	22	28
65+	32	17.0	466	1	2	9	22	54	92	99+
TOT. SINGLE DX	180	3.7	16	<1	<1	2	5	10	13	17
" MULTIPLE DX	152	8.3	141	<1	1	5	9	19	32	99+
TOTAL 0-19 YRS	111	3.4	15	<1	<1	2	5	7	12	21
20-34	79	3.1	14	<1	<1	2	3	9	13	76
35-49	40	6.3	21	<1	1	5	9	13	15	18
50-64	54	7.5	39	2	2	6	9	18	22	28
65+	48	13.9	336	1	2	9	16	43	62	99+
GRAND TOTAL	**332**	**5.8**	**78**	**<1**	**<1**	**3**	**7**	**13**	**19**	**66**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of a procedure which is coded for indexing, quality review, and purposes other than its effect on length of stay. For the purpose of operation length of stay tables, patients with only this procedure are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	135	6.3	11	3	4	6	7	9	11	19
20-34	480	6.1	5	3	4	6	7	8	9	14
35-49	79	7.3	8	3	4	7	8	11	12	18
50-64	23	8.7	8	5	6	8	9	13	15	17
65+	10	12.2	42	7	7	9	16	57	96	99+
2. MULTIPLE DX										
0-19 YRS	110	6.9	24	2	4	6	8	11	13	33
20-34	637	6.5	6	3	4	6	8	9	11	16
35-49	145	8.8	34	3	4	7	10	15	21	31
50-64	47	11.3	67	4	5	9	11	22	30	42
65+	34	16.0	74	8	8	15	19	23	47	99+
TOT. SINGLE DX	727	6.4	8	3	4	6	7	9	11	17
" MULTIPLE DX	973	7.5	22	3	4	6	8	12	16	28
TOTAL 0-19 YRS	245	6.6	17	3	4	6	7	9	12	26
20-34	1117	6.3	6	3	4	6	7	9	10	15
35-49	224	8.3	25	3	4	7	9	13	19	30
50-64	70	10.4	49	4	5	9	11	17	26	41
65+	44	15.1	68	7	8	14	18	27	59	99+
GRAND TOTAL	**1700**	**7.0**	**16**	**3**	**4**	**6**	**8**	**10**	**13**	**24**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	7.4	14	4	5	6	8	10	16	23
20-34	365	6.8	6	4	4	6	8	9	11	16
35-49	127	7.7	19	4	5	7	8	10	13	31
50-64	32	8.5	11	5	5	8	10	13	16	19
65+	13	15.3	186	6	7	12	15	30	53	58
2. MULTIPLE DX										
0-19 YRS	58	8.4	21	4	5	7	9	13	16	33
20-34	639	7.4	12	4	5	7	8	11	14	21
35-49	297	9.0	60	4	5	7	9	14	21	40
50-64	46	13.4	99	5	6	9	19	31	41	99+
65+	31	19.9	149	8	9	16	23	42	44	50
TOT. SINGLE DX	586	7.3	15	4	5	7	8	10	13	22
" MULTIPLE DX	1071	8.5	39	4	5	7	9	13	19	39
TOTAL 0-19 YRS	107	7.9	18	4	5	7	9	12	16	28
20-34	1004	7.2	10	4	5	7	8	10	13	20
35-49	424	8.6	48	4	5	7	9	12	19	39
50-64	78	11.4	69	5	6	9	13	23	32	85
65+	44	18.5	161	7	8	13	23	41	46	58
GRAND TOTAL	**1657**	**8.1**	**31**	**4**	**5**	**7**	**8**	**12**	**16**	**35**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	24.0	512	8	8	24	40	40	40	40
20-34	24	7.1	8	4	5	6	8	12	14	15
35-49	61	7.6	7	4	5	7	9	11	13	17
50-64	25	9.3	27	5	5	8	10	15	21	27
65+	9	10.2	10	6	7	10	12	15	16	16
2. MULTIPLE DX										
0-19 YRS	2	11.5	25	8	8	11	15	15	15	15
20-34	109	9.1	33	4	5	8	9	13	19	36
35-49	202	9.9	34	4	6	8	11	18	23	40
50-64	100	11.6	39	5	6	10	13	22	24	33
65+	45	15.7	68	7	8	13	22	28	33	40
TOT. SINGLE DX	121	8.3	20	5	5	7	9	13	15	31
" MULTIPLE DX	458	10.7	42	5	6	9	11	19	25	36
TOTAL 0-19 YRS	4	17.8	231	8	8	12	27	40	40	40
20-34	133	8.7	29	4	5	8	9	12	19	33
35-49	263	9.4	29	4	5	8	10	16	20	36
50-64	125	11.1	37	5	6	9	13	20	24	32
65+	54	14.8	63	7	8	12	18	27	32	40
GRAND TOTAL	**579**	**10.2**	**38**	**5**	**5**	**8**	**11**	**18**	**24**	**36**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	4.5	5	1	2	4	6	8	9	9
20-34	81	4.3	7	<1	1	4	6	8	9	14
35-49	9	7.0	21	2	3	5	9	15	15	15
50-64	2	6.5	41	2	2	6	11	11	11	11
65+										
2. MULTIPLE DX										
0-19 YRS	24	5.2	7	1	1	5	7	8	10	12
20-34	200	6.5	51	1	2	6	7	9	11	34
35-49	28	6.6	19	1	2	6	8	9	14	25
50-64	4	5.8	11	1	1	7	8	8	8	8
65+	2	4.5	1	4	4	4	5	5	5	5
TOT. SINGLE DX	114	4.6	9	1	1	4	6	8	10	15
" MULTIPLE DX	258	6.4	43	1	2	6	7	9	11	28
TOTAL 0-19 YRS	46	4.9	6	1	2	5	6	8	9	12
20-34	281	5.9	40	1	2	6	7	9	10	24
35-49	37	6.7	19	2	2	6	8	12	15	25
50-64	6	6.0	15	1	1	7	8	11	11	11
65+	2	4.5	1	4	4	4	5	5	5	5
GRAND TOTAL	**372**	**5.8**	**33**	**1**	**2**	**6**	**7**	**9**	**10**	**23**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	3.8	38	<1	<1	2	3	10	21	23
20-34	1611	1.7	3	<1	<1	2	2	2	3	5
35-49	637	1.8	1	<1	<1	2	2	2	3	5
50-64	3	2.3	2	1	1	2	3	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	16	4.0	51	<1	<1	2	4	25	75	99+
20-34	1416	2.5	8	<1	<1	2	2	5	6	18
35-49	650	2.3	14	<1	1	2	2	3	5	9
50-64	6	3.3	5	2	2	2	5	7	7	7
65+										
TOT. SINGLE DX	2263	1.7	2	<1	<1	2	2	2	3	5
" MULTIPLE DX	2088	2.4	10	<1	1	2	2	4	6	18
TOTAL 0-19 YRS	28	3.9	44	<1	<1	2	3	17	33	99+
20-34	3027	2.1	5	<1	<1	2	2	3	5	13
35-49	1287	2.0	8	<1	<1	2	2	3	4	8
50-64	9	3.0	4	1	1	2	4	6	7	7
65+										
GRAND TOTAL	**4351**	**2.1**	**6**	**<1**	**<1**	**2**	**2**	**3**	**5**	**12**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	2.9	2	1	2	3	3	5	6	6
20-34	2839	3.1	4	1	2	3	4	5	6	8
35-49	1038	3.0	3	1	2	3	4	5	6	8
50-64	12	3.1	3	1	1	3	4	6	7	7
65+										
2. MULTIPLE DX										
0-19 YRS	38	4.9	7	2	2	4	7	9	11	13
20-34	2611	4.4	9	2	2	4	5	7	8	13
35-49	948	4.0	10	1	2	3	5	6	8	18
50-64	8	5.1	15	1	1	4	7	11	13	13
65+										
TOT. SINGLE DX	3915	3.1	4	1	2	3	4	5	6	8
" MULTIPLE DX	3605	4.3	10	2	2	4	5	7	8	15
TOTAL 0-19 YRS	64	4.1	6	2	2	3	5	7	9	13
20-34	5450	3.7	7	1	2	3	5	6	7	12
35-49	1986	3.5	6	1	2	3	4	6	7	14
50-64	20	3.9	8	1	1	3	5	7	10	13
65+										
GRAND TOTAL	7520	3.7	7	1	2	3	4	6	7	12

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	5.6	5	2	3	6	7	9	9	12
20-34	825	5.7	9	2	3	5	7	9	10	17
35-49	112	5.0	8	2	2	5	7	8	9	15
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	46	7.8	16	3	4	7	9	16	17	18
20-34	902	5.8	7	2	3	6	7	8	10	15
35-49	170	5.4	11	1	2	5	7	9	11	20
50-64	3	8.0	31	2	2	9	12	13	13	13
65+	1	78.0		78	78	78	78	78	78	78
TOT. SINGLE DX	998	5.6	8	2	2	5	7	8	10	17
" MULTIPLE DX	1122	5.9	13	2	2	6	7	9	10	17
TOTAL 0-19 YRS	105	6.6	11	3	3	6	7	10	15	18
20-34	1727	5.7	8	2	3	6	7	8	10	16
35-49	282	5.3	10	1	2	5	7	8	10	19
50-64	4	8.3	21	2	2	9	11	13	13	13
65+	2	42.5	2521	7	7	42	78	78	78	78
GRAND TOTAL	2120	5.7	11	2	2	6	7	9	10	17

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	2.8	2	1	1	3	3	4	5	8
20-34	924	2.7	2	1	1	2	3	4	5	8
35-49	250	2.8	2	1	2	3	3	4	5	8
50-64	78	3.2	5	1	2	3	4	5	6	15
65+	18	5.2	22	1	2	4	5	11	17	20
2. MULTIPLE DX										
0-19 YRS	40	3.1	2	1	2	3	4	5	6	7
20-34	584	2.9	3	1	2	3	4	5	5	9
35-49	214	3.4	6	1	2	3	4	5	8	15
50-64	94	3.7	26	1	2	3	4	6	8	33
65+	22	5.8	23	1	2	4	7	11	18	22
TOT. SINGLE DX	1312	2.8	3	1	2	3	3	4	5	8
" MULTIPLE DX	954	3.2	6	1	2	3	4	5	6	12
TOTAL 0-19 YRS	82	2.9	2	1	2	3	4	5	6	8
20-34	1508	2.8	2	1	2	3	3	4	5	8
35-49	464	3.1	4	1	2	3	3	5	6	12
50-64	172	3.5	17	1	2	3	4	5	8	16
65+	40	5.5	22	1	2	4	7	11	17	22
GRAND TOTAL	2266	3.0	4	1	2	3	3	5	6	11

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	2.6	9	<1	<1	1	3	5	11	13
20-34	154	2.5	4	<1	<1	2	3	4	6	11
35-49	115	3.0	8	<1	<1	2	4	6	8	15
50-64	93	2.7	7	<1	<1	2	3	6	9	15
65+	29	6.6	59	1	1	3	9	14	29	32
2. MULTIPLE DX										
0-19 YRS	22	2.9	8	<1	1	2	2	7	10	12
20-34	149	2.9	20	<1	<1	2	3	5	8	18
35-49	182	3.2	18	<1	<1	2	3	8	10	36
50-64	173	5.1	57	<1	<1	2	5	12	18	41
65+	114	8.8	102	1	2	6	10	19	30	53
TOT. SINGLE DX	414	3.0	11	<1	<1	2	3	6	9	15
" MULTIPLE DX	640	4.6	48	<1	<1	2	5	10	17	43
TOTAL 0-19 YRS	45	2.8	8	<1	<1	2	3	6	10	13
20-34	303	2.7	12	<1	<1	2	3	5	7	15
35-49	297	3.1	14	<1	<1	2	4	8	10	20
50-64	266	4.3	41	<1	<1	2	5	10	15	34
65+	143	8.4	94	1	2	5	10	19	30	47
GRAND TOTAL	1054	4.0	34	<1	<1	2	4	9	13	32

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	3.0	3	1	1	3	5	5	6	6
20-34	349	3.8	8	1	2	3	4	6	8	16
35-49	34	3.4	2	1	2	3	4	5	7	8
50-64	2	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	3	5.0	3	4	4	4	6	7	7	7
20-34	138	5.5	28	1	2	4	7	10	14	33
35-49	22	5.0	48	1	1	4	6	8	19	34
50-64	1	2.0		2	2	2	2	2	2	2
65+										
TOT. SINGLE DX	399	3.8	8	1	2	3	4	6	8	15
" MULTIPLE DX	164	5.4	29	1	2	4	7	10	14	34
TOTAL 0-19 YRS	17	3.4	3	1	1	3	5	6	7	7
20-34	487	4.3	14	1	2	3	5	7	10	24
35-49	56	4.1	20	1	1	3	5	7	8	32
50-64	3	2.0		2	2	2	2	2	2	2
65+										
GRAND TOTAL	**563**	**4.2**	**15**	**1**	**2**	**3**	**5**	**7**	**9**	**25**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.3	34	1	1	2	7	13	13	13
20-34	91	5.4	10	<1	1	6	7	9	10	18
35-49	24	6.1	10	1	2	6	7	9	13	14
50-64	10	3.8	17	1	1	2	3	11	14	14
65+	5	7.2	11	4	4	7	10	11	11	11
2. MULTIPLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	111	6.4	9	1	2	6	8	10	11	16
35-49	36	6.8	18	1	2	7	9	13	14	19
50-64	26	3.6	14	<1	1	2	3	8	12	17
65+	10	9.7	121	<1	<1	5	14	27	35	35
TOT. SINGLE DX	134	5.5	11	1	1	6	7	9	11	15
" MULTIPLE DX	184	6.2	19	1	1	6	8	10	13	20
TOTAL 0-19 YRS	5	4.8	27	1	1	2	8	13	13	13
20-34	202	5.9	10	1	1	6	8	9	10	17
35-49	60	6.5	15	1	2	7	8	12	14	19
50-64	36	3.7	14	<1	1	2	3	8	13	17
65+	15	8.9	82	<1	1	6	12	20	31	35
GRAND TOTAL	**318**	**5.9**	**16**	**1**	**1**	**6**	**8**	**10**	**13**	**20**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	8.2	32	3	4	7	8	16	23	24
20-34	869	7.8	6	5	6	7	8	10	11	18
35-49	1065	8.2	8	6	6	8	9	10	11	16
50-64	270	9.1	10	6	7	8	9	12	17	23
65+	77	12.6	60	6	7	10	13	24	27	45
2. MULTIPLE DX										
0-19 YRS	54	8.2	6	6	6	8	9	13	14	16
20-34	3417	8.6	15	5	6	8	9	12	14	24
35-49	6312	9.0	14	6	6	8	10	13	15	23
50-64	1773	10.2	28	6	7	9	11	15	20	32
65+	383	13.3	40	7	8	11	16	22	27	35
TOT. SINGLE DX	2292	8.3	10	6	6	8	9	10	12	22
" MULTIPLE DX	11939	9.2	18	6	6	8	10	13	16	27
TOTAL 0-19 YRS	65	8.2	10	5	6	7	9	13	14	23
20-34	4286	8.4	13	5	6	8	9	11	13	22
35-49	7377	8.9	13	6	6	8	9	12	15	23
50-64	2043	10.1	26	6	7	9	11	15	19	30
65+	460	13.1	43	7	7	11	16	22	27	35
GRAND TOTAL	**14231**	**9.1**	**17**	**6**	**6**	**8**	**10**	**13**	**16**	**26**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	400	7.2	5	5	5	7	8	9	10	14
35-49	330	8.1	10	5	6	7	9	11	14	19
50-64	153	10.0	22	6	7	8	11	15	19	36
65+	127	9.8	10	7	7	9	11	14	16	20
2. MULTIPLE DX										
0-19 YRS	7	7.4	1	6	6	7	8	9	9	9
20-34	1170	8.4	17	5	5	7	9	12	15	24
35-49	1860	9.2	22	5	6	8	10	14	17	27
50-64	851	10.6	22	6	7	9	12	16	19	27
65+	569	12.5	53	7	7	10	14	21	26	39
TOT. SINGLE DX	1011	8.2	11	5	6	8	9	11	14	20
" MULTIPLE DX	4457	9.7	27	5	6	8	11	15	18	28
TOTAL 0-19 YRS	8	6.6	6	<1	2	7	8	9	9	9
20-34	1570	8.0	14	5	5	7	9	11	14	23
35-49	2190	9.0	21	5	6	8	10	13	17	26
50-64	1004	10.5	22	6	7	9	12	16	19	29
65+	696	12.0	46	7	7	10	13	19	24	38
GRAND TOTAL	**5468**	**9.4**	**24**	**5**	**6**	**8**	**10**	**14**	**18**	**27**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	12.7	25	8	8	12	16	18	18	18
35-49	5	12.8	32	7	7	12	18	20	20	20
50-64	4	13.3	42	7	7	12	18	21	21	21
65+	5	17.0	103	9	9	11	25	32	32	32
2. MULTIPLE DX										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	8	13.0	45	<1	3	13	17	21	23	23
35-49	11	12.5	17	6	7	12	16	18	18	18
50-64	21	23.2	250	8	10	18	29	48	58	68
65+	10	19.1	187	5	7	13	26	43	43	43
TOT. SINGLE DX	17	14.1	48	7	7	12	18	23	29	32
" MULTIPLE DX	51	18.5	166	5	8	15	23	40	46	68
TOTAL 0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	11	12.9	37	<1	5	12	17	20	23	23
35-49	16	12.6	20	6	7	12	17	18	19	20
50-64	25	21.6	227	6	9	17	27	46	54	68
65+	15	18.4	151	6	9	13	25	43	43	43
GRAND TOTAL	68	17.4	139	6	8	14	21	31	44	65

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	149	2.1	4	<1	<1	2	2	3	5	10
20-34	199	2.3	4	<1	1	2	2	4	6	11
35-49	12	2.0	2	1	1	2	2	4	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	81	2.4	16	<1	<1	1	2	4	6	26
20-34	265	3.0	9	<1	<1	2	4	6	8	17
35-49	65	3.3	12	1	1	2	4	5	15	17
50-64	1	2.0		2	2	2	2	2	2	2
65+										
TOT. SINGLE DX	360	2.2	4	<1	1	2	2	4	5	11
" MULTIPLE DX	412	3.0	11	<1	<1	2	3	5	8	17
TOTAL 0-19 YRS	230	2.2	8	<1	<1	2	2	4	5	15
20-34	464	2.7	7	<1	<1	2	3	5	8	15
35-49	77	3.1	11	1	1	2	4	5	12	17
50-64	1	2.0		2	2	2	2	2	2	2
65+										
GRAND TOTAL	772	2.6	8	<1	<1	2	3	5	7	15

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1252	2.2	3	<1	1	2	3	4	5	9
20-34	8769	2.1	5	<1	<1	2	2	4	5	10
35-49	2499	1.9	3	<1	<1	2	2	3	4	7
50-64	1091	2.1	15	<1	<1	2	2	3	4	10
65+	204	2.9	8	1	1	2	3	5	9	15
2. MULTIPLE DX										
0-19 YRS	473	2.9	9	<1	1	2	3	6	8	13
20-34	3496	2.8	12	<1	<1	2	3	5	8	15
35-49	2391	3.1	26	<1	<1	2	3	5	9	26
50-64	1438	3.1	23	<1	<1	2	3	6	10	26
65+	447	5.3	62	1	1	3	5	12	20	54
TOT. SINGLE DX	13815	2.1	5	<1	<1	2	2	4	5	10
" MULTIPLE DX	8245	3.1	21	<1	<1	2	3	6	9	22
TOTAL 0-19 YRS	1725	2.4	5	<1	1	2	3	5	6	10
20-34	12265	2.3	7	<1	<1	2	2	4	6	11
35-49	4890	2.4	15	<1	<1	2	2	4	6	16
50-64	2529	2.7	20	<1	<1	2	2	4	7	22
65+	651	4.5	46	1	1	2	4	10	18	35
GRAND TOTAL	22060	2.4	11	<1	<1	2	2	4	6	14

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1020	1.3	4	<1	<1	<1	1	2	2	3
20-34	1500	1.3	1	<1	<1	<1	1	2	2	4
35-49	66	1.3		<1	<1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	843	1.6	4	<1	<1	1	2	2	4	10
20-34	1855	1.8	8	<1	<1	1	2	3	4	9
35-49	317	2.2	4	<1	<1	2	3	4	5	9
50-64										
65+										
TOT. SINGLE DX	2586	1.3	2	<1	<1	<1	1	2	2	3
" MULTIPLE DX	3015	1.8	6	<1	<1	1	2	3	4	9
TOTAL 0-19 YRS	1863	1.5	4	<1	<1	<1	2	2	2	6
20-34	3355	1.6	5	<1	<1	1	2	2	3	7
35-49	383	2.0	3	<1	<1	2	2	4	4	7
50-64										
65+										
GRAND TOTAL	5601	1.6	4	<1	<1	1	2	2	3	7

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	2.5	4	<1	<1	2	3	5	7	11
20-34	248	2.0	2	<1	<1	1	2	4	5	7
35-49	23	2.4	3	<1	1	2	3	4	7	8
50-64	2	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	33	4.0	11	<1	1	4	5	7	9	17
20-34	90	2.8	4	<1	<1	2	4	6	7	11
35-49	18	3.5	12	<1	1	2	4	8	13	15
50-64	4	4.0	16	2	2	2	6	10	10	10
65+										
TOT. SINGLE DX	332	2.1	3	<1	<1	2	3	4	5	8
" MULTIPLE DX	145	3.2	7	<1	1	2	4	7	8	15
TOTAL 0-19 YRS	92	3.0	7	<1	<1	2	4	7	8	14
20-34	338	2.2	3	<1	<1	2	3	4	6	8
35-49	41	2.9	7	<1	1	2	3	6	8	15
50-64	6	3.3	11	2	2	2	2	9	10	10
65+										
GRAND TOTAL	477	2.4	4	<1	<1	2	3	5	7	10

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	5.4	4	2	2	6	7	7	7	7
20-34	89	5.7	6	2	2	6	7	8	8	14
35-49	11	8.5	7	3	5	8	10	12	12	12
50-64	8	7.9	7	6	6	7	8	12	14	14
65+	15	12.2	36	6	7	11	13	23	24	24
2. MULTIPLE DX										
0-19 YRS	5	6.2	4	4	4	6	7	9	9	9
20-34	165	6.4	6	3	4	6	7	9	11	17
35-49	22	8.3	14	4	4	8	10	13	16	19
50-64	20	8.9	7	5	6	8	10	14	14	14
65+	21	10.4	22	7	7	9	11	16	21	27
TOT. SINGLE DX	128	6.8	14	2	3	7	8	10	13	23
" MULTIPLE DX	233	7.1	10	4	4	7	8	11	14	18
TOTAL 0-19 YRS	10	5.8	4	2	3	6	7	8	9	9
20-34	254	6.1	6	2	4	6	7	8	10	17
35-49	33	8.3	12	4	4	8	10	12	14	19
50-64	28	8.6	7	6	6	8	9	14	14	14
65+	36	11.2	28	7	7	9	12	21	24	27
GRAND TOTAL	361	7.0	11	3	4	7	8	11	13	22

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	2.7	4	<1	<1	2	4	5	7	8
20-34	122	3.6	17	<1	1	2	5	7	8	28
35-49	23	5.6	57	<1	<1	2	7	12	21	36
50-64	32	7.5	14	4	4	7	9	12	14	21
65+	10	8.4	11	5	5	8	11	13	14	14
2. MULTIPLE DX										
0-19 YRS	21	5.5	22	<1	<1	4	6	12	17	21
20-34	130	5.9	45	1	1	5	7	10	15	60
35-49	31	4.9	22	<1	1	4	6	11	11	24
50-64	15	7.2	47	1	1	5	8	19	24	26
65+	16	10.1	74	3	4	7	13	32	77	99+
TOT. SINGLE DX	206	4.6	22	<1	1	3	6	9	12	29
" MULTIPLE DX	213	6.1	42	<1	1	5	7	11	20	68
TOTAL 0-19 YRS	40	4.2	15	<1	<1	3	5	8	12	21
20-34	252	4.8	33	<1	1	4	6	8	11	50
35-49	54	5.2	36	<1	<1	3	6	11	12	36
50-64	47	7.4	24	1	3	6	9	12	15	26
65+	26	9.4	49	4	4	7	12	24	44	99+
GRAND TOTAL	419	5.4	33	<1	1	4	7	10	14	40

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	8.3	14	4	4	10	11	11	11	11
20-34	91	7.8	14	4	4	7	9	12	15	23
35-49	267	8.9	19	4	5	8	10	13	17	27
50-64	382	8.8	14	5	5	8	10	13	16	24
65+	165	9.1	11	5	6	8	11	13	15	20
2. MULTIPLE DX										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	185	9.3	20	4	5	8	12	15	17	24
35-49	677	10.3	34	5	6	9	12	17	20	32
50-64	843	10.7	32	5	6	9	13	16	20	32
65+	438	11.4	33	6	6	10	13	18	22	35
TOT. SINGLE DX	908	8.8	15	5	5	8	10	13	16	24
" MULTIPLE DX	2145	10.6	32	5	6	9	12	17	20	32
TOTAL 0-19 YRS	5	7.2	13	3	3	8	10	11	11	11
20-34	276	8.8	18	4	5	8	11	14	17	24
35-49	944	9.9	30	5	6	8	11	16	19	32
50-64	1225	10.1	27	5	6	9	12	16	19	28
65+	603	10.8	28	6	6	9	12	17	20	29
GRAND TOTAL	3053	10.1	28	5	6	9	12	16	19	29

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	5.4	33	<1	1	3	8	16	19	19
20-34	85	5.0	20	<1	1	5	6	8	12	28
35-49	44	6.4	23	1	1	6	8	14	15	24
50-64	24	5.9	10	2	2	6	9	9	11	14
65+	17	8.9	46	2	3	7	10	19	26	29
2. MULTIPLE DX										
0-19 YRS	18	9.0	97	<1	1	5	12	25	34	36
20-34	62	7.3	39	1	2	5	9	16	17	35
35-49	38	8.4	45	2	3	6	11	16	23	34
50-64	39	10.4	59	1	2	8	14	22	26	32
65+	22	14.4	96	2	3	12	20	30	33	38
TOT. SINGLE DX	189	5.8	24	1	1	5	7	11	15	27
" MULTIPLE DX	179	9.2	61	1	2	7	12	19	27	37
TOTAL 0-19 YRS	37	7.2	65	<1	1	4	11	17	26	36
20-34	147	6.0	29	1	1	5	7	13	16	32
35-49	82	7.4	34	1	2	6	9	14	17	31
50-64	63	8.7	45	2	2	7	11	18	23	31
65+	39	12.0	80	2	3	9	16	28	30	38
GRAND TOTAL	**368**	**7.5**	**45**	**1**	**1**	**6**	**9**	**16**	**21**	**34**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	70	3.3	15	<1	<1	2	3	7	12	20
20-34	148	3.2	11	<1	<1	2	4	8	10	17
35-49	65	4.9	19	1	1	3	6	11	12	24
50-64	58	4.7	11	<1	1	4	7	9	10	17
65+	48	6.5	12	2	2	6	9	11	13	16
2. MULTIPLE DX										
0-19 YRS	45	5.3	20	1	1	4	6	12	16	20
20-34	116	5.4	27	<1	1	4	7	13	17	50
35-49	83	7.7	88	1	1	6	8	17	28	55
50-64	133	8.4	75	1	2	7	10	15	20	57
65+	117	9.8	55	2	3	8	12	18	24	67
TOT. SINGLE DX	389	4.1	14	<1	1	3	6	9	11	19
" MULTIPLE DX	494	7.6	59	1	2	6	10	16	20	55
TOTAL 0-19 YRS	115	4.1	18	<1	<1	2	5	10	13	20
20-34	264	4.2	19	<1	1	2	5	10	14	24
35-49	148	6.5	59	1	1	5	8	13	18	33
50-64	191	7.3	58	1	2	6	9	14	17	53
65+	165	8.9	45	2	2	7	11	16	22	50
GRAND TOTAL	**883**	**6.1**	**42**	**<1**	**1**	**4**	**8**	**13**	**17**	**32**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	142	2.5	4	<1	<1	2	3	5	7	10
20-34	456	2.5	5	<1	1	2	3	4	6	12
35-49	179	2.5	4	<1	<1	2	3	4	6	12
50-64	94	2.8	4	1	1	2	4	5	7	60
65+	29	6.1	67	2	2	3	7	12	18	43
2. MULTIPLE DX										
0-19 YRS	59	4.5	14	1	1	3	5	9	13	19
20-34	193	3.6	16	<1	1	3	4	7	10	23
35-49	84	5.3	65	<1	1	3	5	10	18	50
50-64	61	6.2	48	1	1	4	8	13	18	41
65+	55	9.2	98	2	2	6	14	25	47	99+
TOT. SINGLE DX	900	2.7	7	<1	1	2	3	5	7	13
" MULTIPLE DX	452	5.1	42	<1	1	3	5	11	18	42
TOTAL 0-19 YRS	201	3.1	8	<1	<1	2	4	6	9	15
20-34	649	2.9	9	<1	1	2	3	5	7	19
35-49	263	3.4	25	<1	1	2	4	6	10	24
50-64	155	4.1	24	1	1	3	5	10	12	42
65+	84	8.2	88	2	2	5	12	22	30	99+
GRAND TOTAL	**1352**	**3.5**	**20**	**<1**	**1**	**2**	**4**	**7**	**10**	**25**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	7	7.3	24	3	3	7	9	15	17	17
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	5	7.2	16	3	3	8	9	13	13	13
2. MULTIPLE DX										
0-19 YRS										
20-34	5	9.0	17	2	2	11	11	12	12	12
35-49	11	15.6	177	2	3	12	25	36	42	43
50-64	9	19.1	264	2	2	15	36	39	39	39
65+	26	25.7	336	4	6	22	31	56	57	59
TOT. SINGLE DX	19	5.5	18	1	1	4	8	11	15	17
" MULTIPLE DX	51	20.7	280	2	3	15	31	51	56	59
TOTAL 0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	8	6.6	21	1	1	7	11	12	12	12
35-49	18	12.4	130	2	3	9	15	31	39	43
50-64	11	15.9	262	1	1	6	33	39	39	39
65+	31	22.7	330	3	5	18	31	55	56	59
GRAND TOTAL	**70**	**16.6**	**254**	**2**	**2**	**11**	**27**	**41**	**55**	**58**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	2.1	2	<1	<1	1	3	4	5	6
20-34	67	4.1	9	1	1	4	5	8	8	19
35-49	13	5.5	15	2	2	5	6	12	14	15
50-64	11	4.4	6	2	2	3	6	8	9	9
65+	3	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	15	4.5	8	<1	<1	5	7	8	9	9
20-34	37	5.6	12	1	2	5	7	10	13	17
35-49	8	9.5	57	1	1	7	17	20	20	20
50-64	8	9.8	170	2	2	4	12	32	40	40
65+	7	19.9	217	3	4	20	25	43	47	47
TOT. SINGLE DX	122	3.8	9	<1	1	3	5	7	9	16
" MULTIPLE DX	75	7.6	65	1	2	5	8	17	24	45
TOTAL 0-19 YRS	43	3.0	5	<1	<1	2	5	6	8	9
20-34	104	4.7	11	1	2	4	6	8	11	18
35-49	21	7.0	33	1	2	5	8	17	20	20
50-64	19	6.6	77	2	2	3	8	13	29	40
65+	10	15.1	203	3	3	9	25	36	47	47
GRAND TOTAL	197	5.3	33	<1	1	4	6	9	15	33

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	5.0	27	<1	<1	2	10	12	12	12
20-34	23	5.2	44	<1	1	2	7	13	23	26
35-49	6	3.7	18	1	1	2	4	11	12	12
50-64	4	8.8	220	1	1	2	16	31	31	31
65+										
2. MULTIPLE DX										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	21	4.8	22	<1	<1	4	7	11	16	19
35-49	6	2.2	2	<1	<1	2	4	4	4	4
50-64	5	6.0	9	2	2	7	8	9	9	9
65+	3	13.0	331	2	2	3	26	34	34	34
TOT. SINGLE DX	38	5.3	51	<1	1	2	7	12	24	31
" MULTIPLE DX	38	5.0	38	<1	1	3	7	9	17	34
TOTAL 0-19 YRS	8	4.0	17	<1	<1	2	6	11	12	12
20-34	44	5.0	33	<1	1	2	7	11	20	26
35-49	12	2.9	10	<1	<1	2	4	7	11	12
50-64	9	7.2	89	1	1	4	8	22	31	31
65+	3	13.0	331	2	2	3	26	34	34	34
GRAND TOTAL	76	5.2	44	<1	1	2	7	12	21	33

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	846	5.4	10	3	3	5	6	7	9	16
20-34	4571	5.2	5	3	4	5	6	7	8	12
35-49	133	5.1	6	3	3	5	6	7	8	12
50-64	4	5.3	1	4	4	5	6	6	5	6
65+										
2. MULTIPLE DX										
0-19 YRS	757	6.1	18	3	4	5	7	9	11	24
20-34	4924	6.1	19	3	4	5	6	9	11	25
35-49	209	6.3	17	3	4	5	7	9	12	26
50-64	3	5.3	2	4	4	5	6	7	7	7
65+										
TOT. SINGLE DX	5554	5.2	6	3	4	5	6	7	8	14
" MULTIPLE DX	5893	6.1	19	3	4	5	6	9	11	25
TOTAL 0-19 YRS	1603	5.7	14	3	4	5	6	8	10	22
20-34	9495	5.7	12	3	4	5	6	8	10	20
35-49	342	5.8	13	3	3	5	6	8	11	22
50-64	7	5.3	1	4	4	5	6	7	7	7
65+										
GRAND TOTAL	11447	5.7	13	3	4	5	6	8	10	21

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	5.6	13	1	3	5	6	9	11	22
20-34	280	5.0	3	3	3	5	6	6	7	14
35-49	6	5.3	4	3	3	5	7	8	8	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	63	6.0	71	2	3	5	6	9	12	62
20-34	467	6.3	43	2	3	5	6	9	12	42
35-49	28	7.4	45	3	3	5	7	19	25	29
50-64										
65+										
TOT. SINGLE DX	325	5.0	4	3	3	5	6	7	8	16
" MULTIPLE DX	558	6.4	46	2	3	5	6	9	13	42
TOTAL 0-19 YRS	102	5.9	49	2	3	5	6	9	12	45
20-34	747	5.8	28	3	3	5	6	8	11	33
35-49	34	7.1	38	3	3	5	7	10	25	29
50-64										
65+										
GRAND TOTAL	883	5.9	31	3	3	5	6	8	11	33

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	170	5.2	4	3	4	5	6	7	8	14
20-34	1219	5.1	2	3	4	5	6	7	8	11
35-49	50	5.9	14	3	3	5	6	7	13	25
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	329	6.1	13	4	4	5	6	9	11	29
20-34	2765	6.1	12	4	4	5	7	8	11	19
35-49	138	7.4	39	3	4	6	7	13	20	39
50-64										
65+										
TOT. SINGLE DX	1439	5.2	3	3	4	5	6	7	8	11
" MULTIPLE DX	3232	6.1	13	4	4	5	7	8	11	21
TOTAL 0-19 YRS	499	5.8	10	3	4	5	6	8	10	22
20-34	3984	5.8	9	3	4	5	6	8	10	18
35-49	188	7.0	33	3	4	6	7	12	18	37
50-64										
65+										
GRAND TOTAL	**4671**	**5.8**	**10**	**3**	**4**	**5**	**6**	**8**	**10**	**19**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	861	5.5	11	2	3	5	6	8	11	19
20-34	6239	5.1	9	2	3	5	6	7	9	16
35-49	273	5.1	6	2	3	5	6	7	9	16
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
2. MULTIPLE DX										
0-19 YRS	594	6.6	24	2	3	5	7	11	14	28
20-34	7546	6.0	16	3	4	5	7	9	11	22
35-49	582	6.4	17	3	4	6	7	9	12	24
50-64	3	12.0	127	5	5	6	20	25	25	25
65+										
TOT. SINGLE DX	7374	5.1	9	2	3	5	6	7	9	17
" MULTIPLE DX	8725	6.1	17	3	4	5	7	9	11	23
TOTAL 0-19 YRS	1455	5.9	16	2	3	5	6	9	13	25
20-34	13785	5.6	13	2	3	5	6	8	10	19
35-49	855	6.0	14	3	4	5	7	8	11	24
50-64	4	9.3	115	<1	<1	5	15	25	25	25
65+										
GRAND TOTAL	**16099**	**5.6**	**13**	**2**	**3**	**5**	**6**	**8**	**10**	**20**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	423	8.0	12	5	6	7	8	11	13	22
20-34	3946	7.8	13	5	6	7	8	9	11	25
35-49	139	8.6	43	6	6	7	8	10	11	41
50-64	3	5.7	2	4	4	6	7	7	7	7
65+										
2. MULTIPLE DX										
0-19 YRS	917	9.5	39	5	6	8	10	14	18	35
20-34	9274	9.0	35	5	6	8	9	12	17	35
35-49	763	10.3	62	6	6	8	10	15	24	47
50-64	6	8.8	6	7	7	8	12	12	12	12
65+										
TOT. SINGLE DX	4511	7.8	14	5	6	7	8	10	11	25
" MULTIPLE DX	10960	9.1	38	5	6	8	9	13	18	36
TOTAL 0-19 YRS	1340	9.0	31	5	6	8	9	13	17	33
20-34	13220	8.6	29	5	6	8	9	11	15	32
35-49	902	10.1	59	6	6	8	10	15	23	45
50-64	9	7.8	7	4	5	7	9	12	12	12
65+										
GRAND TOTAL	**15471**	**8.7**	**31**	**5**	**6**	**8**	**9**	**12**	**16**	**34**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	7.1	3	5	5	7	9	9	10	10
20-34	92	7.2	4	5	5	7	8	9	11	14
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	18	8.8	12	5	6	8	10	15	17	18
20-34	214	10.1	75	5	6	8	9	15	28	67
35-49	16	13.3	92	6	6	9	16	24	37	42
50-64										
65+										
TOT. SINGLE DX	107	7.3	4	5	5	7	8	9	11	13
" MULTIPLE DX	248	10.2	72	5	6	8	10	16	27	61
TOTAL 0-19 YRS	32	8.0	9	5	5	7	9	11	16	18
20-34	306	9.2	55	5	6	8	9	13	20	54
35-49	17	13.2	87	6	6	10	15	24	36	42
50-64										
65+										
GRAND TOTAL	**355**	**9.3**	**53**	**5**	**6**	**8**	**9**	**13**	**21**	**49**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	8.4	10	5	5	6	11	13	13	13
20-34	24	5.3	3	3	3	5	6	8	9	9
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	7	6.1	11	2	3	5	7	12	13	13
20-34	91	6.0	6	3	3	5	7	9	12	14
35-49	48	5.7	5	3	3	5	7	8	9	12
50-64										
65+										
TOT. SINGLE DX	34	6.0	7	3	3	5	7	11	12	13
" MULTIPLE DX	146	5.9	6	3	3	5	7	9	12	13
TOTAL 0-19 YRS	16	7.4	11	3	5	6	11	13	13	13
20-34	115	5.8	6	3	3	5	7	8	11	13
35-49	49	5.7	5	3	3	5	7	8	9	12
50-64										
65+										
GRAND TOTAL	**180**	**5.9**	**6**	**3**	**3**	**5**	**7**	**9**	**12**	**13**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	288	2.4	5	1	1	2	3	4	5	8
20-34	244	2.5	2	1	1	2	3	4	5	8
35-49	5	2.8	1	2	2	3	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	253	2.6	2	1	1	2	3	4	5	9
20-34	264	3.2	24	1	1	2	3	4	7	31
35-49	16	2.9	2	1	2	2	4	6	6	6
50-64										
65+										
TOT. SINGLE DX	537	2.5	4	1	1	2	3	4	5	8
" MULTIPLE DX	533	2.9	13	1	1	2	3	4	6	21
TOTAL 0-19 YRS	541	2.5	4	1	1	2	3	4	5	8
20-34	508	2.8	13	1	1	2	3	4	5	21
35-49	21	2.9	2	1	2	2	3	5	6	6
50-64										
65+										
GRAND TOTAL	**1070**	**2.7**	**8**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	6.6	45	<1	1	4	7	17	19	28
20-34	287	3.4	19	<1	<1	1	4	8	12	24
35-49	25	1.7	2	<1	<1	1	2	2	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	19	7.9	64	<1	<1	6	10	20	26	30
20-34	98	7.9	86	<1	<1	4	10	20	29	45
35-49	15	5.1	13	2	2	4	5	9	14	16
50-64										
65+										
TOT. SINGLE DX	346	3.6	22	<1	<1	1	4	8	15	24
" MULTIPLE DX	132	7.6	74	<1	1	4	9	18	28	43
TOTAL 0-19 YRS	53	7.1	51	<1	1	4	8	17	22	30
20-34	385	4.5	40	<1	<1	2	6	11	18	32
35-49	40	3.0	9	<1	<1	2	4	6	8	16
50-64										
65+										
GRAND TOTAL	**478**	**4.7**	**39**	**<1**	**<1**	**2**	**6**	**11**	**18**	**30**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	292	3.9	8	<1	<1	4	5	6	8	15
20-34	1830	4.2	13	<1	1	4	5	6	8	20
35-49	86	4.6	21	<1	1	4	5	8	11	30
50-64	2	3.5	1	3	3	3	4	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	168	4.6	15	1	1	4	6	8	10	19
20-34	1053	5.7	38	1	1	5	6	9	14	42
35-49	61	6.2	12	2	3	6	7	11	12	21
50-64										
65+										
TOT. SINGLE DX	2210	4.2	13	<1	1	4	5	6	8	19
" MULTIPLE DX	1282	5.6	34	1	1	5	6	9	13	36
TOTAL 0-19 YRS	460	4.2	10	<1	1	4	5	7	9	18
20-34	2883	4.7	23	<1	1	4	5	7	10	24
35-49	147	5.3	18	1	1	5	6	9	11	23
50-64	2	3.5	1	3	3	3	4	4	4	4
65+										
GRAND TOTAL	**3492**	**4.7**	**21**	**<1**	**1**	**4**	**5**	**7**	**10**	**24**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	511	4.7	11	2	3	4	5	6	8	14
20-34	5439	4.4	5	2	3	4	5	6	7	10
35-49	256	4.5	2	2	3	4	5	6	7	9
50-64	3	4.7	2	3	3	5	6	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	422	5.5	13	2	3	5	6	8	10	25
20-34	4604	5.4	14	3	3	5	6	7	9	19
35-49	343	6.1	18	3	3	5	6	9	13	29
50-64	4	3.8	4	1	1	4	5	6	6	6
65+										
TOT. SINGLE DX	6209	4.5	5	2	3	4	5	6	7	10
" MULTIPLE DX	5373	5.5	14	3	3	5	6	8	9	21
TOTAL 0-19 YRS	933	5.1	12	2	3	5	5	7	9	19
20-34	10043	4.9	9	3	3	4	5	7	8	15
35-49	599	5.4	12	3	3	5	6	8	9	26
50-64	7	4.1	3	1	1	4	6	6	6	6
65+										
GRAND TOTAL	11582	4.9	10	3	3	4	5	7	8	15

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	4.7	12	1	2	4	5	9	13	15
20-34	31	4.3	7	2	2	4	5	8	10	13
35-49	15	4.1	11	1	1	3	4	7	13	15
50-64	12	9.7	191	<1	1	3	14	29	44	47
65+	7	10.1	47	2	2	9	16	20	20	20
2. MULTIPLE DX										
0-19 YRS	11	5.0	17	2	2	4	5	10	16	17
20-34	22	7.8	159	<1	1	4	6	16	39	59
35-49	10	5.8	107	<1	<1	1	5	22	34	34
50-64	32	9.2	122	<1	1	4	13	24	38	42
65+	21	11.3	171	2	2	7	17	65	99+	99+
TOT. SINGLE DX	83	5.6	42	1	2	4	6	11	19	39
" MULTIPLE DX	96	8.5	127	<1	1	4	10	25	41	99+
TOTAL 0-19 YRS	29	4.8	14	2	2	4	5	9	15	17
20-34	53	5.8	71	1	2	4	5	9	13	58
35-49	25	4.8	47	<1	<1	3	4	10	20	34
50-64	44	9.3	137	<1	1	4	13	23	40	47
65+	28	11.0	138	2	2	8	17	46	99+	99+
GRAND TOTAL	179	7.2	89	<1	1	4	8	18	32	87

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	173	5.1	5	3	3	5	6	7	8	12
20-34	254	5.1	5	2	3	5	6	8	9	12
35-49	52	5.1	8	2	3	5	6	7	13	15
50-64	21	5.0	9	1	2	5	6	8	11	14
65+	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	139	5.4	8	3	3	5	6	8	11	15
20-34	129	5.2	5	2	3	5	6	9	10	12
35-49	32	5.4	7	1	3	5	7	9	10	12
50-64	17	9.0	95	1	2	6	9	27	35	37
65+	4	8.0	45	2	2	6	13	17	17	17
TOT. SINGLE DX	503	5.1	5	3	3	5	6	7	9	14
" MULTIPLE DX	321	5.6	12	2	3	5	6	9	11	19
TOTAL 0-19 YRS	312	5.2	6	3	3	5	6	7	9	14
20-34	383	5.1	5	2	3	5	6	8	9	12
35-49	84	5.3	7	2	3	5	6	9	11	15
50-64	38	6.8	50	1	2	5	7	12	24	37
65+	7	5.6	32	1	1	4	8	15	17	17
GRAND TOTAL	824	5.3	8	2	3	5	6	8	10	15

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138	2.9	5	1	1	2	4	5	7	12
20-34	212	2.8	3	1	1	2	4	5	6	9
35-49	37	3.7	7	1	1	3	5	8	9	11
50-64	10	3.3	1	2	2	3	4	5	6	6
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	88	6.5	105	1	1	4	5	14	21	60
20-34	144	4.7	18	1	1	3	6	10	14	21
35-49	35	5.8	35	2	2	4	7	11	23	25
50-64	15	12.3	213	1	2	9	13	22	51	61
65+	5	11.2	98	3	3	9	15	28	28	28
TOT. SINGLE DX	398	3.0	4	1	1	2	4	6	7	11
" MULTIPLE DX	287	5.9	60	1	1	3	6	12	19	51
TOTAL 0-19 YRS	226	4.3	46	1	1	3	4	7	13	45
20-34	356	3.6	10	1	1	3	4	7	10	19
35-49	72	4.7	21	1	1	3	6	9	11	25
50-64	25	8.7	145	1	2	5	10	16	32	61
65+	6	11.0	79	3	3	9	11	26	28	28
GRAND TOTAL	685	4.2	30	1	1	3	5	8	11	25

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	3.8	7	1	1	3	5	8	10	13
20-34	228	3.3	8	1	1	2	4	7	10	14
35-49	74	3.8	9	1	1	3	5	9	11	14
50-64	28	3.9	7	1	1	4	5	6	9	14
65+	6	6.0	12	1	1	6	9	10	10	10
2. MULTIPLE DX										
0-19 YRS	110	8.3	99	2	2	5	9	16	27	88
20-34	217	7.1	68	1	1	5	9	14	23	46
35-49	80	7.9	96	1	2	6	9	13	21	63
50-64	36	7.7	24	2	2	7	11	16	17	17
65+	19	13.3	98	1	2	11	22	30	66	99+
TOT. SINGLE DX	421	3.6	8	1	1	3	5	7	10	14
" MULTIPLE DX	462	7.8	79	1	2	5	9	16	24	69
TOTAL 0-19 YRS	195	6.4	64	1	2	4	8	13	19	63
20-34	445	5.2	41	1	1	3	6	11	15	27
35-49	154	5.9	58	1	2	4	7	12	14	43
50-64	64	6.0	20	1	2	5	8	14	16	17
65+	25	11.5	86	1	2	9	20	29	46	99+
GRAND TOTAL	**883**	**5.8**	**50**	**1**	**1**	**4**	**7**	**12**	**16**	**38**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	3.0	4	1	1	3	4	6	7	7
20-34	18	3.9	18	<1	<1	2	5	7	14	18
35-49	6	1.7	1	<1	<1	1	2	3	3	3
50-64	12	15.0	525	1	2	6	13	52	75	79
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	6	20.0	1358	<1	<1	6	9	86	95	95
20-34	20	8.1	36	1	2	7	11	16	21	24
35-49	4	3.3	1	2	2	3	4	4	4	4
50-64	8	6.0	9	3	3	6	7	11	12	12
65+	1	28.0		28	28	28	28	28	28	28
TOT. SINGLE DX	44	6.5	170	<1	1	3	6	11	25	79
" MULTIPLE DX	39	9.5	232	1	2	5	9	16	26	95
TOTAL 0-19 YRS	13	10.8	646	<1	1	4	7	26	82	95
20-34	38	6.1	31	<1	1	5	8	14	18	24
35-49	10	2.3	1	<1	<1	2	3	4	4	4
50-64	20	11.4	328	1	2	6	9	29	60	79
65+	2	17.5	221	7	7	17	28	28	28	28
GRAND TOTAL	**83**	**7.9**	**199**	**<1**	**1**	**4**	**7**	**15**	**25**	**90**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	306	9.2	103	2	2	6	11	19	30	51
20-34	162	7.1	73	2	2	4	8	14	22	36
35-49	147	6.3	43	1	2	4	8	12	18	34
50-64	160	8.9	65	2	3	7	11	16	21	56
65+	67	10.9	102	2	2	9	13	23	27	61
2. MULTIPLE DX										
0-19 YRS	185	12.0	160	2	3	8	14	24	43	82
20-34	124	11.4	165	2	2	6	12	29	41	58
35-49	100	10.4	148	2	2	6	10	26	45	81
50-64	175	11.2	89	2	3	8	15	26	31	48
65+	121	17.3	220	5	6	14	21	33	57	99+
TOT. SINGLE DX	842	8.4	81	2	2	6	10	17	25	50
" MULTIPLE DX	705	12.4	156	2	3	9	15	28	42	97
TOTAL 0-19 YRS	491	10.3	126	2	3	6	12	22	34	58
20-34	286	9.0	117	2	2	5	10	21	30	52
35-49	247	7.9	89	1	2	5	9	17	28	53
50-64	335	10.1	78	2	3	8	12	21	29	50
65+	188	15.0	187	3	4	11	19	29	46	99+
GRAND TOTAL	**1547**	**10.2**	**119**	**2**	**2**	**7**	**12**	**23**	**32**	**65**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	121	4.6	6	2	2	4	6	7	8	15
20-34	214	5.2	7	2	3	5	6	8	10	17
35-49	252	5.4	11	2	2	5	7	9	11	15
50-64	341	5.3	7	2	3	5	7	9	10	13
65+	95	6.0	11	2	2	6	8	10	12	17
2. MULTIPLE DX										
0-19 YRS	120	4.8	6	2	3	4	5	7	9	15
20-34	186	5.6	17	2	3	5	7	9	10	15
35-49	256	6.9	80	2	3	5	7	10	16	62
50-64	545	6.1	13	2	3	6	7	9	11	19
65+	276	8.0	51	2	3	6	9	13	19	44
TOT. SINGLE DX	1023	5.3	8	2	2	5	6	9	10	15
" MULTIPLE DX	1383	6.5	34	2	3	5	7	10	13	30
TOTAL 0-19 YRS	241	4.7	6	2	2	4	5	7	9	14
20-34	400	5.4	12	2	3	5	6	8	10	15
35-49	508	6.2	47	2	3	5	7	9	12	42
50-64	886	5.8	11	2	3	5	7	9	11	16
65+	371	7.5	42	2	3	6	9	12	16	40
GRAND TOTAL	**2406**	**6.0**	**23**	**2**	**3**	**5**	**7**	**9**	**12**	**24**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	718	5.1	33	2	2	4	5	9	13	31
20-34	807	5.1	23	2	2	4	6	9	11	30
35-49	460	5.9	35	1	2	4	7	10	16	39
50-64	332	6.4	54	1	2	4	7	12	18	31
65+	138	9.6	133	1	2	7	12	18	31	83
2. MULTIPLE DX										
0-19 YRS	259	9.5	173	1	2	5	9	24	38	94
20-34	475	9.2	133	1	2	5	11	26	45	99+
35-49	335	10.8	215	2	2	6	12	30	51	99+
50-64	373	11.8	191	1	2	6	16	30	51	99+
65+	260	16.6	302	2	2	10	25	47	70	99+
TOT. SINGLE DX	2455	5.7	39	1	2	4	6	10	16	35
" MULTIPLE DX	1702	11.3	199	2	2	6	14	31	50	99+
TOTAL 0-19 YRS	977	6.3	74	2	2	4	6	11	22	53
20-34	1282	6.7	67	1	2	4	7	13	25	93
35-49	795	8.0	116	2	2	5	8	16	31	92
50-64	705	9.3	133	1	2	5	10	23	34	92
65+	398	14.2	254	2	2	9	19	41	57	99+
GRAND TOTAL	**4157**	**8.0**	**112**	**2**	**2**	**5**	**8**	**18**	**30**	**91**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	234	6.7	67	1	2	5	8	11	18	53
20-34	294	5.7	25	1	2	4	7	11	15	29
35-49	90	9.1	110	2	3	6	11	17	23	69
50-64	64	11.0	94	1	2	9	14	18	32	52
65+	85	18.6	242	4	6	15	22	36	47	90
2. MULTIPLE DX										
0-19 YRS	112	18.7	480	2	2	10	26	51	76	96
20-34	121	11.2	191	2	2	6	14	28	43	99+
35-49	61	11.5	109	2	3	9	14	21	37	96
50-64	64	13.6	135	2	3	10	18	33	42	94
65+	143	28.2	511	6	8	21	41	84	99	99+
TOT. SINGLE DX	767	8.3	93	1	2	5	10	17	23	52
" MULTIPLE DX	501	18.1	377	2	3	12	23	51	82	99+
TOTAL 0-19 YRS	346	10.6	231	1	2	5	10	26	48	91
20-34	415	7.3	79	1	2	4	8	15	23	58
35-49	151	10.1	110	2	3	7	13	18	25	86
50-64	128	12.3	115	2	3	10	15	28	40	67
65+	228	24.6	431	5	7	19	32	64	91	99+
GRAND TOTAL	**1268**	**12.1**	**228**	**2**	**2**	**7**	**15**	**29**	**47**	**99**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	364	3.6	25	<1	1	2	4	7	10	22
20-34	519	3.5	11	1	1	3	4	6	9	18
35-49	194	3.8	42	<1	<1	2	4	6	10	31
50-64	169	4.7	49	1	2	3	5	8	12	43
65+	124	6.5	57	1	1	4	8	14	22	42
2. MULTIPLE DX										
0-19 YRS	160	8.2	107	1	2	4	9	21	33	58
20-34	187	6.3	64	<1	2	4	7	14	20	50
35-49	96	9.3	131	1	2	5	11	27	38	83
50-64	127	9.8	172	1	2	5	12	22	35	72
65+	129	13.6	248	2	2	9	16	36	67	99+
TOT. SINGLE DX	1370	4.0	29	<1	1	3	4	7	11	25
" MULTIPLE DX	699	9.2	142	1	2	5	11	22	36	80
TOTAL 0-19 YRS	524	5.0	54	<1	1	3	4	10	18	44
20-34	706	4.3	26	1	1	3	5	8	13	28
35-49	290	5.6	78	<1	1	3	5	12	22	55
50-64	296	6.9	108	1	2	4	7	14	24	63
65+	253	10.2	166	1	2	6	12	25	38	99
GRAND TOTAL	**2069**	**5.7**	**73**	**1**	**1**	**3**	**6**	**12**	**21**	**57**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	33.3	448	3	4	33	47	58	73	83
20-34	8	32.5	969	5	5	17	58	79	87	87
35-49	9	18.6	173	8	9	11	23	41	46	46
50-64	39	20.4	225	6	8	16	28	41	65	99+
65+	96	25.5	276	3	8	23	35	57	96	[illegible]
2. MULTIPLE DX										
0-19 YRS	32	38.3	512	11	12	36	58	74	88	99+
20-34	22	26.3	504	2	5	22	54	80	99+	99+
35-49	17	23.5	310	8	8	18	31	66	38	99+
50-64	63	28.6	503	7	8	23	39	76	93	99+
65+	279	31.7	468	6	8	29	55	99+	99+	99+
TOT. SINGLE DX	191	26.0	338	4	7	22	36	56	82	99+
" MULTIPLE DX	413	31.1	477	7	8	28	52	92	99+	99+
TOTAL 0-19 YRS	71	35.6	476	4	8	34	50	70	82	98
20-34	30	28.0	607	2	5	22	56	81	98	99+
35-49	26	21.8	259	8	8	18	30	54	75	99+
50-64	102	25.5	409	7	8	20	36	69	91	99+
65+	375	30.1	426	6	8	28	50	99+	99+	99+
GRAND TOTAL	**604**	**29.5**	**438**	**6**	**8**	**26**	**46**	**85**	**99+**	**99+**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	67	17.1	180	4	6	13	20	44	52	92
20-34	58	16.0	68	5	7	15	21	26	30	46
35-49	39	13.6	132	3	4	11	17	24	29	67
50-64	95	16.8	133	6	7	14	20	26	42	96
65+	292	21.0	252	4	6	17	27	49	66	99+
2. MULTIPLE DX										
0-19 YRS	111	22.7	298	6	7	18	28	46	64	87
20-34	140	22.2	213	8	9	18	35	51	99+	99+
35-49	66	23.4	324	6	6	18	33	63	75	99+
50-64	165	26.9	391	7	8	22	38	70	99+	99+
65+	899	32.1	504	7	10	28	58	99+	99+	99+
TOT. SINGLE DX	551	18.8	200	5	6	15	23	40	57	99+
" MULTIPLE DX	1381	29.3	451	7	9	25	49	87	99+	99+
TOTAL 0-19 YRS	178	20.6	260	5	7	15	26	46	56	91
20-34	198	20.4	178	7	9	17	27	44	77	99+
35-49	105	19.8	274	4	5	15	25	52	68	99+
50-64	260	23.2	320	6	8	18	32	59	91	99+
65+	1191	29.3	465	6	8	25	50	90	99+	99+
GRAND TOTAL	1932	26.3	402	6	8	21	40	76	99+	99+

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	110	23.8	395	1	3	20	34	50	63	86
20-34	10	34.8	380	5	11	33	52	62	72	72
35-49	2	28.5	613	11	11	28	46	46	46	46
50-64	7	35.6	1341	1	1	15	64	90	96	96
65+	11	17.4	182	2	2	19	27	62	95	99+
2. MULTIPLE DX										
0-19 YRS	88	37.5	528	3	6	37	55	84	99	99+
20-34	32	27.8	540	6	7	20	49	63	90	99+
35-49	4	51.5	596	29	29	72	99+	99+	99+	99+
50-64	13	35.2	687	6	9	33	57	97	99	99+
65+	30	43.5	567	9	13	63	85	99+	99+	99+
TOT. SINGLE DX	140	24.8	428	1	3	20	36	52	69	96
" MULTIPLE DX	167	36.9	566	5	8	38	61	97	99+	99+
TOTAL 0-19 YRS	198	29.9	498	2	4	27	46	64	84	99+
20-34	42	29.5	501	5	7	22	50	61	85	99+
35-49	6	43.8	621	11	16	55	89	99+	99+	99+
50-64	20	35.3	857	2	4	28	58	96	98	99+
65+	41	36.5	594	4	9	44	69	99+	99+	99+
GRAND TOTAL	307	31.4	538	2	5	29	51	80	99+	99+

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	104	6.4	45	1	1	4	8	16	19	32
20-34	108	6.2	92	1	1	3	6	14	23	56
35-49	47	5.5	31	1	1	3	6	12	20	24
50-64	39	6.8	61	<1	1	4	9	16	25	38
65+	40	10.7	102	1	2	7	15	29	39	99+
2. MULTIPLE DX										
0-19 YRS	44	11.0	99	2	2	7	17	28	38	99+
20-34	74	10.8	239	1	2	5	10	27	34	91
35-49	32	8.2	71	1	2	6	8	18	24	43
50-64	38	20.8	411	2	3	13	32	47	68	76
65+	31	28.5	703	6	8	20	39	99	99+	99+
TOT. SINGLE DX	338	6.8	68	1	1	4	8	17	24	44
" MULTIPLE DX	219	14.7	324	2	2	8	19	39	70	99+
TOTAL 0-19 YRS	148	7.8	65	1	1	5	11	18	28	41
20-34	182	8.1	156	1	1	4	8	19	30	69
35-49	79	6.6	48	1	1	4	8	16	21	38
50-64	77	13.8	281	1	2	6	16	40	47	76
65+	71	18.5	437	1	3	14	23	70	99+	99+
GRAND TOTAL	557	9.9	184	1	1	5	12	24	38	99

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	770	4.4	20	1	2	3	5	8	10	25
20-34	940	4.9	16	1	2	4	6	9	11	21
35-49	442	5.9	37	2	2	4	7	10	15	38
50-64	339	6.6	39	2	2	5	8	12	17	25
65+	161	11.1	114	3	3	8	13	22	29	54
2. MULTIPLE DX										
0-19 YRS	372	9.0	120	1	2	6	11	19	29	75
20-34	676	9.1	139	1	2	5	10	20	38	99+
35-49	364	10.1	161	2	2	6	11	21	33	71
50-64	345	13.2	230	2	3	8	17	31	53	99+
65+	264	18.7	289	3	4	14	25	42	64	99+
TOT. SINGLE DX	2652	5.5	32	1	2	4	6	10	14	29
" MULTIPLE DX	2021	11.2	185	2	2	7	13	26	43	99+
TOTAL 0-19 YRS	1142	5.9	57	1	2	4	6	11	18	42
20-34	1616	6.7	72	1	2	5	7	12	20	68
35-49	806	7.8	97	2	2	5	8	15	22	64
50-64	684	9.9	146	2	3	6	11	21	32	89
65+	425	15.8	236	3	4	11	21	36	50	98
GRAND TOTAL	4673	8.0	106	1	2	5	8	17	26	75

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3270	2.3	10	1	1	1	2	4	7	16
20-34	864	3.7	18	1	1	2	4	8	11	19
35-49	473	3.9	27	1	1	2	4	9	13	29
50-64	563	3.7	19	1	1	2	4	8	12	24
65+	485	5.2	62	1	1	2	5	14	23	39
2. MULTIPLE DX										
0-19 YRS	761	5.7	70	1	1	3	6	13	21	50
20-34	531	9.0	141	1	1	5	11	20	31	66
35-49	295	8.1	116	1	1	4	10	20	37	99+
50-64	356	9.0	162	1	1	5	11	24	41	99+
65+	452	13.3	320	1	1	6	18	47	69	99+
TOT. SINGLE DX	5655	3.1	19	1	1	2	3	6	10	22
" MULTIPLE DX	2395	8.7	159	1	1	4	10	22	40	99+
TOTAL 0-19 YRS	4031	3.0	23	1	1	2	3	6	9	23
20-34	1395	5.7	71	1	1	3	6	13	19	49
35-49	768	5.5	65	1	1	3	6	13	20	55
50-64	919	5.7	81	1	1	3	6	13	22	72
65+	937	9.1	202	1	1	3	10	28	47	99+
GRAND TOTAL	**8050**	**4.7**	**67**	**1**	**1**	**2**	**5**	**11**	**18**	**53**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	262	3.9	44	<1	<1	1	4	11	15	25
20-34	216	2.8	20	<1	<1	1	2	6	10	21
35-49	89	3.5	32	<1	<1	1	4	8	12	34
50-64	98	2.7	12	<1	<1	1	3	6	10	21
65+	74	6.5	118	1	1	2	5	21	30	53
2. MULTIPLE DX										
0-19 YRS	116	9.9	154	1	1	5	14	28	42	77
20-34	127	8.9	201	<1	1	3	10	25	41	76
35-49	94	7.4	84	1	1	3	9	23	26	39
50-64	89	9.5	207	1	1	4	11	34	46	99+
65+	108	11.9	260	1	1	6	14	34	55	89
TOT. SINGLE DX	739	3.6	40	<1	<1	1	3	9	15	31
" MULTIPLE DX	534	9.6	184	1	1	4	11	27	42	85
TOTAL 0-19 YRS	378	5.8	85	<1	1	2	7	16	23	51
20-34	343	5.1	96	<1	<1	2	4	12	21	52
35-49	183	5.5	62	<1	1	2	7	17	25	38
50-64	187	5.9	116	<1	1	2	5	16	34	96
65+	182	9.7	209	1	1	4	12	27	48	79
GRAND TOTAL	**1273**	**6.1**	**109**	**<1**	**1**	**2**	**6**	**17**	**26**	**55**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	141	4.7	49	1	1	3	4	8	14	49
20-34	299	3.4	12	1	1	3	4	6	7	21
35-49	80	3.7	7	1	1	3	4	8	9	13
50-64	26	7.5	112	1	2	3	7	16	38	43
65+	14	10.1	418	1	1	4	7	21	67	80
2. MULTIPLE DX										
0-19 YRS	40	10.5	94	2	3	8	13	26	40	99+
20-34	94	5.7	75	2	2	4	6	9	14	58
35-49	40	8.2	116	1	2	4	9	16	24	64
50-64	23	12.4	175	3	3	7	17	33	48	51
65+	21	28.0	546	3	5	26	36	59	87	90
TOT. SINGLE DX	560	4.1	36	1	1	3	4	7	9	42
" MULTIPLE DX	218	9.9	179	2	2	5	11	26	37	87
TOTAL 0-19 YRS	181	6.0	65	1	2	3	5	14	22	57
20-34	393	3.9	28	1	2	3	4	6	8	32
35-49	120	5.2	47	1	2	3	6	10	14	39
50-64	49	9.8	145	2	2	5	12	26	43	51
65+	35	20.8	559	1	2	13	32	41	84	90
GRAND TOTAL	**778**	**5.7**	**83**	**1**	**2**	**3**	**5**	**11**	**18**	**58**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	308	4.9	29	1	2	4	5	8	12	32
20-34	405	4.3	9	1	2	4	5	8	10	16
35-49	157	4.3	12	1	1	4	5	7	11	21
50-64	116	6.1	51	2	2	4	7	11	19	43
65+	31	13.3	350	1	2	6	20	56	99	99+
2. MULTIPLE DX										
0-19 YRS	135	8.4	73	2	2	5	11	22	29	38
20-34	221	5.7	30	2	2	4	6	10	16	31
35-49	95	7.5	82	1	2	4	8	16	26	83
50-64	106	12.1	182	2	3	7	14	32	47	99+
65+	75	20.5	420	3	4	14	35	72	99+	99+
TOT. SINGLE DX	1017	5.0	33	1	2	4	5	9	13	32
" MULTIPLE DX	632	9.4	139	2	2	5	10	24	38	99+
TOTAL 0-19 YRS	443	6.0	45	1	2	4	6	12	22	35
20-34	626	4.8	17	1	2	4	6	9	11	23
35-49	252	5.5	41	1	2	4	6	12	16	42
50-64	222	9.0	122	2	2	5	10	24	34	99+
65+	106	18.4	407	2	3	13	29	72	99+	99+
GRAND TOTAL	**1649**	**6.7**	**78**	**1**	**2**	**4**	**7**	**14**	**24**	**71**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43	12.6	52	5	6	10	15	21	30	35
20-34	745	12.0	52	5	6	10	14	20	26	34
35-49	1118	12.3	45	5	6	11	15	20	25	36
50-64	534	13.4	48	6	7	12	16	22	27	39
65+	63	14.4	52	6	7	12	19	22	30	41
2. MULTIPLE DX										
0-19 YRS	18	21.7	283	8	9	14	28	53	62	63
20-34	249	15.7	86	6	7	13	19	28	37	54
35-49	560	15.9	76	6	7	13	21	29	33	49
50-64	499	17.3	116	6	8	14	20	31	38	57
65+	147	22.8	209	8	10	19	30	41	49	99+
TOT. SINGLE DX	2503	12.5	48	5	6	11	15	21	26	37
" MULTIPLE DX	1473	17.1	111	6	8	14	21	31	38	60
TOTAL 0-19 YRS	61	15.3	134	6	7	11	19	29	36	63
20-34	994	13.0	63	5	6	11	16	23	28	45
35-49	1678	13.5	58	5	7	11	16	23	30	40
50-64	1033	15.3	84	6	7	13	18	26	34	51
65+	210	20.3	176	7	9	17	25	38	46	99
GRAND TOTAL	**3976**	**14.2**	**76**	**6**	**7**	**12**	**17**	**25**	**31**	**49**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	684	4.4	4	2	2	4	5	7	8	11
20-34	1808	4.4	5	2	2	4	5	7	8	12
35-49	990	4.7	8	2	2	4	5	7	9	14
50-64	456	5.1	6	2	3	5	6	8	10	14
65+	66	7.5	153	2	2	5	7	12	13	89
2. MULTIPLE DX										
0-19 YRS	195	5.1	8	2	3	4	6	8	10	15
20-34	678	5.2	11	2	3	4	6	8	11	18
35-49	459	5.4	13	2	2	5	6	9	12	19
50-64	380	6.2	21	2	3	5	7	11	15	25
65+	67	9.3	123	2	4	7	9	17	21	78
TOT. SINGLE DX	4004	4.6	8	2	2	4	5	7	9	13
" MULTIPLE DX	1779	5.6	18	2	3	5	6	9	12	23
TOTAL 0-19 YRS	879	4.5	5	2	2	4	5	7	9	12
20-34	2486	4.6	6	2	2	4	5	7	9	14
35-49	1449	4.9	10	2	2	4	6	8	10	16
50-64	836	5.6	13	2	3	5	6	9	12	23
65+	133	8.4	138	2	3	6	8	14	20	90
GRAND TOTAL	**5783**	**4.9**	**11**	**2**	**2**	**4**	**6**	**8**	**10**	**16**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	240	3.8	22	1	1	3	4	6	9	26
20-34	375	3.4	14	<1	1	2	4	6	9	19
35-49	203	3.8	12	1	1	3	4	7	11	19
50-64	122	5.8	61	1	2	3	5	12	17	46
65+	46	8.8	103	<1	1	5	10	20	27	58
2. MULTIPLE DX										
0-19 YRS	86	5.3	93	1	1	4	5	6	18	63
20-34	185	5.2	55	<1	1	3	5	9	16	46
35-49	135	7.9	104	<1	1	4	8	20	31	41
50-64	177	8.9	122	<1	2	5	11	24	32	70
65+	75	16.5	313	1	2	11	20	51	70	99+
TOT. SINGLE DX	986	4.2	27	<1	1	3	4	8	12	26
" MULTIPLE DX	658	8.1	128	<1	1	4	8	20	32	71
TOTAL 0-19 YRS	326	4.2	41	1	1	3	4	6	10	29
20-34	560	4.0	28	<1	1	3	4	7	10	33
35-49	338	5.5	52	<1	1	3	6	13	19	34
50-64	299	7.7	99	1	2	4	9	18	25	68
65+	121	13.6	246	1	2	9	17	40	60	99+
GRAND TOTAL	**1644**	**5.7**	**71**	**<1**	**1**	**3**	**6**	**12**	**20**	**50**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	105	19.7	130	8	9	17	23	34	43	68
20-34	130	15.1	74	7	9	13	16	23	30	54
35-49	147	15.0	91	6	7	13	18	25	30	47
50-64	73	13.9	60	5	6	12	17	23	27	44
65+	6	14.0	17	9	9	13	18	20	20	20
2. MULTIPLE DX										
0-19 YRS	67	26.8	269	10	11	24	38	64	99	99+
20-34	85	21.8	252	9	10	17	32	70	99+	99+
35-49	112	20.4	268	9	10	14	24	53	69	99+
50-64	75	19.7	273	8	9	15	21	35	69	99+
65+	16	31.0	630	6	11	24	48	92	99	99+
TOT. SINGLE DX	461	15.9	93	7	8	13	19	26	33	50
" MULTIPLE DX	355	22.3	288	9	10	16	28	54	90	99+
TOTAL 0-19 YRS	172	22.5	195	9	10	19	29	43	63	99+
20-34	215	17.7	154	8	9	14	21	35	58	99+
35-49	259	17.4	174	7	8	14	19	30	49	93
50-64	148	16.9	175	6	8	14	19	27	42	98
65+	22	26.4	514	7	10	18	30	75	99	99+
GRAND TOTAL	**816**	**18.7**	**187**	**7**	**9**	**14**	**21**	**36**	**54**	**99+**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	5.4	11	2	2	4	7	11	12	15
20-34	178	5.5	21	2	2	5	6	9	12	28
35-49	119	6.4	41	2	2	5	7	13	17	40
50-64	168	7.0	60	2	2	5	8	13	22	47
65+	94	6.3	25	1	2	5	9	17	18	64
2. MULTIPLE DX										
0-19 YRS	72	7.4	32	2	2	6	10	13	21	28
20-34	115	8.0	67	2	2	6	10	16	22	78
35-49	100	9.0	81	2	2	6	11	16	34	75
50-64	142	8.9	79	2	2	6	11	23	33	99+
65+	91	9.4	99	1	1	6	13	21	36	46
TOT. SINGLE DX	631	6.2	35	2	2	5	7	12	16	38
" MULTIPLE DX	520	8.6	74	2	2	6	10	18	29	55
TOTAL 0-19 YRS	144	6.4	22	2	2	5	8	12	14	26
20-34	293	6.5	41	2	2	5	8	11	16	46
35-49	219	7.6	61	2	2	5	9	15	22	50
50-64	310	7.9	69	2	2	5	9	17	25	51
65+	185	7.8	64	1	2	5	10	18	22	46
GRAND TOTAL	**1151**	**7.3**	**54**	**2**	**2**	**5**	**8**	**15**	**22**	**48**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	11.5	1	11	11	11	12	12	12	12
20-34	25	20.6	118	8	9	17	26	36	47	50
35-49	55	18.5	85	8	10	17	21	27	31	66
50-64	228	17.8	53	10	11	16	20	26	32	53
65+	358	20.1	84	10	11	18	23	32	38	68
2. MULTIPLE DX										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	23	22.0	159	8	10	19	27	32	48	68
35-49	71	24.3	257	11	12	18	29	46	69	98
50-64	309	23.7	205	10	12	19	29	41	58	87
65+	625	25.9	210	12	13	21	33	50	63	99+
TOT. SINGLE DX	668	19.2	76	10	11	17	22	30	37	63
" MULTIPLE DX	1029	25.0	211	11	13	20	31	47	63	99+
TOTAL 0-19 YRS	3	13.3	10	11	11	12	16	17	17	17
20-34	48	21.3	135	8	9	18	26	34	46	68
35-49	126	21.8	189	10	11	18	25	36	54	94
50-64	537	21.2	149	10	11	17	24	35	48	78
65+	983	23.8	172	11	13	20	29	44	58	99+
GRAND TOTAL	**1697**	**22.7**	**166**	**10**	**12**	**19**	**26**	**40**	**54**	**99+**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	10.3	65	1	1	8	18	21	21	21
20-34	11	12.5	34	5	5	12	17	20	23	23
35-49	20	18.7	192	5	6	16	22	28	49	69
50-64	91	17.2	69	6	9	16	20	27	35	48
65+	270	22.4	257	5	8	18	28	42	68	99+
2. MULTIPLE DX										
0-19 YRS	7	19.9	393	3	4	14	22	54	62	62
20-34	20	23.5	224	8	12	17	26	48	62	64
35-49	23	21.7	147	9	13	19	25	49	74	99+
50-64	141	24.1	222	6	9	21	30	45	59	83
65+	754	29.4	388	9	12	26	44	96	99+	99+
TOT. SINGLE DX	400	20.5	209	5	7	17	25	39	54	98
" MULTIPLE DX	945	26.2	358	8	11	24	41	86	99+	99+
TOTAL 0-19 YRS	15	14.7	226	1	2	12	20	23	52	62
20-34	31	19.6	181	5	7	16	24	32	59	64
35-49	43	20.3	166	5	9	18	25	31	65	99+
50-64	232	21.4	173	6	9	18	26	39	47	77
65+	1024	27.5	362	8	11	23	40	83	99+	99+
GRAND TOTAL	**1345**	**25.9**	**326**	**7**	**10**	**21**	**36**	**72**	**99+**	**99+**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	339	5.3	8	2	3	5	7	8	10	16
20-34	398	5.3	8	2	3	5	6	8	10	13
35-49	94	7.2	40	2	2	5	7	14	22	33
50-64	86	16.7	209	4	4	14	20	38	46	79
65+	101	19.8	108	7	8	18	23	30	39	58
2. MULTIPLE DX										
0-19 YRS	167	6.5	15	3	4	6	7	10	12	25
20-34	277	6.6	31	2	3	5	7	10	13	34
35-49	94	10.3	117	3	3	7	11	23	41	82
50-64	128	20.3	263	5	5	16	26	42	71	99+
65+	148	26.9	306	7	9	24	36	61	96	99+
TOT. SINGLE DX	1018	7.9	63	2	3	5	8	17	23	42
" MULTIPLE DX	814	12.8	190	3	4	7	17	33	45	99+
TOTAL 0-19 YRS	506	5.7	11	2	3	5	7	9	10	18
20-34	675	5.8	18	2	3	5	7	9	11	25
35-49	188	8.8	80	2	3	6	9	19	31	55
50-64	214	18.8	243	4	5	15	24	40	56	99+
65+	249	24.0	237	7	9	21	31	49	66	99+
GRAND TOTAL	**1832**	**10.1**	**125**	**3**	**3**	**6**	**11**	**23**	**34**	**73**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	402	3.9	5	1	2	4	5	6	7	10
20-34	761	4.0	4	2	2	4	5	6	7	10
35-49	221	4.6	13	2	2	4	5	7	10	19
50-64	192	6.2	36	2	2	4	7	12	21	32
65+	71	8.5	45	2	2	6	11	18	22	33
2. MULTIPLE DX										
0-19 YRS	108	5.6	94	1	2	4	5	8	11	67
20-34	186	6.1	27	1	2	5	7	13	18	32
35-49	142	5.9	28	2	2	5	7	10	14	32
50-64	191	8.1	70	2	3	6	9	15	22	51
65+	107	11.2	179	2	3	7	14	24	36	94
TOT. SINGLE DX	1647	4.5	12	2	2	4	5	7	9	21
" MULTIPLE DX	734	7.2	73	2	2	5	8	14	21	53
TOTAL 0-19 YRS	510	4.3	24	1	2	4	5	6	8	13
20-34	947	4.4	9	2	2	4	5	7	9	21
35-49	363	5.1	19	2	2	4	6	9	12	29
50-64	383	7.1	54	2	2	5	8	14	21	41
65+	178	10.1	127	2	3	7	13	20	28	85
GRAND TOTAL	**2381**	**5.4**	**32**	**2**	**2**	**4**	**6**	**9**	**14**	**30**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	247	6.3	78	<1	1	4	7	13	20	51
20-34	184	4.6	16	<1	1	4	6	9	11	20
35-49	120	4.4	36	<1	1	3	5	8	17	63
50-64	146	3.9	16	<1	<1	2	5	9	10	20
65+	44	4.3	19	<1	<1	3	5	9	15	21
2. MULTIPLE DX										
0-19 YRS	137	9.8	127	1	2	6	12	25	46	99+
20-34	93	6.9	48	1	2	5	8	15	20	36
35-49	66	7.9	164	1	1	4	7	17	33	78
50-64	83	7.4	85	<1	1	4	9	17	26	50
65+	55	11.9	222	1	2	7	16	29	41	75
TOT. SINGLE DX	741	5.0	41	<1	1	3	6	10	15	34
" MULTIPLE DX	434	8.7	122	1	2	5	10	21	35	77
TOTAL 0-19 YRS	384	7.6	98	<1	1	4	9	18	28	97
20-34	277	5.4	28	1	1	4	7	11	14	31
35-49	186	5.7	84	<1	1	3	5	11	21	71
50-64	229	5.1	44	<1	<1	3	6	11	17	38
65+	99	8.6	145	<1	1	4	9	22	30	69
GRAND TOTAL	**1175**	**6.4**	**74**	**<1**	**1**	**4**	**7**	**14**	**21**	**50**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	377	2.7	12	<1	<1	2	3	5	8	17
20-34	466	2.5	11	<1	<1	2	3	4	7	20
35-49	252	3.4	46	<1	<1	2	3	7	11	23
50-64	229	4.5	38	<1	<1	2	5	9	16	34
65+	74	5.2	39	<1	1	3	6	11	18	35
2. MULTIPLE DX										
0-19 YRS	74	6.8	102	<1	1	4	7	13	27	54
20-34	132	5.1	62	<1	<1	2	5	12	28	40
35-49	122	6.4	97	<1	<1	3	7	15	26	75
50-64	163	9.1	124	<1	1	4	12	24	33	67
65+	90	13.7	281	1	2	8	20	44	61	99+
TOT. SINGLE DX	1398	3.2	24	<1	<1	2	3	6	11	23
" MULTIPLE DX	581	8.0	133	<1	<1	3	9	23	36	84
TOTAL 0-19 YRS	451	3.4	29	<1	<1	2	3	6	11	28
20-34	598	3.1	23	<1	<1	2	3	5	11	29
35-49	374	4.4	64	<1	<1	2	4	10	14	56
50-64	392	6.4	79	<1	<1	3	7	16	24	49
65+	164	9.9	189	1	2	4	12	30	49	99+
GRAND TOTAL	**1979**	**4.6**	**61**	**<1**	**<1**	**2**	**4**	**11**	**18**	**44**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	3.7	21	<1	1	2	3	13	16	18
20-34	28	3.4	16	<1	<1	2	3	6	14	19
35-49	109	2.8	3	<1	1	2	3	5	6	10
50-64	284	2.7	2	1	1	2	3	4	5	9
65+	187	3.4	9	1	1	2	4	6	9	16
2. MULTIPLE DX										
0-19 YRS	5	5.6	58	<1	<1	3	8	19	19	19
20-34	23	8.0	217	1	1	3	7	21	39	70
35-49	40	6.3	52	1	2	3	8	15	25	31
50-64	152	4.6	29	<1	1	3	5	9	13	32
65+	105	5.6	56	2	2	3	5	9	17	48
TOT. SINGLE DX	633	3.0	6	1	1	2	3	5	7	14
" MULTIPLE DX	325	5.4	54	1	2	3	5	11	18	41
TOTAL 0-19 YRS	30	4.0	26	<1	<1	2	3	14	18	19
20-34	51	5.5	109	<1	1	2	4	13	20	69
35-49	149	3.7	18	1	1	2	4	6	11	26
50-64	436	3.3	12	1	1	2	3	6	8	19
65+	292	4.2	27	1	2	3	4	8	11	29
GRAND TOTAL	**958**	**3.8**	**23**	**1**	**1**	**2**	**4**	**6**	**11**	**25**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	282	2.6	5	1	1	2	3	4	6	13
20-34	370	2.3	4	<1	1	2	3	4	6	10
35-49	156	2.9	11	<1	1	2	3	6	9	14
50-64	82	3.2	15	<1	1	2	3	7	11	23
65+	19	2.5	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	176	3.6	26	1	1	2	4	7	10	34
20-34	268	4.2	72	1	1	2	4	7	10	63
35-49	118	4.2	53	1	1	2	4	9	14	43
50-64	86	5.2	76	<1	1	3	6	10	13	58
65+	39	6.2	44	<1	1	3	9	14	22	29
TOT. SINGLE DX	909	2.6	7	<1	1	2	3	5	6	13
" MULTIPLE DX	687	4.3	56	1	1	2	4	8	13	42
TOTAL 0-19 YRS	458	2.9	14	1	1	2	3	5	7	23
20-34	638	3.1	33	<1	1	2	3	5	7	30
35-49	274	3.4	29	1	1	2	3	7	11	28
50-64	168	4.2	47	<1	1	2	4	9	12	45
65+	58	5.0	33	1	1	3	5	13	17	29
GRAND TOTAL	**1596**	**3.3**	**28**	**1**	**1**	**2**	**3**	**6**	**9**	**27**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	156	3.5	9	1	1	2	4	8	10	15
20-34	270	3.4	13	<1	1	3	4	6	7	26
35-49	197	4.0	19	<1	1	3	5	8	10	22
50-64	161	5.0	26	1	2	4	5	8	13	32
65+	71	4.4	11	<1	1	3	5	9	12	16
2. MULTIPLE DX										
0-19 YRS	88	5.8	47	1	1	4	7	11	20	40
20-34	144	5.4	51	1	1	3	6	10	15	45
35-49	98	6.0	75	1	1	3	6	14	20	52
50-64	122	6.6	55	1	2	4	7	12	23	44
65+	60	10.7	134	2	2	6	12	30	37	95
TOT. SINGLE DX	855	4.0	16	<1	1	3	5	7	10	27
" MULTIPLE DX	512	6.5	68	1	1	4	7	13	25	47
TOTAL 0-19 YRS	244	4.3	24	1	1	3	5	9	12	23
20-34	414	4.1	27	<1	1	3	5	7	10	30
35-49	295	4.7	38	1	1	3	5	9	13	34
50-64	283	5.7	39	1	2	4	6	10	16	34
65+	131	7.2	77	1	2	4	8	17	29	66
GRAND TOTAL	**1367**	**4.9**	**37**	**1**	**1**	**3**	**5**	**9**	**14**	**34**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	407	4.8	26	1	2	4	5	8	10	18
20-34	262	5.0	36	1	2	4	6	8	10	31
35-49	109	4.5	10	2	2	4	5	9	13	15
50-64	64	4.4	4	2	2	4	5	7	8	13
65+	25	9.1	87	2	3	7	10	15	31	46
2. MULTIPLE DX										
0-19 YRS	215	5.3	27	2	2	4	6	10	14	25
20-34	128	6.0	37	1	2	4	7	11	14	37
35-49	73	9.6	168	1	2	4	10	24	34	70
50-64	49	7.7	83	1	1	5	8	23	33	99+
65+	27	13.9	507	1	2	5	11	46	77	92
TOT. SINGLE DX	867	4.9	28	1	2	4	6	8	10	24
" MULTIPLE DX	492	6.8	86	1	2	4	7	12	23	60
TOTAL 0-19 YRS	622	4.9	27	1	2	4	5	8	11	24
20-34	390	5.3	37	1	2	4	6	9	12	33
35-49	182	6.5	79	1	2	4	7	13	20	57
50-64	113	5.8	41	1	2	4	6	10	17	65
65+	52	11.6	306	1	2	6	10	26	50	92
GRAND TOTAL	**1359**	**5.6**	**50**	**1**	**2**	**4**	**6**	**10**	**14**	**38**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	82	3.6	18	1	1	2	4	7	12	22
20-34	117	3.1	19	1	1	2	4	6	7	29
35-49	66	3.1	10	1	1	2	3	6	9	17
50-64	64	6.0	100	<1	1	2	3	17	26	55
65+	24	3.4	10	1	1	3	4	8	10	14
2. MULTIPLE DX										
0-19 YRS	54	8.4	139	1	1	4	10	20	31	99
20-34	90	6.2	130	1	1	3	5	13	25	70
35-49	55	5.9	49	1	1	4	6	12	19	39
50-64	57	6.6	63	1	1	3	9	16	23	41
65+	51	11.8	265	1	1	6	12	33	40	90
TOT. SINGLE DX	353	3.8	32	1	1	2	4	7	14	29
" MULTIPLE DX	307	7.6	129	1	1	4	7	19	31	79
TOTAL 0-19 YRS	136	5.5	71	1	1	3	6	13	21	79
20-34	207	4.5	69	1	1	2	4	7	17	43
35-49	121	4.4	29	1	1	3	5	10	14	33
50-64	121	6.3	82	1	1	3	7	17	24	46
65+	75	9.1	197	1	1	4	9	26	38	80
GRAND TOTAL	**660**	**5.5**	**81**	**1**	**1**	**3**	**5**	**12**	**22**	**48**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	12.3	275	1	1	4	22	40	42	42
20-34	13	7.5	35	1	1	6	11	13	20	22
35-49	2	11.5	25	8	8	11	15	15	15	15
50-64	6	7.2	33	1	1	6	7	17	18	18
65+	4	14.3	96	2	2	14	20	26	26	26
2. MULTIPLE DX										
0-19 YRS	2	2.0	2	<1	<1	3	76	99+	99+	99+
20-34	13	16.7	342	1	2	12	22	46	61	64
35-49	5	15.0	118	1	1	20	23	26	26	26
50-64	5	22.4	386	2	3	39	87	99+	99+	99+
65+	6	29.7	901	11	11	17	27	84	90	90
TOT. SINGLE DX	31	9.5	83	1	1	7	13	22	26	42
" MULTIPLE DX	31	18.9	403	1	2	16	28	91	99+	99+
TOTAL 0-19 YRS	8	9.8	220	<1	<1	3	27	77	99+	99+
20-34	26	12.1	203	1	1	8	12	27	46	64
35-49	7	14.0	86	1	2	15	21	25	26	26
50-64	11	14.1	234	1	2	8	41	99+	99+	99+
65+	10	23.5	596	2	6	16	26	58	90	90
GRAND TOTAL	**62**	**14.2**	**262**	**1**	**1**	**11**	**21**	**42**	**92**	**99+**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	4.7	29	1	1	3	5	13	15	26
20-34	23	11.9	167	1	1	6	18	34	38	45
35-49	25	6.2	33	<1	<1	5	7	19	19	20
50-64	36	7.5	211	1	2	3	6	13	28	85
65+	34	7.7	30	1	2	6	11	17	20	22
2. MULTIPLE DX										
0-19 YRS	18	14.6	95	2	4	12	21	28	34	38
20-34	35	13.6	242	2	3	8	20	26	50	74
35-49	44	20.8	501	1	2	13	32	62	98	99+
50-64	79	22.8	424	1	2	17	39	64	93	99+
65+	131	24.9	517	3	3	19	46	95	99+	99+
TOT. SINGLE DX	147	7.5	99	1	2	4	9	19	23	46
" MULTIPLE DX	307	21.9	445	2	3	17	37	67	99+	99+
TOTAL 0-19 YRS	47	8.5	77	1	2	5	13	21	27	38
20-34	58	12.9	209	1	2	7	19	33	45	72
35-49	69	15.5	378	<1	1	7	24	53	78	99+
50-64	115	18.0	405	1	2	11	31	48	83	99+
65+	165	21.3	465	2	3	15	37	74	99+	99+
GRAND TOTAL	**454**	**17.2**	**378**	**1**	**2**	**10**	**27**	**52**	**89**	**99+**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	12.5	57	4	4	12	18	22	22	22
20-34	3	15.3	33	12	12	12	20	22	22	22
35-49	1	38.0		38	38	38	38	38	38	38
50-64	4	38.3	198	29	29	32	47	59	59	59
65+	6	35.5	512	8	9	34	52	66	68	68
2. MULTIPLE DX										
0-19 YRS	4	38.8	376	14	14	43	71	99+	99+	99+
20-34	9	23.0	154	6	7	27	39	99+	99+	99+
35-49	19	34.7	383	12	15	37	74	99+	99+	99+
50-64	47	44.7	635	13	15	56	91	99+	99+	99+
65+	162	44.1	516	15	18	48	85	99+	99+	99+
TOT. SINGLE DX	18	27.8	335	6	9	24	38	57	64	68
" MULTIPLE DX	241	42.6	528	13	17	48	86	99+	99+	99+
TOTAL 0-19 YRS	8	25.6	383	4	6	22	47	84	99+	99+
20-34	12	21.1	130	6	7	23	35	99+	99+	99+
35-49	20	34.9	363	12	15	37	68	99+	99+	99+
50-64	51	44.2	599	13	15	55	89	99+	99+	99+
65+	168	43.8	515	14	18	48	83	99+	99+	99+
GRAND TOTAL	**259**	**41.6**	**528**	**12**	**16**	**47**	**83**	**99+**	**99+**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	23.5	181	14	14	23	33	33	33	33
20-34	1	19.0		19	19	19	19	19	19	19
35-49	3	11.3	42	5	5	11	16	18	18	18
50-64	5	29.4	263	12	12	27	41	53	53	53
65+	12	21.2	181	3	4	20	32	41	44	44
2. MULTIPLE DX										
0-19 YRS	6	30.2	271	10	10	37	49	91	99+	99+
20-34	1	69.0		69	69	84	99+	99+	99+	99+
35-49	8	27.6	285	13	13	27	54	99+	99+	99+
50-64	44	37.0	437	13	17	42	74	99+	99+	99+
65+	180	34.5	524	8	12	33	67	99+	99+	99+
TOT. SINGLE DX	23	21.8	179	4	5	19	32	41	47	53
" MULTIPLE DX	239	34.8	496	9	13	35	68	99+	99+	99+
TOTAL 0-19 YRS	8	28.5	229	10	11	33	41	81	99+	99+
20-34	2	44.0	1250	19	19	69	92	99+	99+	99+
35-49	11	23.2	266	6	10	21	52	99+	99+	99+
50-64	49	36.2	419	12	17	39	65	99+	99+	99+
65+	192	33.6	512	7	11	32	64	99+	99+	99+
GRAND TOTAL	**262**	**33.6**	**481**	**8**	**12**	**33**	**63**	**99+**	**99+**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	18.4	281	4	4	14	27	46	46	46
20-34	2	27.0	512	11	11	27	43	43	43	43
35-49	6	16.5	32	9	9	15	19	25	26	26
50-64	2	14.5	181	5	5	14	24	24	24	24
65+										
2. MULTIPLE DX										
0-19 YRS	1	8.0		8	8	54	99+	99+	99+	99+
20-34	4	39.8	638	9	9	41	59	67	67	67
35-49	10	38.6	399	10	16	35	45	69	82	82
50-64	21	45.9	669	4	12	47	76	90	99+	99+
65+	29	41.9	386	12	19	51	97	99+	99+	99+
TOT. SINGLE DX	15	18.3	156	4	5	15	23	43	45	46
" MULTIPLE DX	65	42.0	489	8	14	47	67	99+	99+	99+
TOTAL 0-19 YRS	6	16.7	243	4	5	14	40	89	99+	99+
20-34	6	35.5	529	9	9	37	52	65	67	67
35-49	16	30.3	372	9	10	27	39	56	74	82
50-64	23	43.1	698	4	5	44	70	88	99+	99+
65+	29	41.9	386	12	19	51	97	99+	99+	99+
GRAND TOTAL	**80**	**37.6**	**511**	**6**	**10**	**40**	**65**	**99+**	**99+**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	5.8	22	<1	<1	5	10	13	14	14
20-34	9	6.3	16	1	1	6	9	11	13	13
35-49	5	8.0	33	1	1	7	10	17	17	17
50-64	3	8.3	20	4	4	8	12	13	13	13
65+										
2. MULTIPLE DX										
0-19 YRS	7	6.4	18	2	2	7	9	13	14	14
20-34	7	12.7	101	4	5	8	18	30	32	32
35-49	7	23.1	347	4	4	23	36	50	53	53
50-64	1	3.0		3	3	3	3	3	3	3
65+										
TOT. SINGLE DX	29	6.6	20	1	1	7	9	13	14	17
" MULTIPLE DX	22	13.6	186	2	3	8	21	34	43	53
TOTAL 0-19 YRS	19	6.1	20	<1	1	6	10	13	14	14
20-34	16	9.1	59	1	1	8	9	20	29	32
35-49	12	16.8	262	1	3	8	27	42	51	53
50-64	4	7.0	21	3	3	6	10	13	13	13
65+										
GRAND TOTAL	**51**	**9.6**	**102**	**1**	**1**	**7**	**10**	**22**	**32**	**53**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	3.2	7	1	1	2	4	7	9	11
20-34	39	4.0	48	<1	<1	2	3	7	17	39
35-49	26	2.9	5	<1	1	2	4	7	7	8
50-64	23	7.5	67	1	1	4	10	20	26	27
65+	9	9.2	62	1	2	6	16	22	24	24
2. MULTIPLE DX										
0-19 YRS	14	6.9	54	1	1	4	10	19	24	26
20-34	26	5.8	66	<1	<1	3	6	13	31	32
35-49	19	11.9	225	2	2	8	13	35	52	57
50-64	27	11.4	115	1	1	9	17	29	50	99+
65+	22	28.5	588	2	3	25	48	83	99+	99+
TOT. SINGLE DX	117	4.7	39	1	1	2	6	10	19	31
" MULTIPLE DX	108	13.0	271	1	1	8	18	41	70	99+
TOTAL 0-19 YRS	34	4.7	29	1	1	3	6	10	17	26
20-34	65	4.7	55	<1	<1	2	5	8	26	38
35-49	45	6.7	115	1	1	3	7	14	25	57
50-64	50	9.6	95	1	1	7	14	26	31	99
65+	31	22.9	508	2	3	18	36	81	97	99+
GRAND TOTAL	**225**	**8.7**	**167**	**1**	**1**	**4**	**10**	**26**	**40**	**99+**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	18.0		18	18	18	18	18	18	18
65+	2	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64	1	23.0		23	23	23	23	23	23	23
65+	1	27.0		27	27	27	27	27	27	27
TOT. SINGLE DX	5	10.0	33	3	3	8	14	18	18	18
" MULTIPLE DX	2	25.0	8	23	23	25	27	27	27	27
TOTAL 0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	20.5	13	18	18	20	23	23	23	23
65+	3	14.3	120	8	8	8	22	27	27	27
GRAND TOTAL	**7**	**14.3**	**77**	**3**	**4**	**13**	**22**	**26**	**27**	**27**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	173	2.3	2	<1	<1	2	3	4	5	9
20-34	944	2.2	3	<1	<1	2	3	3	4	8
35-49	1491	2.6	4	<1	1	2	3	4	5	12
50-64	660	3.3	8	<1	1	2	4	6	8	15
65+	272	3.9	10	1	2	3	4	8	11	17
2. MULTIPLE DX										
0-19 YRS	34	5.2	123	<1	<1	2	3	8	26	61
20-34	360	3.4	16	<1	<1	2	4	7	10	23
35-49	722	3.9	33	<1	1	3	4	7	11	37
50-64	534	5.3	59	<1	1	3	5	12	17	46
65+	369	7.9	91	2	2	4	10	20	28	99+
TOT. SINGLE DX	3540	2.7	5	<1	<1	2	3	4	6	12
" MULTIPLE DX	2019	5.0	51	<1	1	3	5	11	17	46
TOTAL 0-19 YRS	207	2.7	23	<1	<1	2	3	4	5	19
20-34	1304	2.5	7	<1	<1	2	3	4	6	14
35-49	2213	3.0	13	<1	1	2	3	5	8	15
50-64	1194	4.2	32	<1	1	3	4	8	12	30
65+	641	6.2	61	1	2	4	7	14	22	83
GRAND TOTAL	**5559**	**3.5**	**23**	**<1**	**<1**	**2**	**3**	**6**	**10**	**25**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	50	3.4	4	1	2	3	4	6	8	12
20-34	53	3.1	5	<1	<1	3	4	6	7	10
35-49	54	5.4	10	1	2	5	7	10	11	14
50-64	71	8.3	49	3	3	7	10	14	17	46
65+	103	9.2	37	2	3	8	13	16	20	31
2. MULTIPLE DX										
0-19 YRS	14	3.4	6	<1	1	3	4	6	10	11
20-34	17	5.1	8	<1	<1	5	7	10	64	99+
35-49	42	6.8	15	2	3	6	8	12	16	18
50-64	86	10.1	66	2	4	8	12	21	32	40
65+	144	13.3	159	3	4	10	15	28	45	99+
TOT. SINGLE DX	331	6.5	31	1	2	5	9	13	16	26
" MULTIPLE DX	303	10.6	106	2	3	8	12	22	34	97
TOTAL 0-19 YRS	64	3.4	5	1	2	3	4	5	8	12
20-34	70	3.6	6	<1	<1	3	5	7	9	81
35-49	96	6.0	13	1	2	6	8	11	14	18
50-64	157	9.3	59	2	3	7	11	15	24	40
65+	247	11.6	112	2	3	9	14	22	31	95
GRAND TOTAL	**634**	**8.5**	**71**	**1**	**2**	**7**	**10**	**16**	**24**	**50**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	14.3	4	12	12	15	16	16	16	16
20-34	32	9.3	12	6	6	8	10	16	18	18
35-49	180	9.3	11	5	5	9	11	14	16	18
50-64	282	10.0	18	5	6	9	11	14	17	26
65+	195	11.2	25	5	6	10	13	17	20	32
2. MULTIPLE DX										
0-19 YRS										
20-34	51	9.7	17	5	6	8	12	14	17	27
35-49	270	10.6	23	5	6	9	12	17	20	32
50-64	495	13.0	77	6	7	10	14	21	29	57
65+	473	14.1	63	7	8	12	16	23	31	46
TOT. SINGLE DX	692	10.1	18	5	6	9	12	15	17	26
" MULTIPLE DX	1289	12.8	60	6	7	11	14	21	27	45
TOTAL 0-19 YRS	3	14.3	4	12	12	15	16	16	16	16
20-34	83	9.5	15	5	6	8	11	15	17	24
35-49	450	10.1	18	5	6	9	12	15	17	26
50-64	777	11.9	58	6	7	10	13	18	25	41
65+	668	13.3	54	6	7	11	15	22	28	43
GRAND TOTAL	**1981**	**11.9**	**47**	**6**	**6**	**10**	**13**	**18**	**24**	**40**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	192	3.7	4	1	2	3	4	6	7	12
20-34	751	3.4	6	1	1	3	4	6	8	14
35-49	339	3.8	8	1	1	3	5	7	8	14
50-64	113	4.5	7	2	2	4	5	8	9	15
65+	26	4.6	7	2	2	4	6	8	10	12
2. MULTIPLE DX										
0-19 YRS	59	4.3	8	1	1	4	5	8	10	15
20-34	374	4.1	10	1	1	4	5	7	9	16
35-49	221	4.7	12	1	2	4	6	8	11	21
50-64	158	5.4	22	1	2	4	6	10	13	24
65+	36	10.5	272	1	3	6	9	16	56	79
TOT. SINGLE DX	1421	3.6	7	1	1	3	4	6	8	13
" MULTIPLE DX	848	4.8	25	1	2	4	5	8	11	21
TOTAL 0-19 YRS	251	3.8	5	1	2	3	5	7	8	12
20-34	1125	3.6	7	1	1	3	4	6	8	15
35-49	560	4.2	10	1	1	3	5	7	10	19
50-64	271	5.1	15	1	2	4	6	9	11	21
65+	62	8.0	167	2	2	5	8	12	18	78
GRAND TOTAL	**2269**	**4.1**	**14**	**1**	**1**	**3**	**5**	**7**	**9**	**18**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	625	5.3	13	2	2	4	6	9	12	19
20-34	1084	5.0	12	2	2	4	6	8	10	20
35-49	128	5.3	17	2	2	4	6	10	12	24
50-64	32	5.2	9	1	2	4	6	10	11	14
65+	9	7.7	60	2	2	5	9	20	27	27
2. MULTIPLE DX										
0-19 YRS	104	6.0	18	2	2	5	7	11	14	24
20-34	210	6.8	57	2	3	5	8	11	18	28
35-49	47	9.1	70	2	3	6	10	21	28	42
50-64	18	6.2	15	1	2	5	7	11	16	18
65+	14	10.6	64	3	3	9	13	24	28	29
TOT. SINGLE DX	1878	5.1	13	2	2	4	6	9	11	20
" MULTIPLE DX	393	7.0	48	2	3	5	8	13	19	29
TOTAL 0-19 YRS	729	5.4	14	2	2	4	6	10	12	21
20-34	1294	5.3	20	2	2	4	6	9	11	22
35-49	175	6.3	34	2	2	5	7	11	17	34
50-64	50	5.5	11	1	2	5	7	10	13	18
65+	23	9.4	62	2	3	7	12	25	28	29
GRAND TOTAL	**2271**	**5.5**	**19**	**2**	**2**	**4**	**6**	**9**	**12**	**23**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	690	3.2	23	<1	<1	2	3	7	11	29
20-34	591	3.3	15	<1	<1	2	4	7	11	19
35-49	380	4.6	33	<1	<1	2	5	10	19	30
50-64	383	5.6	55	<1	<1	3	7	13	18	42
65+	242	7.3	79	<1	1	4	8	18	22	48
2. MULTIPLE DX										
0-19 YRS	230	7.8	135	<1	1	4	8	19	32	76
20-34	346	8.6	164	<1	<1	4	8	22	37	72
35-49	339	11.0	189	<1	1	7	15	25	49	99+
50-64	491	12.3	173	1	2	8	16	29	49	99+
65+	676	16.8	281	2	3	12	23	48	77	99+
TOT. SINGLE DX	2286	4.3	36	<1	<1	2	4	10	15	31
" MULTIPLE DX	2082	12.4	216	1	2	7	17	33	54	99+
TOTAL 0-19 YRS	920	4.4	55	<1	<1	2	4	10	16	41
20-34	937	5.3	76	<1	<1	3	5	11	20	45
35-49	719	7.6	117	<1	<1	4	9	20	27	71
50-64	874	9.4	132	<1	1	5	12	23	37	84
65+	918	14.3	246	2	2	9	19	39	62	99+
GRAND TOTAL	**4368**	**8.2**	**138**	**<1**	**<1**	**4**	**10**	**21**	**34**	**91**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	921	4.3	34	<1	1	2	5	10	14	28
20-34	771	5.4	47	<1	1	3	7	12	18	36
35-49	419	6.3	54	<1	1	4	8	15	21	41
50-64	305	8.3	84	1	1	5	11	20	24	46
65+	240	9.1	142	1	1	5	11	21	32	67
2. MULTIPLE DX										
0-19 YRS	1503	6.4	100	1	1	3	7	14	26	61
20-34	1609	7.1	129	<1	1	3	7	17	31	89
35-49	778	9.5	174	1	1	5	11	30	41	99+
50-64	756	13.0	256	1	1	8	17	37	60	99+
65+	755	16.2	308	1	2	11	25	52	99+	99+
TOT. SINGLE DX	2656	5.8	59	<1	1	3	7	13	19	40
" MULTIPLE DX	5401	9.3	183	1	1	4	11	28	45	99+
TOTAL 0-19 YRS	2424	5.6	76	<1	1	3	6	12	20	49
20-34	2380	6.5	103	<1	1	3	7	15	26	73
35-49	1197	8.4	134	1	1	4	10	22	37	91
50-64	1061	11.6	211	1	1	7	15	32	49	99+
65+	995	14.5	278	1	2	9	21	45	80	99+
GRAND TOTAL	**8057**	**8.2**	**145**	**1**	**1**	**4**	**9**	**22**	**37**	**99+**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	174	11.4	155	1	1	8	15	27	37	67
20-34	135	9.5	117	<1	1	6	12	22	33	55
35-49	59	10.9	121	<1	1	7	16	26	31	53
50-64	46	16.0	272	<1	1	13	24	37	62	99+
65+	65	18.9	205	2	3	19	27	35	48	62
2. MULTIPLE DX										
0-19 YRS	133	24.2	294	2	6	20	35	50	81	99+
20-34	134	20.0	350	2	3	15	28	59	90	99+
35-49	90	22.9	370	2	3	19	34	58	87	99+
50-64	122	29.7	368	5	8	27	46	66	99	99+
65+	139	36.0	438	6	12	34	59	94	99+	99+
TOT. SINGLE DX	479	12.3	166	1	1	8	17	29	38	62
" MULTIPLE DX	618	26.8	396	2	5	25	43	67	99+	99+
TOTAL 0-19 YRS	307	17.0	255	1	2	13	26	43	51	99+
20-34	269	14.7	260	1	2	9	22	38	59	99+
35-49	149	18.2	305	1	1	14	28	47	65	99+
50-64	168	26.0	378	1	3	23	39	62	77	99+
65+	204	30.5	426	3	6	28	49	79	99+	99+
GRAND TOTAL	**1097**	**20.5**	**348**	**1**	**2**	**16**	**31**	**54**	**75**	**99+**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	4.8	55	<1	1	2	4	12	26	33
20-34	49	7.0	77	<1	1	3	10	22	27	40
35-49	25	8.1	71	1	1	5	12	27	46	99+
50-64	15	9.6	174	<1	1	3	12	32	42	45
65+	9	22.4	993	1	1	8	32	76	97	97
2. MULTIPLE DX										
0-19 YRS	28	7.1	62	1	1	5	9	15	31	31
20-34	44	18.3	441	1	2	9	34	61	87	99+
35-49	22	32.4	941	2	4	24	62	95	99+	99+
50-64	26	20.8	543	2	3	12	30	72	98	99+
65+	17	34.8	909	3	4	34	65	99	99+	99+
TOT. SINGLE DX	134	7.9	151	<1	1	3	10	25	32	97
" MULTIPLE DX	137	20.8	591	1	2	11	35	78	99	99+
TOTAL 0-19 YRS	64	5.8	59	1	1	3	7	13	31	33
20-34	93	12.3	279	1	1	5	16	40	60	99+
35-49	47	19.5	617	1	1	10	32	85	99+	99+
50-64	41	16.7	430	1	2	10	24	46	86	99+
65+	26	30.5	936	2	2	23	61	98	99+	99+
GRAND TOTAL	**271**	**14.4**	**413**	**1**	**1**	**6**	**19**	**52**	**83**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	510	3.8	31	<1	<1	2	4	8	12	26
20-34	445	3.4	25	<1	<1	2	4	7	8	11
35-49	262	4.1	8	<1	1	3	5	7	9	16
50-64	242	3.7	10	<1	1	3	4	6	9	21
65+	98	5.1	55	<1	1	3	6	10	14	46
2. MULTIPLE DX										
0-19 YRS	153	7.3	135	1	1	4	8	17	29	94
20-34	254	5.7	46	<1	1	4	6	10	15	46
35-49	227	6.5	43	1	2	4	7	16	24	99+
50-64	276	7.9	125	1	2	4	8	18	30	83
65+	173	11.2	158	2	2	8	14	30	53	99+
TOT. SINGLE DX	1557	3.8	24	<1	<1	3	5	7	10	22
" MULTIPLE DX	1083	7.6	99	1	2	5	8	17	28	98
TOTAL 0-19 YRS	663	4.6	57	<1	<1	2	5	10	15	54
20-34	699	4.3	34	<1	<1	3	5	8	10	24
35-49	489	5.2	26	<1	1	4	6	9	17	30
50-64	518	5.9	76	<1	1	4	6	11	21	62
65+	271	9.0	129	1	2	6	10	21	37	99+
GRAND TOTAL	**2640**	**5.3**	**58**	**<1**	**<1**	**3**	**6**	**10**	**17**	**60**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

Distribution Tables

Table 1 displays total Canadian patients and days of care (after exclusions*) in each of the operation groups except those consisting solely of UHDDS Class 2-4 procedures** (512, 516, 533, 540, 589, 629, 647, 657, 659, 741, 752, 759, 761, 762, and 763). Also shown is the corresponding rate per 10,000 operated separations and the rate per 10,000 days of care.

Table 1

Distribution of Canadian Patients and Days of Care by *ICD-9-CM* List B Hospital Operation Groups 1979

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
501	Incision, excision of skull, brain, and cerebral meninges	566	11.7	15	41.7
502	Craniotomy and craniectomy	224	4.6	5	14.9
503	Cranioplasty	203	4.2	3	7.2
504	Ventricular shunt, extracranial	119	2.5	4	9.9
505	Miscellaneous operations on brain and cerebral meninges	246	5.1	4	10.2
506	Exploration and decompression of spinal canal structures	797	16.4	14	39.6
507	Operations on spinal cord structures, except exploration	306	6.3	6	17.1
508	Excision or destruction of lesion of cranial or peripheral nerve	626	12.9	4	9.7
509	Miscellaneous operations on cranial and other peripheral nerves	2,250	46.4	9	24.0
510	Sympathectomy	444	9.2	6	17.8
511	Miscellaneous operations on sympathetic nerves and ganglia	92	1.9	1	2.7
513	Thyroidectomy	1,692	34.9	11	31.0

---

*Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients who left against medical advice, and patients staying 100 days or longer.

**Additional information regarding UHDDS classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
514	Operations on parathyroid and thyroid, except thyroidectomy	454	9.4	3	9.5
515	Operations on endocrine glands, except parathyroid and thyroid	186	3.8	3	8.4
517	Excision or destruction of lesion or tissue of eyelid	387	8.0	2	4.2
518	Miscellaneous operations on eyelid	1,528	31.5	6	17.5
519	Operations on lacrimal system	349	7.2	2	4.9
520	Operations on conjunctiva	113	2.3	1	1.4
521	Corneal transplant	141	2.9	1	3.1
522	Miscellaneous operations on cornea	475	9.8	2	6.1
523	Operations for regulation of intraocular pressure	391	8.1	3	8.8
524	Other operations on iris, ciliary body, sclera and anterior chamber	595	12.3	4	12.0
525	Intracapsular extraction of lens	7,756	160.0	52	143.8
526	Other lens extraction	802	16.5	5	13.2
527	Miscellaneous operations on lens	127	2.6	1	2.2
528	Repair of retina	850	17.5	7	19.0
529	Miscellaneous operations on retina, choroid, and vitreous	213	4.4	1	3.6
530	Resection and recession of ocular muscle	2,674	55.2	6	16.2
531	Miscellaneous operations on ocular muscle	12	0.2	<1	0.1
532	Operations on orbit and eyeball	432	8.9	3	9.2
534	Operations on external ear	1,074	22.2	4	11.3
535	Stapes mobilization and stapedectomy	785	16.2	3	7.8
536	Tympanoplasty	2,416	49.8	9	23.5
537	Myringotomy	3,130	64.6	8	21.8

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
538	Mastoidectomy	745	15.4	4	11.9
539	Miscellaneous operations on middle ear and inner ear	424	8.7	2	4.3
541	Submucous resection of nasal septum	2,772	57.2	8	23.0
542	Rhinoplasty	4,477	92.4	15	41.7
543	Other incision, excision of nose	1,301	26.8	6	15.6
544	Miscellaneous operations on nose	1,633	33.7	6	17.1
545	Radical maxillary antrotomy	431	8.9	2	5.8
546	Miscellaneous operations on accessory sinus	853	17.6	4	9.9
547	Tooth extraction	6,136	126.6	18	48.1
548	Tooth restoration and orthodontia	384	7.9	1	2.4
549	Operations on teeth and gums except extraction and restoration	627	12.9	3	7.6
550	Operations on salivary glands and ducts	849	17.5	5	14.1
551	Palatoplasty	231	4.8	2	5.0
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	1,635	33.7	11	30.3
553	Tonsillectomy without adenoidectomy	7,997	165.0	21	58.4
554	Tonsillectomy with adenoidectomy	13,720	283.1	31	84.2
555	Adenoidectomy without tonsillectomy	2,011	41.5	4	12.0
556	Operations on pharynx except tonsillectomy and adenoidectomy	752	15.5	4	11.1
557	Other diagnostic and therapeutic procedures on nose, mouth and pharynx	73	1.5	1	1.4

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
558	Excision of lesion of larynx	914	18.9	4	9.6
559	Partial laryngectomy and local excision of lesion of trachea	76	1.6	1	3.5
560	Complete laryngectomy	63	1.3	2	5.8
561	Permanent tracheostomy	13	0.3	<1	1.1
562	Operations on larynx and trachea except excision and permanent tracheostomy	218	4.5	5	14.6
563	Incision and local excision or destruction of lesion of bronchus	1,058	21.8	15	40.4
564	Bronchial resection and miscellaneous operations on bronchus	9	0.2	<1	0.4
565	Local excision or destruction of lesion or tissue of lung	849	17.5	15	41.1
566	Lobectomy and complete pneumonectomy	460	9.5	10	28.8
567	Bronchoscopy (using natural orifice)	1,913	39.5	24	66.9
568	Miscellaneous operations on lung	82	1.7	1	3.3
569	Thoracotomy	980	20.2	13	35.4
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	796	16.4	13	35.6
571	Open heart operations	446	9.2	8	21.7
572	Direct heart revascularization	1,230	25.4	21	56.6
573	Cardiac catheterization	3,941	81.3	21	57.9
574	Pacemaker insertion, replacement, removal, and repair	2,326	48.0	28	77.8
575	Miscellaneous operations on heart	153	3.2	3	7.6
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart	295	6.1	3	9.2

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
577	Ligation and stripping of varicose veins	3,946	81.4	25	68.2
578	Systemic shunt or graft bypass	2,148	44.3	38	104.6
579	Extracorporeal circulation	1	0.0	<1	0.0
580	Hemodialysis	442	9.1	4	10.5
581	Other operations on blood vessels	3,800	78.4	65	179.3
582	Incision, excision of lymphatic structures	1,678	34.6	17	46.5
583	Radical excision of lymph nodes	291	6.0	4	11.2
584	Miscellaneous operations on lymphatic system	9	0.2	<1	0.8
585	Bone marrow transplant	5	0.1	<1	0.2
586	Miscellaneous operations on spleen and bone marrow	3,116	64.3	55	151.3
587	Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen	305	6.3	4	9.6
588	Operations on esophagus	969	20.0	12	33.9
590	Gastrotomy, pyloromyotomy	329	6.8	3	8.3
591	Gastrostomy	54	1.1	2	4.9
592	Local excision or destruction of lesion or tissue of stomach	1,500	30.9	20	54.6
593	Partial gastrectomy	1,054	21.7	20	54.9
594	Total gastrectomy	113	2.3	3	9.5
595	Vagotomy	920	19.0	13	35.8
596	Miscellaneous operations on stomach	1,517	31.3	24	64.9
597	Local excision or destruction of intestinal lesion or tissue	1,479	30.5	19	51.1
598	Resection of small intestine	455	9.4	10	28.1
599	Colectomy	2,485	51.3	54	148.1
600	Other incision, resection of intestine	248	5.1	6	15.9

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	8.4	85	1	1	6	10	17	32	36
20-34	15	5.9	25	1	2	5	7	16	17	18
35-49	40	6.0	23	1	2	4	8	12	16	22
50-64	22	5.5	15	1	2	5	7	12	13	14
65+	6	5.0	10	1	1	4	7	10	10	10
2. MULTIPLE DX										
0-19 YRS	16	9.4	57	2	2	8	11	23	27	28
20-34	28	12.6	238	2	2	8	14	23	63	64
35-49	35	14.2	167	1	3	11	16	45	50	99+
50-64	21	13.4	191	1	2	11	15	21	43	68
65+	21	12.9	232	1	2	9	19	78	+	99+
TOT. SINGLE DX	97	6.1	29	1	2	4	8	14	16	29
" MULTIPLE DX	121	12.8	181	1	2	10	15	26	63	99+
TOTAL 0-19 YRS	30	8.9	68	1	2	7	11	20	28	36
20-34	43	10.3	172	1	2	7	11	18	38	64
35-49	75	9.8	106	1	2	8	12	23	44	87
50-64	43	9.4	114	1	2	6	12	17	21	68
65+	27	11.1	191	1	1	9	17	53	99+	99+
GRAND TOTAL	**218**	**9.9**	**124**	**1**	**2**	**7**	**12**	**21**	**37**	**99+**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	91	6.1	37	1	1	4	9	13	20	31
20-34	786	5.6	40	1	1	3	8	13	17	35
35-49	961	5.5	35	1	1	3	7	13	17	28
50-64	649	5.9	49	1	1	3	8	14	19	32
65+	127	7.5	82	1	1	4	9	21	26	38
2. MULTIPLE DX										
0-19 YRS	47	10.2	216	1	1	6	13	23	28	95
20-34	335	7.9	61	1	1	5	11	20	24	33
35-49	519	8.0	68	1	1	6	11	18	24	37
50-64	592	8.5	82	1	1	5	12	20	25	41
65+	201	15.0	261	1	1	10	19	35	53	75
TOT. SINGLE DX	2614	5.8	43	1	1	3	8	14	18	32
" MULTIPLE DX	1694	9.0	103	1	1	6	12	21	28	51
TOTAL 0-19 YRS	138	7.5	101	1	1	4	10	16	23	42
20-34	1121	6.3	47	1	1	3	9	15	21	34
35-49	1480	6.4	48	1	1	4	9	14	20	33
50-64	1241	7.1	67	1	1	4	10	17	22	37
65+	328	12.1	204	1	1	8	16	30	39	65
GRAND TOTAL	**4308**	**7.0**	**69**	**1**	**1**	**4**	**9**	**16**	**22**	**39**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	7.0	30	1	2	5	8	14	21	25
20-34	158	6.6	35	1	2	5	8	12	20	31
35-49	136	7.7	67	1	2	5	9	15	32	49
50-64	205	6.1	39	1	1	4	7	13	19	37
65+	114	7.8	140	1	1	5	8	16	28	67
2. MULTIPLE DX										
0-19 YRS	41	14.0	195	2	3	11	15	24	40	75
20-34	112	11.9	155	1	2	9	15	31	60	99+
35-49	214	9.4	108	1	2	7	12	20	32	99+
50-64	445	11.0	148	1	2	8	14	24	39	99+
65+	332	12.1	183	1	2	8	16	31	54	99+
TOT. SINGLE DX	655	6.9	61	1	2	5	8	13	22	42
" MULTIPLE DX	1144	11.2	154	1	2	8	14	26	43	99+
TOTAL 0-19 YRS	83	10.5	123	2	3	7	13	22	25	70
20-34	270	8.8	91	1	2	6	11	20	30	99+
35-49	350	8.7	92	1	2	6	10	18	32	99
50-64	650	9.4	119	1	2	6	12	21	35	89
65+	446	11.0	175	1	2	7	13	28	48	99+
GRAND TOTAL	**1799**	**9.6**	**124**	**1**	**2**	**6**	**12**	**22**	**35**	**99+**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	5.7	27	1	1	4	8	14	15	15
35-49	55	5.4	39	1	1	2	9	16	18	26
50-64	95	4.1	43	1	1	1	4	10	17	38
65+	28	3.7	50	1	1	1	1	12	22	31
2. MULTIPLE DX										
0-19 YRS										
20-34	12	4.7	26	1	1	2	6	14	15	15
35-49	85	5.5	48	1	1	1	7	17	21	29
50-64	233	5.1	67	1	1	1	7	14	22	34
65+	60	6.0	98	1	1	1	10	15	27	46
TOT. SINGLE DX	185	4.4	42	1	1	1	5	14	17	29
" MULTIPLE DX	390	5.3	66	1	1	1	7	15	21	38
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	18	5.0	25	1	1	3	8	15	15	15
35-49	140	5.4	44	1	1	2	8	17	19	26
50-64	328	4.8	60	1	1	1	6	13	20	35
65+	88	5.3	83	1	1	1	4	15	26	45
GRAND TOTAL	**575**	**5.0**	**58**	**1**	**1**	**1**	**7**	**15**	**20**	**33**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	6.4	45	1	1	4	10	14	16	38
20-34	238	6.7	36	1	1	5	9	14	18	25
35-49	291	6.1	50	1	1	4	8	14	19	37
50-64	530	5.5	33	1	1	3	8	14	18	33
65+	379	6.0	41	1	1	3	8	15	20	28
2. MULTIPLE DX										
0-19 YRS	62	9.0	43	1	1	8	12	19	23	26
20-34	221	9.0	68	1	2	7	12	18	25	42
35-49	440	9.1	68	1	1	7	13	19	24	46
50-64	1092	9.5	117	1	1	6	14	22	31	57
65+	1068	11.0	125	1	1	8	15	25	34	99+
TOT. SINGLE DX	1501	6.0	39	1	1	4	8	14	19	31
" MULTIPLE DX	2883	9.9	108	1	1	7	14	23	30	65
TOTAL 0-19 YRS	125	7.7	45	1	1	6	12	15	20	30
20-34	459	7.8	53	1	1	6	10	16	21	40
35-49	731	7.9	63	1	1	5	11	17	23	43
50-64	1622	8.2	93	1	1	5	12	19	26	52
65+	1447	9.7	108	1	1	7	14	23	31	86
GRAND TOTAL	**4384**	**8.6**	**88**	**1**	**1**	**6**	**12**	**20**	**26**	**54**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	246	4.9	21	1	1	3	6	10	15	25
20-34	446	5.6	29	<1	1	4	7	11	16	28
35-49	311	5.8	35	<1	1	4	7	12	16	28
50-64	297	7.0	75	1	1	4	8	15	23	37
65+	221	8.5	67	1	2	6	11	19	24	37
2. MULTIPLE DX										
0-19 YRS	258	8.0	78	1	2	5	9	19	27	45
20-34	460	8.2	78	<1	1	6	10	18	26	49
35-49	419	9.8	116	<1	1	6	13	22	32	51
50-64	609	11.4	137	1	2	8	15	24	35	82
65+	710	14.9	236	2	2	11	19	40	61	99+
TOT. SINGLE DX	1521	6.2	45	1	1	4	8	13	18	31
" MULTIPLE DX	2456	11.2	152	1	2	8	15	26	39	92
TOTAL 0-19 YRS	504	6.5	52	1	1	4	8	14	20	36
20-34	906	6.9	56	<1	1	5	9	15	21	43
35-49	730	8.1	85	<1	1	5	10	18	25	49
50-64	906	10.0	121	1	2	7	13	22	30	76
65+	931	13.4	203	2	2	9	17	32	53	99+
GRAND TOTAL	**3977**	**9.3**	**117**	**1**	**2**	**6**	**12**	**21**	**31**	**72**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	6.8	81	1	1	3	9	13	30	43
20-34	79	4.7	29	<1	1	3	5	9	17	32
35-49	73	5.7	51	<1	1	4	6	12	17	44
50-64	79	3.9	48	<1	<1	2	4	6	9	48
65+	19	7.4	91	1	2	4	7	23	32	37
2. MULTIPLE DX										
0-19 YRS	110	12.9	292	1	1	5	17	46	65	99+
20-34	75	11.7	279	<1	1	7	16	48	95	99+
35-49	52	9.1	124	1	1	5	11	24	48	99
50-64	59	14.9	291	1	2	10	27	51	85	99+
65+	53	22.2	408	1	2	19	39	74	99+	99+
TOT. SINGLE DX	344	5.5	57	<1	1	3	5	11	19	41
" MULTIPLE DX	349	13.8	294	1	1	7	20	52	75	99+
TOTAL 0-19 YRS	204	10.1	203	1	1	4	11	34	48	99+
20-34	154	8.1	162	<1	1	4	10	21	48	99+
35-49	125	7.1	83	<1	1	4	9	17	24	64
50-64	138	8.6	181	<1	1	3	10	29	51	99+
65+	72	18.3	365	1	2	13	29	59	92	99+
GRAND TOTAL	**693**	**9.7**	**193**	**<1**	**1**	**4**	**12**	**29**	**53**	**99+**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	4.1	20	<1	<1	3	5	10	15	18
20-34	97	3.5	21	<1	<1	2	4	8	9	27
35-49	30	8.6	88	<1	2	5	10	20	26	44
50-64	37	7.8	58	1	2	5	12	19	26	28
65+	33	9.5	97	1	1	6	14	22	30	41
2. MULTIPLE DX										
0-19 YRS	116	18.2	423	1	2	10	25	65	77	99+
20-34	108	8.5	157	<1	1	4	11	23	43	99+
35-49	82	11.4	202	1	1	6	14	27	42	75
50-64	122	14.2	199	2	3	10	18	33	44	93
65+	136	19.3	316	4	6	14	25	44	89	99+
TOT. SINGLE DX	246	5.7	50	<1	<1	3	7	16	21	30
" MULTIPLE DX	564	14.7	280	1	2	9	19	38	63	99+
TOTAL 0-19 YRS	165	14.0	344	<1	1	7	18	45	75	99+
20-34	205	6.2	98	<1	<1	3	7	16	26	93
35-49	112	10.6	172	<1	1	6	13	26	37	65
50-64	159	12.7	173	2	2	9	17	28	41	88
65+	169	17.4	287	2	4	13	23	39	83	99+
GRAND TOTAL	**810**	**12.0**	**227**	**<1**	**1**	**7**	**16**	**30**	**48**	**99+**

Table 1 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
601 Intestinal anastomosis or repair	1,293	26.7	19	52.6
602 Ileostomy, colostomy, and other enterostomy	347	7.2	10	26.7
603 Appendectomy	10,895	224.8	65	176.9
604 Incidental appendectomy	206	4.2	1	3.8
605 Operations on appendix except appendectomy	101	2.1	1	3.3
606 Local excision or destruction of lesion or tissue of rectum	1,564	32.3	16	43.8
607 Other incision of rectum and incision or excision of perirectal tissue	112	2.3	1	1.8
608 Proctectomy	1,034	21.3	26	71.0
609 Miscellaneous operations on intestine	421	8.7	6	16.6
610 Incision or excision of anal fistula	1,105	22.8	7	18.3
611 Local excision or destruction of lesion or tissue of anus	945	19.5	5	12.4
612 Hemorrhoidectomy	4,396	90.7	29	79.3
613 Miscellaneous operations on anus	1,444	29.8	9	23.7
614 Incision of liver	48	1.0	1	2.3
615 Miscellaneous operations on liver	1,534	31.6	22	59.8
616 Cholecystectomy	15,284	315.3	164	448.7
617 Operations on biliary tract and gallbladder except cholecystectomy	843	17.4	17	45.7
618 Operations on pancreas	474	9.8	9	23.6
619 Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	460	9.5	6	16.7
620 Unilateral repair of inguinal hernia	12,576	259.5	69	188.2
621 Bilateral repair of inguinal hernia	1,469	30.3	9	23.4

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
622	Unilateral or bilateral repair of femoral hernia	598	12.3	4	11.3
623	Repair of umbilical hernia	1,161	24.0	6	16.8
624	Repair of other hernia of anterior abdominal wall	2,548	52.6	22	59.3
625	Repair of diaphragmatic and other hernia	615	12.7	8	21.4
626	Incision, excision of abdominal wall and peritoneum except laparotomy	1,189	24.5	15	40.9
627	Laparotomy	1,771	36.5	24	65.2
628	Laparoscopy (excluding that for destruction of fallopian tubes)	3,428	70.7	11	31.4
630	Miscellaneous operations on abdominal wall and peritoneum	1,514	31.2	21	56.4
631	Complete nephrectomy	618	12.7	12	32.9
632	Miscellaneous operations on kidney	1,271	26.2	21	56.6
633	Ureterotomy	994	20.5	13	35.6
634	Ureteral diversion	373	7.7	7	19.5
635	Miscellaneous operations on ureter	1,256	25.9	9	25.1
636	Cystoscopy and urethroscopy	9,876	203.8	69	189.1
637	Transurethral excision or destruction of bladder lesion	3,156	65.1	24	66.2
638	Miscellaneous operations on bladder	1,282	26.4	18	48.4
639	Urethral meatotomy	277	5.7	1	2.6
640	Excision of urethral lesion, repair of urethra	727	15.0	7	18.4
641	Urethral dilation	1,861	38.4	13	36.8
642	Miscellaneous operations on urethra	263	5.4	2	6.2
643	Urethral suspension	944	19.5	11	30.7
644	Other repair of stress incontinence	224	4.6	3	7.7
645	Ureteral catheterization	54	1.1	1	1.8

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
646	Miscellaneous operations on urinary tract	55	1.1	1	2.6
648	Transurethral prostatectomy	7,642	157.7	95	259.7
649	Other prostatectomy	1,049	21.6	20	53.7
650	Miscellaneous operations on prostate and seminal vesicles	950	19.6	7	20.1
651	Operations on scrotum and tunica vaginalis	632	13.0	4	11.4
652	Orchiectomy	787	16.2	7	19.9
653	Orchiopexy	1,165	24.0	5	13.8
654	Miscellaneous operations on testis	294	6.1	1	3.2
655	Interruption of vas deferens	683	14.1	1	2.6
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	1,741	35.9	8	20.8
658	Miscellaneous operations on penis	332	6.8	2	5.3
660	Local excision or destruction of ovarian lesion or tissue	1,700	35.1	12	32.6
661	Unilateral oophorectomy or salpingo-oophorectomy	1,657	34.2	13	36.8
662	Bilateral oophorectomy or salpingo-oophorectomy	579	11.9	6	16.2
663	Miscellaneous operations on ovary	372	7.7	2	6.0
664	Bilateral endoscopic destruction or occlusion of fallopian tubes	4,351	89.8	9	24.7
665	Other bilateral tubal interruption or salpingectomy	7,520	155.1	28	75.7
666	Miscellaneous operations on fallopian tube	2,120	43.7	12	33.4
667	Conization of cervix	2,266	46.7	7	18.5
668	Other excision or destruction of lesion or tissue of cervix	1,054	21.7	4	11.5
669	Repair and plastic operations on cervix	563	11.6	2	6.5

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
670	Hysterotomy and excision of lesion of uterus	318	6.6	2	5.2
671	Abdominal hysterectomy	14,231	293.6	129	353.5
672	Vaginal hysterectomy	5,468	112.8	51	141.0
673	Radical hysterectomy and pelvic evisceration	68	1.4	1	3.2
674	Dilation and curettage of uterus for termination of pregnancy	772	15.9	2	5.5
675	Other dilation and curettage	22,060	455.1	54	147.0
676	Aspiration curettage for termination of pregnancy	5,601	115.6	9	24.1
677	Other aspiration curettage	477	9.8	1	3.2
678	Repair and plastic operations on supporting structures of uterus	361	7.4	3	7.0
679	Miscellaneous operations on uterus, cervix, and supporting structures	419	8.6	2	6.2
680	Plastic repair of cystocele and rectocele	3,053	63.0	31	84.3
681	Other colporrhaphy	368	7.6	3	7.6
682	Miscellaneous operations on vagina	883	18.2	5	14.7
683	Incision and excision of lesion of vulva and perineum	1,352	27.9	5	12.9
684	Vulvectomy	70	1.4	1	3.2
685	Miscellaneous operations on vulva and perineum	197	4.1	1	2.8
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	76	1.6	<1	1.1
687	Low forceps with and without episiotomy	11,447	236.2	65	178.5
688	Breech extraction	883	18.2	5	14.2
689	Other extraction procedures to assist delivery	4,671	96.4	27	74.5
690	Other procedures to assist delivery	16,099	332.1	91	248.8
691	Low cervical cesarean section	15,471	319.2	135	369.8

Table 1 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
692	Other cesarean section	355	7.3	3	9.0
693	Other abdominal operation to remove embryo or fetus	180	3.7	1	2.9
694	Intra-amniotic injection for abortion	1,070	22.1	3	7.8
695	Diagnostic amniocentesis	478	9.9	2	6.1
696	Intrauterine procedures on fetus and amnion	3,492	72.0	16	44.8
697	Miscellaneous obstetric procedures	11,582	238.9	57	156.3
698	Excision of facial bone	179	3.7	1	3.5
699	Repair and plastic operations on facial bones	824	17.0	4	11.9
700	Closed reduction of maxillofacial fractures	685	14.1	3	7.9
701	Open reduction of maxillofacial fractures	883	18.2	5	14.0
702	Miscellaneous maxillofacial surgery	83	1.7	1	1.8
703	Incision and division of bones except facial	1,547	31.9	16	43.2
704	Bunionectomy	2,406	49.6	14	39.3
705	Excision of bone except facial	4,157	85.8	33	90.9
706	Repair and plastic operation on bone except facial	1,268	26.2	15	42.2
707	Removal of internal fixation device	2,069	42.7	12	32.5
708	Closed reduction of fracture of femur with internal fixation	604	12.5	18	48.9
709	Open reduction of fracture of femur with internal fixation	1,932	39.9	51	139.2
710	Reduction of fracture of femur without internal fixation	307	6.3	10	26.4

Table 1 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
711 Closed reduction of fracture with internal fixation, except maxillofacial and femur	557	11.5	6	15.1
712 Open reduction of fracture with internal fixation, except maxillofacial and femur	4,673	96.4	37	102.3
713 Other reduction of fracture without internal fixation, except maxillofacial and femur	8,050	166.1	38	104.2
714 Closed reduction of dislocation	1,273	26.3	8	21.4
715 Open reduction of dislocation	778	16.1	4	12.3
716 Arthrotomy and division of joint capsule	1,649	34.0	11	30.1
717 Excision of intervertebral disc	3,976	82.0	56	154.8
718 Excision of semilunar cartilage of knee joint	5,783	119.3	28	77.8
719 Miscellaneous excisions of joint structures	1,644	33.9	9	25.8
720 Spinal fusion	816	16.8	15	41.8
721 Arthrodesis and stabilization of joint	1,151	23.7	8	23.0
722 Total hip replacement	1,697	35.0	39	105.7
723 Other arthroplasty of hip	1,345	27.7	35	95.5
724 Arthroplasty of knee	1,832	37.8	18	50.6
725 Repair of other joint	2,381	49.1	13	34.9
726 Incision and division of muscle, tendon, fascia and bursa	1,175	24.2	7	20.5
727 Excision of lesion of muscle, tendon, fascia, and bursa	1,979	40.8	9	25.0
728 Division and resection of muscle, tendon, and fascia of hand	958	19.8	4	10.0

Table 1 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
729	Repair and plastic operations on hand	1,596	32.9	5	14.4
730	Resection and suture of muscle, tendon, and fascia, except hand	1,367	28.2	7	18.4
731	Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	1,359	28.0	8	20.9
732	Amputation of fingers and thumb	660	13.6	4	10.0
733	Amputation of hand, forearm, and upper arm	62	1.3	1	2.4
734	Amputation of toes	454	9.4	8	21.4
735	Below-knee amputation	259	5.3	11	29.5
736	Above-knee amputation	262	5.4	9	24.1
737	Other amputation of lower extremity	80	1.7	3	8.2
738	Reattachment of extremity	51	1.1	<1	1.3
739	Revision of amputation stump	225	4.6	2	5.4
740	Miscellaneous operations on musculoskeletal system	7	0.1	<1	0.3
742	Local excision or destruction of lesion of breast	5,559	114.7	20	53.7
743	Simple mastectomy	634	13.1	5	14.7
744	Extended simple mastectomy and radical mastectomy	1,981	40.9	23	64.4
745	Miscellaneous operations on breast	2,269	46.8	9	25.3
746	Incision and excision of pilonidal cyst or sinus	2,271	46.9	12	34.0
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	4,368	90.1	36	98.0
748	Other incision, excision, and suture of skin	8,057	166.2	66	180.7
749	Free skin grafts	1,097	22.6	22	61.6
750	Pedicle graft of skin	271	5.6	4	10.7
751	Miscellaneous operations on skin and subcutaneous tissue	2,640	54.5	14	38.6

Table 1 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
753 Encephalography and ventriculography	218	4.5	2	5.9
754 Myelography	4,308	88.9	30	83.2
755 Cerebral arteriography	1,799	37.1	17	47.5
756 Coronary arteriography	575	11.9	3	7.9
757 Other arteriography and phlebography	4,384	90.4	38	103.1
758 Other radiography and special diagnostic procedures	3,977	82.0	37	101.2
760 Special therapies and rehabilitation	693	14.3	7	18.4
764 Miscellaneous diagnostic and therapeutic procedures	810	16.7	10	26.7
All patients in operation groups	484,711	10,000.0	3,649	10,000.0

Tables 2 and 3 display frequency rankings of patients and total stay according to operation group. Groups consisting solely of UHDDS Class 2-4 procedures are excluded (see explanation for Table 1), as are patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients who left against medical advice, and patients staying 100 days or longer.

Table 2

Ranking of *ICD-9-CM* List B Operation Groups by Live Separations
Canadian PAS Hospitals, 1979

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
675	Other dilation and curettage	22,060	1
690	Other procedures to assist delivery	16,099	2
691	Low cervical cesarean section	15,471	3
616	Cholecystectomy	15,284	4
671	Abdominal hysterectomy	14,231	5
554	Tonsillectomy with adenoidectomy	13,720	6
620	Unilateral repair of inguinal hernia	12,576	7
697	Miscellaneous obstetric procedures	11,582	8
687	Low forceps with and without episiotomy	11,447	9
603	Appendectomy	10,895	10
636	Cystoscopy and urethroscopy	9,876	11
748	Other incision, excision, and suture of skin	8,057	12
713	Other reduction of fracture without internal fixation, femur	8,050	13
553	Tonsillectomy without adenoidectomy	7,997	14
525	Intracapsular extraction of lens	7,756	15
648	Transurethral prostatectomy	7,642	16
665	Other bilateral tubal interruption or salpingectomy	7,520	17
547	Tooth extraction	6,136	18
718	Excision of semilunar cartilage of knee joint	5,783	19
676	Aspiration curettage for termination of pregnancy	5,601	20
742	Local excision or destruction of lesion of breast	5,559	21
672	Vaginal hysterectomy	5,468	22
712	Open reduction of fracture with internal fixation, femur	4,673	23

Table 2 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
689	Other extraction procedures to assist delivery	4,671	24
542	Rhinoplasty	4,477	25
612	Hemorrhoidectomy	4,396	26
757	Other arteriography and phlebography	4,384	27
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	4,368	28
664	Bilateral endoscopic destruction or occlusion of fallopian tubes	4,351	29
754	Myelography	4,308	30
705	Excision of bone except facial	4,157	31
758	Other radiography and special diagnostic procedures	3,977	32
717	Excision of intervertebral disc	3,976	33
577	Ligation and stripping of varicose veins	3,946	34
573	Cardiac catheterization	3,941	35
581	Other operations on blood vessels	3,800	36
696	Intrauterine procedures on fetus and amnion	3,492	37
628	Laparoscopy (excluding that for destruction of fallopian tubes)	3,428	38
637	Transurethral excision or destruction of bladder lesion	3,156	39
537	Myringotomy	3,130	40
586	Miscellaneous operations on spleen and bone marrow	3,116	41
680	Plastic repair of cystocele and rectocele	3,053	42
541	Submucous resection of nasal septum	2,772	43
530	Resection and recession of ocular muscle	2,674	44
751	Miscellaneous operations on skin and subcutaneous tissue	2,640	45
624	Repair of other hernia of anterior abdominal wall	2,548	46
599	Colectomy	2,485	47
536	Tympanoplasty	2,416	48
704	Bunionectomy	2,406	49
725	Repair of other joint	2,381	50

Table 2 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)
574	Pacemaker insertion, replacement, removal, and repair	2,326	51
746	Incision and excision of pilonidal cyst or sinus	2,271	52
745	Miscellaneous operations on breast	2,269	53
667	Conization of cervix	2,266	54
509	Miscellaneous operations on cranial and other peripheral nerves	2,250	55
578	Systemic shunt or graft bypass	2,148	56
666	Miscellaneous operations on fallopian tube	2,120	57
707	Removal of internal fixation device	2,069	58
555	Adenoidectomy without tonsillectomy	2,011	59
744	Extended simple mastectomy and radical mastectomy	1,981	60
727	Excision of lesion of muscle, tendon, fascia, and bursa	1,979	61
709	Open reduction of fracture of femur with internal fixation	1,932	62
567	Bronchoscopy (using natural orifice)	1,913	63
641	Urethral dilation	1,861	64
724	Arthroplasty of knee	1,832	65
755	Cerebral arteriography	1,799	66
627	Laparotomy	1,771	67
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	1,741	68
660	Local excision or destruction of ovarian lesion or tissue	1,700	69
722	Total hip replacement	1,697	70
513	Thyroidectomy	1,692	71
582	Incision, excision of lymphatic structures	1,678	72
661	Unilateral oophorectomy or salpingo-oophorectomy	1,657	73
716	Arthrotomy and division of joint capsule	1,649	74
719	Miscellaneous excisions of joint structures	1,644	75

Table 2 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)
552 Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	1,635	76
544 Miscellaneous operations on nose	1,633	77
729 Repair and plastic operations on hand	1,596	78
606 Local excision or destruction of lesion or tissue of rectum	1,564	79
703 Incision and division of bones except facial	1,547	80
615 Miscellaneous operations on liver	1,534	81
518 Miscellaneous operations on eyelid	1,528	82
596 Miscellaneous operations on stomach	1,517	83
630 Miscellaneous operations on abdominal wall and peritoneum	1,514	84
592 Local excision or destruction of lesion or tissue of stomach	1,500	85
597 Local excision or destruction of intestinal lesion or tissue	1,479	86
621 Bilateral repair of inguinal hernia	1,469	87
613 Miscellaneous operations on anus	1,444	88
730 Resection and suture of muscle, tendon, and fascia, except hand	1,367	89
731 Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	1,359	90
683 Incision and excision of lesion of vulva and perineum	1,352	91
723 Other arthroplasty of hip	1,345	92
543 Other incision, excision of nose	1,301	93
601 Intestinal anastomosis or repair	1,293	94
638 Miscellaneous operations on bladder	1,282	95
714 Closed reduction of dislocation	1,273	96
632 Miscellaneous operations on kidney	1,271	97
706 Repair and plastic operation on bone except facial	1,268	98
635 Miscellaneous operations on ureter	1,256	99
572 Direct heart revascularization	1,230	100
626 Incision, excision of abdominal wall and peritoneum except laparotomy	1,189	101
726 Incision and division of muscle, tendon, fascia and bursa	1,175	102

Table 2 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)
653	Orchiopexy	1,165	103
623	Repair of umbilical hernia	1,161	104
721	Arthrodesis and stabilization of joint	1,151	105
610	Incision or excision of anal fistula	1,105	106
749	Free skin grafts	1,097	107
534	Operations on external ear	1,074	108
694	Intra-amniotic injection for abortion	1,070	109
563	Incision and local excision of destruction of lesion of bronchus	1,058	110
593	Partial gastrectomy	1,054	111
668	Other excision or destruction of lesion or tissue of cervix	1,054	112
649	Other prostatectomy	1,049	113
608	Proctectomy	1,034	114
633	Ureterotomy	994	115
569	Thoracotomy	980	116
588	Operations on esophagus	969	117
728	Division and resection of muscle, tendon, and fascia of hand	958	118
650	Miscellaneous operations on prostate and seminal vesicles	950	119
611	Local excision or destruction of lesion or tissue of anus	945	120
643	Urethral suspension	944	121
595	Vagotomy	920	122
558	Excision of lesion of larynx	914	123
682	Miscellaneous operations on vagina	883	124
688	Breech extraction	883	125
701	Open reduction of maxillofacial fractures	883	126
546	Miscellaneous operations on accessory sinus	853	127
528	Repair of retina	850	128
550	Operations on salivary glands and ducts	849	129
565	Local excision or destruction of lesion or tissue of lung	849	130
617	Operations on biliary tract and gallbladder except cholecystectomy	843	131
699	Repair and plastic operations on facial bones	824	132

Table 2 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)
720 Spinal fusion	816	133
764 Miscellaneous diagnostic and therapeutic procedures	810	134
526 Other lens extraction	802	135
506 Exploration and decompression of spinal canal structures	797	136
570 Operations on chest wall, pleura, and mediastinum except thoracotomy	796	137
652 Orchiectomy	787	138
535 Stapes mobilization and stapedectomy	785	139
715 Open reduction of dislocation	778	140
674 Dilation and curettage of uterus for termination of pregnancy	772	141
556 Operations on pharynx except tonsillectomy and adenoidectomy	752	142
538 Mastoidectomy	745	143
640 Excision of urethral lesion, repair of urethra	727	144
760 Special therapies and rehabilitation	693	145
700 Closed reduction of maxillofacial fractures	685	146
655 Interruption of vas deferens	683	147
732 Amputation of fingers and thumb	660	148
743 Simple mastectomy	634	149
651 Operations on scrotum and tunica vaginalis	632	150
549 Operations on teeth and gums except extraction and restoration	627	151
508 Excision or destruction of lesion of cranial or peripheral nerve	626	152
631 Complete nephrectomy	618	153
625 Repair of diaphragmatic and other hernia	615	154
708 Closed reduction of fracture of femur with internal fixation	604	155
622 Unilateral or bilateral repair of femoral hernia	598	156
524 Other operations on iris, ciliary body, sclera and anterior chamber	595	157
662 Bilateral oophorectomy or salpingo-oopherectomy	579	158

Table 2 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)
756 Coronary arteriography	575	159
501 Incision, excision of skull, brain, and cerebral meninges	566	160
669 Repair and plastic operations on cervix	563	161
711 Closed reduction of fracture with internal fixation, except maxillofacial and femur	557	162
695 Diagnostic amniocentesis	478	163
677 Other aspiration curettage	477	164
522 Miscellaneous operations on cornea	475	165
618 Operations on pancreas	474	166
566 Lobectomy and complete pneumonectomy	460	167
619 Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	460	168
598 Resection of small intestine	455	169
514 Operations on parathyroid and thyroid, except thyroidectomy	454	170
734 Amputation of toes	454	171
571 Open heart operations	446	172
510 Sympathectomy	444	173
580 Hemodialysis	442	174
532 Operations on orbit and eyeball	432	175
545 Radical maxillary antrotomy	431	176
539 Miscellaneous operations on middle ear and inner ear	424	177
609 Miscellaneous operations on intestine	421	178
679 Miscellaneous operations on uterus, cervix, and supporting structures	419	179
523 Operations for regulation of intraocular pressure	391	180
517 Excision or destruction of lesion or tissue of eyelid	387	181
548 Tooth restoration and orthodontia	384	182
634 Ureteral diversion	373	183
663 Miscellaneous operations on ovary	372	184
681 Other colporrhaphy	368	185

Table 2 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
678	Repair and plastic operations on supporting structures of uterus	361	186
692	Other cesarean section	355	187
519	Operations on lacrimal system	349	188
602	Ileostomy, colostomy, and other enterostomy	347	189
658	Miscellaneous operations on penis	332	190
590	Gastrotomy, pyloromyotomy	329	191
670	Hysterotomy and excision of lesion of uterus	318	192
710	Reduction of fracture of femur without internal fixation	307	193
507	Operations on spinal cord structures, except exploration	306	194
587	Other diagnostic and therapeutic procedures on structures, and spleen	305	195
576	Other diagnostic and therapeutic procedures, bronchus, lungs and heart	295	196
654	Miscellaneous operations on testis	294	197
583	Radical excision of lymph nodes	291	198
639	Urethral meatotomy	277	199
750	Pedicle graft of skin	271	200
642	Miscellaneous operations on urethra	263	201
736	Above-knee amputation	262	202
735	Below-knee amputation	259	203
600	Other incision, resection of intestine	248	204
505	Miscellaneous operations on brain and cerebral meninges	246	205
551	Palatoplasty	231	206
739	Revision of amputation stump	225	207
502	Craniotomy and craniectomy	224	208
644	Other repair of stress incontinence	224	209
562	Operations on larynx and trachea except excision and permanent tracheostomy	218	210
753	Encephalography and ventriculography	218	211
529	Miscellaneous operations on retina, choroid, and vitreous	213	212
604	Incidental appendectomy	206	213
503	Cranioplasty	203	214

Table 2 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
685	Miscellaneous operations on vulva and perineum	197	215
515	Operations on endocrine glands, except parathyroid and thyroid	186	216
693	Other abdominal operation to remove embryo or fetus	180	217
698	Excision of facial bone	179	218
575	Miscellaneous operations on heart	153	219
521	Corneal transplant	141	220
527	Miscellaneous operations on lens	127	221
504	Ventricular shunt, extracranial	119	222
520	Operations on conjunctiva	113	223
594	Total gastrectomy	113	224
607	Other incision of rectum and incision or excision of perirectal tissue	112	225
605	Operations on appendix except appendectomy	101	226
511	Miscellaneous operations on sympathetic nerves and ganglia	92	227
702	Miscellaneous maxillofacial surgery	83	228
568	Miscellaneous operations on lung	82	229
737	Other amputation of lower extremity	80	230
559	Partial laryngectomy and local excision of lesion of trachea	76	231
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	76	232
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	73	233
684	Vulvectomy	70	234
673	Radical hysterectomy and pelvic evisceration	68	235
560	Complete laryngectomy	63	236
733	Amputation of hand, forearm, and upper arm	62	237
646	Miscellaneous operations on urinary tract	55	238
591	Gastrostomy	54	239
645	Ureteral catheterization	54	240

Table 2 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
738	Reattachment of extremity	51	241
614	Incision of liver	48	242
561	Permanent tracheostomy	13	243
531	Miscellaneous operations on ocular muscle	12	244
564	Bronchial resection and miscellaneous operations on bronchus	9	245
584	Miscellaneous operations on lymphatic system	9	246
740	Miscellaneous operations on musculoskeletal system	7	247
585	Bone marrow transplant	5	248
579	Extracorporeal circulation	1	249
	All patients in operation groups	484,711	

Table 3

Ranking of *ICD-9-CM* List B Operation Groups by Days of Care
Canadian PAS Hospitals, 1979

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
616	Cholecystectomy	164	1
691	Low cervical cesarean section	135	2
671	Abdominal hysterectomy	129	3
648	Transurethral prostatectomy	95	4
690	Other procedures to assist delivery	91	5
636	Cystoscopy and urethroscopy	69	6
620	Unilateral repair of inguinal hernia	69	7
748	Other incision, excision, and suture of skin	66	8
581	Other operations on blood vessels	65	9
687	Low forceps with and without episiotomy	65	10
603	Appendectomy	65	11
697	Miscellaneous obstetric procedures	57	12
717	Excision of intervertebral disc	56	13
586	Miscellaneous operations on spleen and bone marrow	55	14
599	Colectomy	54	15
675	Other dilation and curettage	54	16
525	Intracapsular extraction of lens	52	17
672	Vaginal hysterectomy	51	18
709	Open reduction of fracture of femur with internal fixation	51	19
722	Total hip replacement	39	20
578	Systemic shunt or graft bypass	38	21
713	Other reduction of fracture without internal fixation, femur	38	22
757	Other arteriography and phlebography	38	23
712	Open reduction of fracture with internal fixation, femur	37	24
758	Other radiography and special diagnostic procedures	37	25
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	36	26
723	Other arthroplasty of hip	35	27
705	Excision of bone except facial	33	28

Table 3 (Continued)

	Operation Group Number and Title (1)	Days of Care (in thousands) (2)	Rank (3)
680	Plastic repair of cystocele and rectocele	31	29
554	Tonsillectomy with adenoidectomy	31	30
754	Myelography	30	31
612	Hemorrhoidectomy	29	32
718	Excision of semilunar cartilage of knee joint	28	33
574	Pacemaker insertion, replacement, removal, and repair	28	34
665	Other bilateral tubal interruption or salpingectomy	28	35
689	Other extraction procedures to assist delivery	27	36
608	Proctectomy	26	37
577	Ligation and stripping of varicose veins	25	38
567	Bronchoscopy (using natural orifice)	24	39
637	Transurethral excision or destruction of bladder lesion	24	40
627	Laparotomy	24	41
596	Miscellaneous operations on stomach	24	42
744	Extended simple mastectomy and radical mastectomy	23	43
749	Free skin grafts	22	44
615	Miscellaneous operations on liver	22	45
624	Repair of other hernia of anterior abdominal wall	22	46
553	Tonsillectomy without adenoidectomy	21	47
573	Cardiac catheterization	21	48
632	Miscellaneous operations on kidney	21	49
572	Direct heart revascularization	21	50
630	Miscellaneous operations on abdominal wall and peritoneum	21	51
593	Partial gastrectomy	20	52
592	Local excision or destruction of lesion or tissue of stomach	20	53
742	Local excision or destruction of lesion of breast	20	54
649	Other prostatectomy	20	55
601	Intestinal anastomosis or repair	19	56

Table 3 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
597	Local excision or destruction of intestinal lesion or tissue	19	57
724	Arthroplasty of knee	18	58
708	Closed reduction of fracture of femur with internal fixation	18	59
638	Miscellaneous operations on bladder	18	60
547	Tooth extraction	18	61
755	Cerebral arteriography	17	62
582	Incision, excision of lymphatic structures	17	63
617	Operations on biliary tract and gallbladder except cholecystectomy	17	64
696	Intrauterine procedures on fetus and amnion	16	65
606	Local excision or destruction of lesion or tissue of rectum	16	66
703	Incision and division of bones except facial	16	67
706	Repair and plastic operation on bone except facial	15	68
720	Spinal fusion	15	69
501	Incision, excision of skull, brain, and cerebral meninges	15	70
542	Rhinoplasty	15	71
565	Local excision or destruction of lesion or tissue of lung	15	72
626	Incision, excision of abdominal wall and peritoneum except laparotomy	15	73
563	Incision and local excision or destruction of lesion of bronchus	15	74
506	Exploration and decompression of spinal canal structures	14	75
704	Bunionectomy	14	76
751	Miscellaneous operations on skin and subcutaneous tissue	14	77
661	Unilateral oophorectomy or salpingo-oophorectomy	13	78
641	Urethral dilation	13	79
595	Vagotomy	13	80

Table 3 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	13	81
633	Ureterotomy	13	82
569	Thoracotomy	13	83
725	Repair of other joint	13	84
746	Incision and excision of pilonidal cyst or sinus	12	85
588	Operations on esophagus	12	86
666	Miscellaneous operations on fallopian tube	12	87
631	Complete nephrectomy	12	88
660	Local excision or destruction of ovarian lesion or tissue	12	89
707	Removal of internal fixation device	12	90
628	Laparoscopy (excluding that for destruction of fallopian tubes)	11	91
513	Thyroidectomy	11	92
643	Urethral suspension	11	93
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	11	94
716	Arthrotomy and division of joint capsule	11	95
735	Below-knee amputation	11	96
566	Lobectomy and complete pneumonectomy	10	97
598	Resection of small intestine	10	98
602	Ileostomy, colostomy, and other enterostomy	10	99
764	Miscellaneous diagnostic and therapeutic procedures	10	100
710	Reduction of fracture of femur without internal fixation	10	101
719	Miscellaneous excisions of joint structures	9	102
745	Miscellaneous operations on breast	9	103
635	Miscellaneous operations on ureter	9	104
727	Excision of lesion of muscle, tendon, fascia, and bursa	9	105

Table 3 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
664	Bilateral endoscopic destruction or occlusion of fallopian tubes	9	106
736	Above-knee amputation	9	107
676	Aspiration curettage for termination of pregnancy	9	108
509	Miscellaneous operations on cranial and other peripheral nerves	9	109
613	Miscellaneous operations on anus	9	110
618	Operations on pancreas	9	111
536	Tympanoplasty	9	112
621	Bilateral repair of inguinal hernia	9	113
541	Submucous resection of nasal septum	8	114
721	Arthrodesis and stabilization of joint	8	115
537	Myringotomy	8	116
571	Open heart operations	8	117
625	Repair of diaphragmatic and other hernia	8	118
734	Amputation of toes	8	119
714	Closed reduction of dislocation	8	120
731	Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	8	121
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	8	122
726	Incision and division of muscle, tendon, fascia and bursa	7	123
650	Miscellaneous operations on prostate and seminal vesicles	7	124
652	Orchiectomy	7	125
634	Ureteral diversion	7	126
528	Repair of retina	7	127
667	Conization of cervix	7	128
640	Excision of urethral lesion, repair of urethra	7	129
760	Special therapies and rehabilitation	7	130
730	Resection and suture of muscle, tendon, and fascia, except hand	7	131
610	Incision or excision of anal fistula	7	132

Table 3 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
510	Sympathectomy	6	133
518	Miscellaneous operations on eyelid	6	134
507	Operations on spinal cord structures, except exploration	6	135
544	Miscellaneous operations on nose	6	136
623	Repair of umbilical hernia	6	137
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	6	138
609	Miscellaneous operations on intestine	6	139
530	Resection and recession of ocular muscle	6	140
662	Bilateral oophorectomy or salpingo-oophorectomy	6	141
600	Other incision, resection of intestine	6	142
543	Other incision, excision of nose	6	143
711	Closed reduction of fracture with internal fixation, except maxillofacial and femur	6	144
502	Craniotomy and craniectomy	5	145
682	Miscellaneous operations on vagina	5	146
743	Simple mastectomy	5	147
562	Operations on larynx and trachea except excision and permanent tracheostomy	5	148
729	Repair and plastic operations on hand	5	149
688	Breech extraction	5	150
550	Operations on salivary glands and ducts	5	151
701	Open reduction of maxillofacial fractures	5	152
653	Orchiopexy	5	153
526	Other lens extraction	5	154
683	Incision and excision of lesion of vulva and perineum	5	155
611	Local excision or destruction of lesion or tissue of anus	5	156
715	Open reduction of dislocation	4	157

Table 3 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
524	Other operations on iris, ciliary body, sclera and anterior chamber	4	158
555	Adenoidectomy without tonsillectomy	4	159
538	Mastoidectomy	4	160
699	Repair and plastic operations on facial bones	4	161
668	Other excision or destruction of lesion or tissue of cervix	4	162
651	Operations on scrotum and tunica vaginalis	4	163
622	Unilateral or bilateral repair of femoral hernia	4	164
534	Operations on external ear	4	165
583	Radical excision of lymph nodes	4	166
556	Operations on pharynx except tonsillectomy and adenoidectomy	4	167
750	Pedicle graft of skin	4	168
580	Hemodialysis	4	169
505	Miscellaneous operations on brain and cerebral meninges	4	170
732	Amputation of fingers and thumb	4	171
728	Division and resection of muscle, tendon, and fascia of hand	4	172
546	Miscellaneous operations on accessory sinus	4	173
504	Ventricular shunt, extracranial	4	174
508	Excision or destruction of lesion of cranial or peripheral nerve	4	175
587	Other diagnostic and therapeutic procedures on structures, and spleen	4	176
558	Excision of lesion of larynx	4	177
594	Total gastrectomy	3	178
514	Operations on parathyroid and thyroid, except thyroidectomy	3	179
576	Other diagnostic and therapeutic procedures, bronchus, lungs and heart	3	180
532	Operations on orbit and eyeball	3	181
692	Other cesarean section	3	182

Table 3 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
523	Operations for regulation of intraocular pressure	3	183
515	Operations on endocrine glands, except parathyroid and thyroid	3	184
590	Gastrotomy, pyloromyotomy	3	185
737	Other amputation of lower extremity	3	186
756	Coronary arteriography	3	187
700	Closed reduction of maxillofacial fractures	3	188
694	Intra-amniotic injection for abortion	3	189
535	Stapes mobilization and stapedectomy	3	190
644	Other repair of stress incontinence	3	191
549	Operations on teeth and gums except extraction and restoration	3	192
575	Miscellaneous operations on heart	3	193
661	Other colporrhaphy	3	194
503	Cranioplasty	3	195
678	Repair and plastic operations on supporting structures of uterus	3	196
669	Repair and plastic operations on cervix	2	197
642	Miscellaneous operations on urethra	2	198
679	Miscellaneous operations on uterus, cervix, and supporting structures	2	199
522	Miscellaneous operations on cornea	2	200
695	Diagnostic amniocentesis	2	201
663	Miscellaneous operations on ovary	2	202
753	Encephalography and ventriculography	2	203
560	Complete laryngectomy	2	204
545	Radical maxillary antrotomy	2	205
674	Dilation and curettage of uterus for termination of pregnancy	2	206
739	Revision of amputation stump	2	207
658	Miscellaneous operations on penis	2	208
670	Hysterotomy and excision of lesion of uterus	2	209

Table 3 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
551	Palatoplasty	2	210
519	Operations on lacrimal system	2	211
591	Gastrostomy	2	212
539	Miscellaneous operations on middle ear and inner ear	2	213
517	Excision or destruction of lesion or tissue of eyelid	2	214
604	Incidental appendectomy	1	215
529	Miscellaneous operations on retina, choroid, and vitreous	1	216
698	Excision of facial bone	1	217
559	Partial laryngectomy and local excision of lesion of trachea	1	218
605	Operations on appendix except appendectomy	1	219
568	Miscellaneous operations on lung	1	220
673	Radical hysterectomy and pelvic evisceration	1	221
654	Miscellaneous operations on testis	1	222
664	Vulvectomy	1	223
677	Other aspiration curettage	1	224
521	Corneal transplant	1	225
693	Other abdominal operation to remove embryo or fetus	1	226
685	Miscellaneous operations on vulva and perineum	1	227
511	Miscellaneous operations on sympathetic nerves and ganglia	1	228
655	Interruption of vas deferens	1	229
646	Miscellaneous operations on urinary tract	1	230
639	Urethral meatotomy	1	231
733	Amputation of hand, forearm, and upper arm	1	232
548	Tooth restoration and orthodontia	1	233
614	Incision of liver	1	234
527	Miscellaneous operations on lens	1	235
645	Ureteral catheterization	1	236
702	Miscellaneous maxillofacial surgery	1	237
607	Other incision of rectum and incision or excision of perirectal tissue	1	238

Table 3 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	1	239
520	Operations on conjunctiva	1	240
531	Miscellaneous operations on ocular muscle	<1	241
561	Permanent tracheostomy	<1	242
564	Bronchial resection and miscellaneous operations on bronchus	<1	243
579	Extracorporeal circulation	<1	244
584	Miscellaneous operations on lymphatic system	<1	245
585	Bone marrow transplant	<1	246
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	<1	247
738	Reattchment of extremity	<1	248
740	Miscellaneous operations on musculoskeletal system	<1	249
	All operation groups	3,649	

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 3 Procedures: Tabular List and Alphabetic Index. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the ICD-9-CM List B operation group to which each operation belongs

Group Number	Title
	Abdominal wall, *see also Hernia*
627	Exploratory laparotomy
626	Excision
626	Incision
	Adenoid
554	Adenoidectomy with tonsillectomy
555	Adenoidectomy without tonsillectomy
556	Other
	Amputation, *see Extremity*
	Angiography
756	Cardiac
	Anus
611	Excision of lesion or tissue
612	Hemorrhoidectomy
613	Other
	Appendix
603	Appendectomy
605	Other
	Arteriography
757	Aorta
755	Head
756	Heart
755	Neck
757	Other
	Artery, *see Blood vessels*
617	Biliary tract, except cholecystectomy
	Bladder
637	Excision of lesion or tissue, transurethral
	Blood vessels
578	Bypass graft
572	Heart
577	Ligation and stripping, veins
578	Systemic shunt
	Bone, except facial, *see also Extremity*
705	Biopsy
703	Division

OPERATION INDEX (continued)

Group Number	Title
	Bone, except facial (continued)
705	Excision
703	Incision
707	Removal of internal fixation device
706	Repair
713	Reduction, closed
713	Reduction, open
	Bone, facial
698	Biopsy
703	Division
698	Excision
702	Incision
699	Repair
700	Reduction, closed
701	Reduction, open
	Bone marrow
585	Transplant
586	Other
	Brain
501	Excision
501	Incision
504	Ventricular shunt
	Breast
742	Biopsy
741	Complete mastectomy
742	Excision, lesion
745	Mastotomy
742	Partial mastectomy
744	Radical mastectomy
567	Bronchoscopy
	Bronchus
563	Excision of lesion or tissue
762	Removal of foreign body with incision
564	Resection
704	Bunionectomy
	Bursa, *see Muscle*
	Cartilage
716	Division

OPERATION INDEX (continued)

Group Number	Title
	Cartilage (continued)
717	Excision of intervertebral cartilage
718	Excision of semilunar cartilage of knee
	Cataract extraction
525	Intracapsular
526	Other
579	Circulation, extracorporeal
619	Colonoscopy, transabdominal
420	Conjunctiva
521	Corneal transplant
682	Culdoscopy
664	For ligation of fallopian tubes
636	Cystoscopy
629	Dialysis, peritoneal
	Ear
534	External
537	Myringotomy
536	Stapedectomy
535	Stapes mobilization
539	Tympanotomy
536	Tympanoplasty
753	Encephalography
515	Endocrine, except parathyroid, thyroid, and gonads
656	Epididymis
589	Esophagoscopy
	Extremity
	Amputation
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
732	Thumb
734	Toe
733	Upper arm

OPERATION INDEX (continued)

Group Number	Title
	Extremity (continued)
738	Reattachment
739	Revision of amputation
532	Eyelid, excision of lesion or tissue
	Fallopian tube
665	Excision, bilateral
665	Endoscopic approach
665	Ligation, bilateral
665	Endoscopic approach
662	Salpingo-oophorectomy, bilateral
661	Salpingo-oophorectomy, unilateral
666	Other
	Fascia, *see Muscle*
	Gallbladder
616	Cholecystectomy
589	Gastroscopy
596	Gastroscopy, surgical
	Graft, *see site*
	Gums
549	Alveoloplasty
549	Excision of lesion or tissue
549	Gingivectomy
549	Incision
	Hand, *see also Extremity*
728	Division of muscle, tendon, and fascia
	Heart
573	Catheterization
575	Massage, open
574	Pacemaker insertion or replacement
	Hernia repair
625	Diaphragmatic
624	Epigastric
622	Femoral, bilateral
624	Incisional
621	Inguinal, bilateral
620	Inguinal, unilateral

OPERATION INDEX (continued)

Group Number	Title
	Hernia repair (continued)
623	Umbilical
624	Ventral
	Hysterectomy, *see Uterus*
	Intestine, *see also Hernia*
601	Anastomosis
599	Colectomy
602	Colostomy
602	Enterostomy
597	Excision of lesion or tissue
600	Exteriorization
602	Ileostomy
600	Incision
601	Repair
599	Resection of large intestine
598	Resection of small intestine
	Joint, *see also Extremity*
741	Arthrocentesis
721	Arthrodesis, except spine
720	Spinal fusion
723	Arthroplasty of hip, except total replacement
722	Total hip replacement
716	Arthrotomy
716	Division of capsule
719	Excision, except intervertebral cartilage and cartilage of knee
741	Injection
717	Laminectomy with disc excision
718	Meniscectomy, knee
714	Reduction, dislocation, closed
715	Reduction, dislocation, open
725	Repair, except hip arthroplasty
724	Stabilization
	Kidney
631	Complete nephrectomy
	Larynx
558	Excision of lesion or tissue

OPERATION INDEX (continued)

Group Number	Title
	Larynx (continued)
562	Laryngotomy, permanent
559	Partial laryngectomy
560	Total laryngectomy
	Lens
526	Extraction, except intracapsular
525	Intracapsular extraction
716	Ligament, division
	Liver
614	Incision, including percutaneous
	Lung
566	Lobectomy
566	Pneumonectomy
	Lymph nodes
582	Excision, except radical
583	Excision, radical
582	Incision
584	Other
538	Mastoidectomy
	Meninges, cerebral
501	Excision
501	Incision
	Muscle, *see also Extremity*
726	Division, except hand
728	Division, hand
727	Excision of lesion or tissue
726	Incision
730	Resection, except hand
728	Resection, hand
730	Suture, except hand
729	Suture, hand
	Muscle, ocular
530	Recession
530	Resection
754	Myelography
	Nerve, peripheral
508	Excision of lesion or tissue

OPERATION INDEX (continued)

Group Number	Title
	Nerve, peripheral (continued)
595	Vagotomy
	Nerve, sympathetic
510	Sympathectomy
	Nose
543	Excision, except submucous resection
541	Submucous resection, nasal septum
543	Incision
542	Rhinoplasty
	Obstetrical procedures
677	Curettage, aspiration
675	D & C
	Delivery, assisted
688	Breech extraction
692	Cesarean section, except low cervical
691	Cesarean section, low cervical
690	Episiotomy
689	Low forceps
	Intrauterine procedures
695	Amniocentesis
690	Intra-amniotic injection
696	Intrauterine transfusion
697	Removal of retained placenta, manual
697	Repair of laceration
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage
691	Hysterotomy
694	Intra-amniotic injection
697	Other
	Oral cavity, except salivary glands
557	Frenotomy
551	Palatoplasty
	Ovary
660	Excision of lesion or tissue
662	Oophorectomy, bilateral
661	Oophorectomy, unilateral
663	Other

OPERATION INDEX (continued)

Group Number	Title
	Palate
551	Cleft palate repair
551	Palatoplasty
514	Parathyroid
	Penis
657	Circumcision
	Perineum, female
683	Excision of lesion or tissue
683	Incision
	Perirectal
607	Excision
607	Incision
609	Other
	Peritoneum
630	Division of adhesions
627	Drainage, except via cul de sac
682	Via cul de sac
626	Excision
630	Incision, except via cul de sac
682	Via cul de sac
628	Peritoneoscopy
	Pleura
576	Pleurocentesis
	Prostate
648	Prostatectomy, transurethral
649	Prostatectomy, except transurethral
650	Other
	Rectum
606	Excision, except proctectomy
609	Incision
608	Proctectomy
608	Other
	Reduction
	Dislocation, *see Joint*
	Fracture, *see Bone*
758	Retrograde pyelogram
	Sinuses, nasal
546	Radical maxillary sinusotomy

OPERATION INDEX (continued)

Group Number	Title
	Skin
747	Excision, except pilonidal sinus
746	Excision of pilonidal sinus
	Graft
749	Free
750	Pedicle
748	Incision, except pilonidal sinus
746	Incision of pilonidal sinus
751	Plastic, except lip
552	Plastic, lip
748	Suture
	Skull
503	Cranioplasty
502	Craniotomy
501	Excision
501	Puncture
	Spinal cord
506	Exploration
	Stomach
593	Complete gastrectomy
592	Excision of lesion or tissue
591	Gastrostomy
590	Gastrotomy
593	Partial gastrectomy
590	Pyloromyotomy
596	Pyloroplasty
595	Vagotomy
	Tendon
726	Division, except hand
728	Division, hand
727	Excision of lesion or tissue
726	Incision
730	Resection, except hand
727	Resection, hand
730	Suture, except hand
729	Suture, hand
	Testes
652	Orchiectomy
654	Other

OPERATION INDEX (continued)

Group Number	Title
570	Thoracoscopy, transpleural
	Thorax
576	Thoracentesis
	Thyroid
513	Thyroidectomy
514	Other
	Tongue
557	Frenotomy
557	Tongue-tie operation
	Tonsils
554	Tonsillectomy with adenoidectomy
555	Tonsillectomy without adenoidectomy
556	Other
	Tooth
548	Extraction
547	Restoration
549	Root resection
	Trachea
559	Excision of lesion or tissue
562	Permanent tracheostomy
563	Tracheotomy
	Ureter
645	Catheterization
634	Diversion
633	Ureterotomy
635	Other
	Urethra
641	Dilation
640	Excision of lesion or tissue
639	Meatotomy
640	Repair
642	Other
636	Urethroscopy
	Uterus, *see also Obstetrical procedures*
677	Aspiration curettage
670	Biopsy
667	Conization of cervix
675	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Uterus (continued)
668	Excision of cervix, except conization
668	Excision of lesion or tissue
673	Exenteration, pelvic
678	Hysteropexy
670	Hysterotomy, except to terminate pregnancy
671	Hysterectomy, abdominal, except radical
673	Hysterectomy, radical
672	Hysterectomy, vaginal, except radical
670	Myomectomy
679	Repair
678	Repair of supporting structures
	Vagina, except obstetrical
681	Colporrhaphy, except for cystocele and rectocele
680	Cystocele repair
680	Rectocele repair
682	Other
	Vas deferens
655	Interruption
656	Other
	Vein, *see Blood vessels*
757	Venography
	Ventricles, cerebral
505	Shunt
753	Ventriculography
	Vertebra
717	Excision, intervertebral disc
720	Fusion
506	Laminectomy, exploratory
	Other (grouped with other bone operations)
	Vulva, except obstetrical
683	Excision of lesion or tissue
683	Incision
684	Vulvectomy
685	Other